

DAILY RAINFALL

1911

1920

DENBIGHSHIRE

ABERGELE	SEA ROAD		1920
BRYMBO	PENTRE Broughton School	1919	1920
CERRIG-Y-DRUIDION	BWLCH-Y-BENDY (3 GAUGES)	1911	1917
"	"	1911	1916
"	"		1920
CHIRK	Castle	1914	1920
COLLYN. BAY	COUNCIL OFFICES	1911	1920
"	"	1911	1914
DENBIGH	GARN	1911	1920
"	MENTAL HOSPITAL	1911	1920
ERBISTOCK	House	1911	1912
GLYNCEIROG	COUNCIL SCHOOL		1920
GWYTHERIN	"		1920
GYFFYLLIOG	FACHLUYD HALL	1911	1920
HAFOD - LLAN - ISAF		1912	1920
"	"	1911	1920
"	"	1916	1920
JOHNSTOWN			1920
LLANEFYDD	GLASCOED RES.	1911	1920
"	PLAS UCHAF RES.	1911	1920
LLANGERNIEW	HAFODUNOS	1911	1920
LLANGYNHAFAL	PLAS DRAU	1911	1920
LLANRHAIADR	PLAS LLANGWYFAN	1917	1919
LLANRWST	COUNTY SCHOOL	1911	1919
"	POPLAR GROVE	1911	1914
LLANSILIN	PENYGWELY RES.	1911	1920
PENTRE VOELAS	NANT HEILYN	1911	1920
"	"	1911	1920
RUABON	TREJOR HALL		1920
"	WHITEHURST	1914	1920
RUTHIN	LLANBEDR HALL	1911	1918
"	TYMAUJ.	1911	1920
RIVER	BRENIQ. HAFOD-YR-ONEN	1911	1920
TAL-Y-CAFN	BORNANT HALL	1912	1918
TREFNANT	GREENFIELD		1912
"	MAES-ELWY	1915 - 19,	1920
"	TRINITY SCHOOL		1920
WREXHAM	Broughton	1911	1920

4319
RIABERGLE, SEA RD/

ANIZATION.

Kept at TREM Y C

in the County of

by Sydney

1920

at Abingdon

1 Gauge 5 in.

ve Ground 1 ft. in.

Sea Level 30 ft.

ntered to the previous day.

sted to add

Jan. 1, following.

IMPORTANT NOTI
If an Observer prefers not
the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of
this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges,
and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers,"
sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden
Square, London, N.W. 1.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	19	06	06	—	22	04	12	23	—	12	1
2	—	—	—	18	02	—	20	05	08	13	—	05	2
3	—	15	—	15	03	04	29	06	16	41	—	03	3
4	—	—	—	—	—	—	90	20	07	13	—	—	4
5	—	—	08	—	04	—	10	06	23	—	—	—	5
6	—	—	56	06	05	—	02	—	—	22	—	08	6
7	—	09	06	02	04	—	34	—	—	—	—	—	7
8	19	—	—	34	05	—	04	22	—	—	01	—	8
9	19	22	—	70	—	—	17	—	05	—	—	03	9
10	31	19	—	—	—	—	05	—	—	—	—	04	10
11	32	04	14	06	22	58	01	09	—	—	—	—	11
12	15	—	09	11	—	104	04	—	—	—	13	805	12
13	18	17	08	06	—	09	—	—	—	—	01	—	13
14	04	08	35	08	—	15	03	—	50	05	25	—	14
15	—	14	02	08	—	—	—	—	04	03	04	—	15
16	—	—	—	20	24	05	42	—	10	08	05	—	16
17	—	—	—	20	15	18	—	10	30	—	—	—	17
18	40	—	—	—	19	44	—	98	55	—	—	—	18
19	02	95	—	06	31	13	—	21	—	—	—	—	19
20	06	—	—	10	—	—	05	—	—	—	—	—	20
21	—	—	—	04	—	—	48	—	133	—	—	15	21
22	12	—	—	—	—	01	15	65	—	—	—	—	22
23	01	—	—	11	—	—	52	01	—	—	—	25	23
24	07	—	55	08	—	—	—	—	—	—	—	24	24
25	06	11	23	07	134	—	129	—	—	—	—	—	25
26	05	06	74	32	—	04	03	—	—	—	09	01	26
27	37	09	47	13	08	22	04	—	—	—	05	02	27
28	25	04	52	03	—	04	—	—	—	—	40	30	28
29	11	—	12	07	95	—	25	—	—	—	07	74	29
30	18	—	63	27	—	08	—	—	30	—	22	05	30
31	14	—	—	—	04	—	—	08	—	20	—	—	31
TOTAL	3.22	2.33	4.83	3.68	3.81	3.09	5.64	2.75	3.83	1.48	1.32	2.21	YEAR'S TOTAL 38.19
Days with 01 in. or more	20	13	16	25	16	14	22	13	13	9	11	15	187
Days with 04 in. or more	18	13	15	23	14	13	18	12	13	8	9	11	167

REGISTER OF RAINFALL IN 1920.

Kept at TREM Y COED ABERGELEin the County of Breconby Sydney Wilson

Lat. _____ Long. _____

Time of Observation 9.0 a.m.Nearest Railway Station AbertilleryDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 1 ft. _____ in." " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	19	06	06	~~22~~	22	04	12	23	—	12	1
2	—	—	—	18	02	—	20	05	08	13	—	05	2
3	—	15	—	15	03	04	29	06	16	41	—	03	3
4	—	—	—	—	—	—	90	20	07	13	—	—	4
5	—	—	08	—	04	—	10	06	23	—	—	—	5
6	—	—	56	06	05	—	02	—	—	22	—	08	6
7	—	09	06	02	04	—	34	—	—	—	—	—	7
8	19	—	—	34	05	—	04	22	—	—	01	—	8
9	19	22	—	70	—	—	17	—	05	—	—	03	9
10	31	19	—	—	—	—	05	—	—	—	—	04	10
11	32	04	14	06	22	58	01	09	—	—	—	—	11
12	15	—	09	11	—	1.04	04	—	—	—	13	0.05	12
13	18	17	08	06	—	09	—	—	—	—	01	—	13
14	04	08	35	08	—	15	03	—	50	05	25	—	14
15	—	14	02	08	—	—	—	—	04	03	04	—	15
16	—	—	—	20	24	05	42	—	10	08	05	—	16
17	—	—	—	20	15	18	—	10	30	—	—	—	17
18	40	—	—	—	19	44	—	98	58	—	—	—	18
19	02	95	—	06	31	13	—	21	—	—	—	—	19
20	06	—	—	10	—	—	05	—	—	—	—	—	20
21	—	—	—	04	—	—	48	—	1.33	—	—	15	21
22	12	—	—	—	—	01	15	65	—	—	—	—	22
23	01	—	—	11	—	—	52	01	—	—	—	25	23
24	07	—	55	08	—	—	—	—	—	—	—	24	24
25	06	11	23	07	1.34	—	1.29	—	—	—	—	—	25
26	05	06	74	32	—	04	03	—	—	—	09	01	26
27	37	09	47	13	08	22	04	—	—	—	05	02	27
28	25	04	52	03	—	04	—	—	—	—	40	30	28
29	11	—	12	07	95	—	25	—	—	—	07	74	29
30	18	~~—~~	63	27	—	08	—	—	30	—	22	05	30
31	14	~~—~~	—	~~—~~	04	~~—~~	—	08	~~—~~	20	~~—~~	—	31
TOTAL	3.22	2.33	4.83	3.68	3.81	3.09	5.64	2.75	3.83	1.48	1.32	2.21	YEAR'S TOTAL 38.19
Days with 0.1 in. or more	20	13	16	25	16	14	22	13	13	9	11	15	187
Days with 0.4 in. or more	18	13	15	23	14	13	18	12	13	8	9	11	167

REGIS 4293

Kept at Pentre Broughton BRYMBO

PENTRE BROUGHTON SCHOOL

in the County of Denbigh

by J. E. Rees, H

1919 - 1920

IMPORTANT NOTE.

previous day. If an Observer is requested to add the reading for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

1925

FORM A.
BRITISH RAINFALL

W.
daily
mbo.

5 in.
and 2 ft. in.
Level about 680 ft.
result entered to the
rule, he is earnestly
the space provided

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.10		.30		.36		.31		.12	.24	.01	.16	1
2	.10						.18	.19	.15	.03	.02	.08	2
3	.0		.140	.02	.02		.05				.04		3
4	.10						.45		.05		.03	.15	4
5	~~.0~~				.02						.04	.25	5
6	.05		.28		.15					.01		.40	6
7	.08			.03									7
8	.34					.18						.03	8
9	.30		.04	.07							.03		9
10	.06		.13	.30	.01								10
11	.02		.90									.17	11
12	.01		1.00			.35	.50			.33			12
13	.15			.29			.12		.10	.59	.06	.03	13
14	.17			.25			.05	.10	.09	.40		.10	14
15	.19			.50	.31						.01	.60	15
16	.13			.02		.07	.02				.30		16
17	.01					.04		.19			.31	.02	17
18	~~.0~~		1.15		.06		.04	.50	.22			.15	18
19	.15		.40			.08	.02	1.40	.20		.19	.03	19
20	.20		.06				.01		.15		.38		20
21	.09					.15	.22		.10		.02	.70	21
22						.04	.04	.04	.17		.01	.16	22
23			.21			.18				1.35	.04	1.10	23
24										.82	.28	.28	24
25				.26	.21			.50		.01	.14	.06	25
26	.05			.10		.01		.22	.03	.01		.30	26
27			~~.25~~	.12			.01	.60				.70	27
28				.05				.73	.05	.03		.33	28
29				.09		.01		.14		.17		.30	29
30		X	.21			.18				.01		.25	30
31		X	.10	X		X			X		X		31
Total	3.24		~~10.02~~	1.81	1.13	1.32	2.02	4.61	1.43	4.04	1.91	5.45	YEAR'S TOTAL
Rain Days.													

REGISTER OF RAINFALL

Kept at Pentire Broughton Boys' School
 in the County of Denbigh
 by J. E. Rees, Headmaster

Lat. 53° N Long. 3° W
 Time of Observation 9 a.m. daily
 Nearest Railway Station Brymbo
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 2 ft. in.
 " " " " Sea Level about 680 ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.10		.30		.36		.31		.12	.24	.01✓	.16	1
2	.10						.18	.19	.15	.03✓	.02✓	.08	2
3	.0		.40	.02✓	.02✓		.05				.04		3
4	.10						.45		.05		.03✓	.15	4
5	~~.10~~				.02✓						.04	.25	5
6	.05		.28		.15					.01✓		.10	6
7	.08			.03✓									7
8	.34					.18						.03✓	8
9	1.30		.04	.07							.03✓		9
10	.0		.13	.01✓									10
11	.02✓												11
12	.01		1.00			.35	.50			.33			12
13	.15			.29			.12		.10	.59	.06	.03✓	13
14	.17			.25			.05	.10	.09	.44		.10	14
15	.19			.50	.31						.01✓	.60	15
16	.13			.02✓		.07	.02✓				.30		16
17	.01					.04		.19			.31	.02✓	17
18	~~.0~~		.15		.06		.04	.53	.22			.15	18
19	.15		.40			.08	.02✓	1.40	.20		.19	.03✓	19
20	.20		.06				.01✓		.15		.38		20
21	.09					.15	.22		.10		.02✓	.10	21
22						.04	.04	.04	.17		.01✓	.16	22
23			.21			.18				1.35	.04	1.10	23
24										.82	.28	.28	24
25				.26	.21			.50		.01✓	.04	.06	25
26	.05			.10		.01✓		.22	.03✓	.01✓		.30	26
27			~~.35~~	.12			.01✓	.60				.10	27
28				.05				.73	.05	.03✓		.33	28
29				.09		.04		.14		.17		.30	29
30		X	.21			.18				.01✓		.25	30
31		X	.10	X		X			X		X		31
Total	3.24		10.02	1.81	1.13	1.32	2.02	4.61	1.43	4.04	1.91	5.45	YEAR'S TOTAL
Rain Days.													

REGISTER OF RAINFALL IN 1921

Kept at A = Old Broughton Colliery
B = Broughton Boys School
in the County of
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.


IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	Feb.	March	March	April	April	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.01	.30	.01							1
2				.04									2
3					.40	.05	.02						3
4		.04		.39									4
5		.30											5
6				.20	2.80					.28?			6
7				.05	.27	.04	.03						7
8				.02	wk end								8
9					.04	.08	.07						9
10				.12	1.30		.01			.13?			10
11				1.94	.70	.06							11
12				.48	1.00	.04							12
13				.01		.17	.29						13
14		.02				.26	.25						14
15		.11		.01		.54	.50						15
16		.85				.01	.02						16
17		.42				.01							17
18				.94	1.15								18
19		.40		.97	.40	.03							19
20		.02		.21	.06								20
21		.26		.01									21
22		.02											22
23					.21								23
24						.04							24
25						.21	.26						25
26		.02		.24		.18	.10						26
27		.05		.01	1.35	.17	.12						27
28		.02		.02		.05	.06						28
29				.20		.08	.09						29
30				.08	.21	.14							30
31				.06	.10								31
TOTAL		2.53	"nie"	6.01	10.02	2.17	1.81						YEAR'S TOTAL
Days with '01 in. or more													
Days with '04 in. or more													

S. 665



23/2/21

Dear Sir,

I am obliged for your communication and thank you for the comparisons between Broughton Colliery and our School Records for Feb, March & April 1919.

As I stated in my letter I was not at all certain about the 1919 records which I took from my own diary. The School records for 1919 having been mislaid. Nearly all my diary records however were obtained from the School recorder who reported daily to me. I think in the circumstances you had better take the Broughton Colliery records for that year as the more reliable. My 1920 records I think you would find fairly accurate. I shall certainly check the 1921 records personally after this.

yours faithfully
D E Kels.

REGISTER OF RAINFALL IN 1920.

Kept at PENTRE BROUGHTON Boys' Sch
N. WREXHAM,
in the County of DENBIGH
by (Mr) D. E. REES

Lat. 53° N Long. 3° W
Time of Observation 9 a.m. each day
Nearest Railway Station BRYMBO (Guth)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 680 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in ~~Millimetres~~ should not be entered on this form.

Date	Jan.	Feb.	~~MAY~~ March	~~JUNE~~ April	~~MAY~~ May	~~APR~~ June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.13	—	.38	JUNE	MARCH	APR.	.22	.05	.14	.06	—	.21	1
2	—	—	.02	—	—	.13	.50	—	.08	.10	—	—	2
3	.03	.09	.09	—	—	.27	.30	.03	—	.34	—	—	3
4	.07	—	.04	.05	—	—	.08	.48	.20	.69	—	—	4
5	—	.01	—	—	.21	—	.13	—	.40	.10	—	—	5
6	—	—	.04	—	—	—	—	—	—	.80	—	.19	6
7	.01	—	—	—	—	.15	.45	.09	—	—	.02	—	7
8	.34	.06	.17	—	—	.50	.04	.08	.11	—	—	—	8
9	.31	.04	—	—	—	.63	.38	—	.05	—	—	—	9
10	.36	.26	—	—	.24	.02	.20	—	—	.02	—	—	10
11	.50	.07	.25	.22	.30	.30	.03	.08	—	—	—	—	11
12	.13	—	.01	1.50	.08	.37	.06	—	.04	—	—	—	12
13	.10	.20	—	—	.28	.14	—	—	—	—	—	.10	13
14	.01	.03	—	.71	.48	.44	.06	—	.67	.21	.54	—	14
15	—	.10	—	—	.09	.33	—	—	.01	.32	—	—	15
16	—	—	.26	.57	—	.18	.53	—	.18	.38	—	—	16
17	.09	—	.28	.03	—	.03	—	.05	—	.01	.01	—	17
18	.09	—	.39	.20	.08	.01	.06	.06	.10	.01	—	—	18
19	.01	1.34	.03	—	—	.16	—	.02	.19	—	—	—	19
20	.12	—	—	.18	—	.72	.09	.05	.01	—	—	.11	20
21	.08	—	—	—	—	.05	.44	.05	—	—	—	.20	21
22	.05	.01	—	—	—	.27	.22	.10	—	—	.01	.20	22
23	.03	.01	—	—	.10	.03	.16	.09	—	—	—	.30	23
24	.02	—	—	—	.53	.01	.06	.03	—	—	—	.19	24
25	.06	—	.11	.04	.17	.10	.92	—	—	.02	—	.03	25
26	.18	.18	.65	—	.50	.26	.33	—	—	.02	—	.07	26
27	.52	—	.35	.22	.55	.33	.03	—	—	—	—	.25	27
28	.09	—	.40	.02	.39	.27	—	—	—	—	.20	.11	28
29	.20	—	1.36	—	.25	.02	.36	—	—	—	.15	.56	29
30	.07	—	—	.11	.15	.30	.01	—	.36	—	.05	.09	30
31	.05	—	—	—	.02	—	.08	.05	—	.26	—	.02	31
TOTAL	3.58	2.40	4.83	3.85	4.43	6.16	5.74	1.31	2.54	3.34	.98	2.63	YEAR'S TOTAL 41.79
Days with ".01 in. or more	26	13	17	12	17	27	25	15	14	15	4	15	203

Copy from original observa
REG
Kept at Bulchysend
in the County of Den
by Col. G. S. M.

DENBIGH.
CARRIG - Y - DRUIDION
BWLCH - Y - BEUDY
(3 GAUGES)
1911 - 1917

FORM A.
BRITISH RAINFALL.
in.
ft.
ft.
Instructions for the measurement
sent post-free on application

NOTE.—Rain should be measured
of rain and particulars as to the Briti
to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	.22	-	.05	-	.09	.17	-	.02	.60	.21	1
2	.01	-	.07	-	.30	-	.01	.15	-	.38	-	.42	2
3	-	-	.02	-	.73	-	.01	-	.09	.02	.20	.24	3
4	-	-	.10	-	.10	-	-	1.67	.03	-	.82	.28	4
5	.36	-	.04	-	.09	-	-	.78	-	.04	.05	-	5
6	.20	-	.18	-	-	-	-	.29	-	.04	.62	.51	6
7	.05	-	-	-	-	-	-	-	-	-	.49	-	7
8	.28	-	.21	-	-	-	-	-	-	-	.22	.40	8
9	.01	-	.01	-	-	-	-	-	-	-	1.34	.73	9
10	.28	.07	.10	-	-	-	-	-	-	-	-	.60	10
11	3ms .37	-	-	-	.01	-	-	-	-	-	.25	.15	11
12	3ms .37	.02	1ms .19	-	-	-	-	-	1.73	-	.60	.05	12
13	3ms .20	-	.13	-	-	-	-	.07	.01	-	.27	.12	13
14	.02	.18	2ms .04	-	-	-	.01	-	-	-	.17	.10	14
15	-	.27	.42	-	-	.06	-	-	-	.06	.27	.18	15
16	-	.20	.03	.03	-	.62	-	-	-	.03	.27	.22	16
17	-	.03	-	-	-	.84	-	-	-	-	.75	.30	17
18	-	.60	-	.16	-	.11	-	-	-	.03	.10	.50	18
19	-	.02	.01	.40	-	.73	.08	-	.35	.03	.43	.63	19
20	-	.10	-	.51	-	.06	.03	1.19	.08	.10	.03	.15	20
21	.04	.93	.01	.05	-	.12	.12	.01	.02	.14	.07	.08	21
22	-	.15	-	.11	-	.12	-	-	-	.54	.08	1ms .37	22
23	.02	.57	-	-	.02	.07	-	.07	.10	.25	-	.30	23
24	.06	.10	.02	.06	-	1.20	-	.11	.09	.30	-	1ms .14	24
25	.02	.22	-	.26	-	.19	-	.07	.75	.21	-	.12	25
26	-	.15	-	.22	-	.03	-	.23	-	.21	.17	.10	26
27	-	.40	1ms .08	.50	-	-	.10	.60	.73	-	.04	.05	27
28	-	.43	-	.12	-	.16	-	.08	-	.02	-	.05	28
29	-	-	-	-	-	.11	.75	-	.33	1.10	-	.12	29
30	-	-	.05	-	-	.11	.04	-	.05	.55	.06	-	30
31	-	-	.21	-	.70	-	-	-	-	.10	-	.02	31
Total	1.92	4.44	2.14	2.42	2.00	4.53	1.24	5.43	4.36	4.17	7.90	7.14	TOTAL for year 77.5
No. of Rain Days								5.49					

Kept at *Bwlchysbendy* No. *1* gauge
in the County of *Denbigh*
by *Col. G. S. Mainwaring*

Lat. _____ Long. _____
Nearest Railway Station _____
Time of Observation _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	.22	-	.05	-	.09	.17	-	.02	.60	.21	1
2	.01	-	.07	-	.30	-	.01	.15	-	.38	-	.42	2
3	-	-	.02	-	.73	-	.01	-	.09	.02	.20	.24	3
4	-	-	.10	-	.10	-	-	1.67	.03	-	.82	.28	4
5	.36	-	.04	-	.09	-	-	.78	-	.04	.05	-	5
6	.20	-	.18	-	-	-	-	.29	-	.04	.62	.51	6
7	.05	-	-	-	-	-	-	-	-	-	.49	-	7
8	.28	-	.21	-	-	-	-	-	-	-	.22	.40	8
9	.01	-	.01	-	-	-	-	-	-	-	1.34	.73	9
10	.28	.07	.10	-	-	-	-	-	-	-	-	.60	10
11	<i>3 in S</i> .37	-	-	-	.01	-	-	-	-	-	.25	.15	11
12	<i>3 in S</i> .20	.02	<i>1 in S</i> .19	-	-	-	-	-	1.73	-	.60	.05	12
13	<i>3 in S</i> .20	-	.13	-	-	-	-	.07	.01	-	.27	.12	13
14	.02	.18	<i>2 in S</i> .04	-	-	-	.01	-	-	-	.17	.10	14
15	-	.27	.42	-	-	.06	-	-	-	.06	.27	.18	15
16	-	.20	.03	.03	-	.62	-	-	-	.03	.27	.22	16
17	-	.03	-	-	-	.84	-	-	-	-	.75	.30	17
18	-	.60	-	.16	-	.11	-	-	-	.03	.10	.50	18
19	-	.02	.01	.40	-	.73	.08	-	.35	.03	.43	.63	19
20	-	.10	-	.51	-	.06	.03	1.19	.08	.10	.03	.15	20
21	.04	.93	.01	.05	-	.12	.12	.01	.02	.14	.07	.08	21
22	-	.15	-	.11	-	.12	-	-	-	.54	.08	<i>1 in S</i> .37	22
23	.02	.57	-	-	.02	.07	-	.07	.10	.25	-	.30	23
24	.06	.10	.02	.06	-	1.20	-	.11	.09	.30	-	<i>1 in S</i> .14	24
25	.02	.22	-	.26	-	.19	-	.07	.75	.21	-	.12	25
26	-	.15	-	.22	-	.03	-	.23	-	.21	.17	.10	26
27	-	.40	<i>1 in S</i> .08	.50	-	-	.10	.60	.73	-	.04	.05	27
28	-	.43	-	.12	-	.16	-	.08	-	.02	-	.05	28
29	-	-	-	-	-	.11	.75	-	.33	1.10	-	.12	29
30	-	-	.05	-	-	.11	.04	-	.05	.55	.06	-	30
31	-	-	.21	-	.70	-	-	-	-	.10	-	.02	31
Total	1.92	4.44	2.14	2.42	2.00	4.53	1.24	5.43	4.36	4.17	7.90	7.14	TOTAL for year 77.5
No. of Rain Days								5.49					

Copy from original observation book returned to observer. Cor. for aith. 11.14

REGISTER OF RAINFALL IN 19 11

FORM A.
BRITISH RAINFALL.

10 year
book corrected
1.2.11-14

Kept at Bulchibendy. No. 2 gauge
in the County of Denbigh
by Col. G. S. Mainwaring

Lat. _____ Long. _____
Nearest Railway Station _____
Time of Observation _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	.45	-	.05	-	.09	.18	-	.02	.61	.22	1
2	.01	-	.22	-	.29	-	.01	.17	-	.38	-	.44	2
3	-	-	.07	-	.73	-	.02	-	.09	.02	.21	.25	3
4	-	-	.02	-	.10	-	-	1.80	.03	-	.84	.30	4
5	.39	-	.10	-	.09	-	-	.80	-	.04	.05	-	5
6	.20	-	.04	-	-	-	-	.29	-	.04	.64	.53	6
7	.04	-	.21	-	-	-	-	-	-	-	.52	-	7
8	.28	-	-	-	-	-	-	-	-	-	.24	.42	8
9	.01	-	.23	-	-	-	-	-	-	-	1.34	.74	9
10	.28	.07	.01	-	-	-	-	-	-	-	-	.62	10
11	^{3 in S} .35	-	.10	-	.01	-	-	-	-	-	.25	.17	11
12	^{3 in S} -	.03	^{1 in S} -	-	-	-	-	-	1.68	-	.62	.05	12
13	^{3 in S} .23	-	.20	-	-	-	-	.08	.01	-	.28	.15	13
14	.02	.20	.14	-	-	-	.01	-	-	-	.17	.10	14
15	-	.30	.04	-	-	.06	-	-	-	.05	.30	.18	15
16	-	.20	.42	.04	-	.64	-	-	-	.03	.29	.24	16
17	-	.03	.04	-	-	.87	-	-	-	-	.76	.32	17
18	-	.62	-	.17	-	.12	-	-	-	.03	.10	.50	18
19	-	.02	-	.40	-	.74	.08	-	.37	.03	.43	.65	19
20	-	.12	.01	.51	-	.07	.03	1.23	.09	.10	.04	.15	20
21	.04	.92	.01	.04	-	.15	.13	.01	.02	.15	.07	.09	21
22	-	.15	-	.11	-	.12	-	-	-	.55	.08	^{1 in S} .40	22
23	.03	.55	.02	-	.01	.07	-	.07	.10	.27	-	.34	23
24	.06	.10	-	.06	-	1.25	-	~~.12~~	.09	.32	-	^{1 in S} .14	24
25	.02	.24	-	.26	-	.21	-	.07	.75	.22	-	.14	25
26	-	.17	-	.23	-	.03	-	.24	-	.22	.17	.10	26
27	-	.42	^{1 in S} .09	.50	-	-	.10	.60	.73	-	.04	.05	27
28	-	.45	-	.12	-	.15	-	.08	-	.02	-	.05	28
29	-	-	-	-	-	.12	.76	-	.31	1.12	-	.12	29
30	-	-	.05	-	-	.12	.04	-	.05	.57	.07	-	30
31	-	-	.22	-	.71	-	-	-	-	.10	-	.02	31
Total	1.96	4.59	2.24	2.45	1.99	4.72	1.27	5.74	4.32	4.28	8.12	7.48	TOTAL for year 49.15
No. of Rain Days				2.44									

REGISTER OF RAINFALL IN 1911.

FORM A.
BRITISH RAINFALL.Kept at *Bulchibendy No. 3 gauge*in the County of *Denbigh*by *Col. G. S. Mainwaring*

Lat. _____ Long. _____

Nearest Railway Station _____

Time of Observation _____

Diameter of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " Sea Level _____ ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	.22	-	.05	-	.08	.17	-	.02	.60	.21	1
2	.01	-	.06	-	.28	-	.02	.15	-	.37	-	.42	2
3	-	-	.02	-	.75	-	.01	-	.08	.02	.20	.24	3
4	-	-	.10	-	.09	-	-	1.65	.03	-	.82	.27	4
5	.34	-	.03	-	.08	-	-	.76	-	.04	.05	-	5
6	.20	-	.18	-	-	-	-	.30	-	.04	.62	.51	6
7	.04	-	-	-	-	-	-	-	-	-	.50	-	7
8	.29	-	.21	-	-	-	-	-	-	-	.22	.40	8
9	.01	-	.01	-	-	-	-	-	-	-	1.34	.73	9
10	.29	.09	.10	-	-	-	-	-	-	-	-	.60	10
11	.35	-	-	-	.01	-	-	-	-	-	.25	.15	11
12	-	.02	.19	-	-	-	-	-	1.66	-	.60	.04	12
13	.21	-	.13	-	-	-	-	.07	.01	-	.27	.12	13
14	.04	.18	.05	-	-	-	.01	-	-	-	.17	.09	14
15	-	.27	.41	-	-	.06	-	-	-	.05	.27	.17	15
16	-	.22	.03	.03	-	.65	-	-	-	.03	.27	.23	16
17	-	.03	-	-	-	.85	-	-	-	-	.75	.30	17
18	-	.60	-	.14	-	.12	-	-	-	.03	.10	.49	18
19	-	.03	.01	.39	-	.70	.08	-	.34	.03	.43	.63	19
20	-	.10	-	.48	-	.06	.03	1.18	.08	.08	.03	.14	20
21	.04	.92	.01	.04	-	.12	.12	.01	.02	.12	.07	.08	21
22	-	.15	-	.10	-	.11	-	-	-	.54	.07	.33	22
23	.02	.60	.02	-	.02	.06	-	.07	.09	.25	-	.32	23
24	.06	.10	-	.05	-	1.20	-	.11	.08	.35	-	.13	24
25	.02	.22	-	.24	-	.19	-	.07	.73	.21	-	.12	25
26	-	.15	-	.21	-	.03	-	.25	-	.20	.17	.09	26
27	-	.40	.08	.50	-	-	.10	.58	.75	-	.04	.04	27
28	-	.43	-	.11	-	.15	-	.07	-	.02	-	.04	28
29	-	-	-	-	-	.10	.73	-	.32	1.10	-	.11	29
30	-	-	.05	-	-	.10	.04	-	.05	.55	.06	-	30
31	-	-	.21	-	.70	-	-	-	-	.08	-	.02	31
Total	1.92	4.51	2.12	2.29	1.98	4.50	1.22	5.44	4.24	4.13	7.90	7.02	TOTAL for year 47.27
No. of Rain Days													

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

Kept at Bwlchybendy No. 1 gauge
in the County of Denbigh
by Col. C. S. Mainwaring

Pattern _____
RAIN GAUGE Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	(40)	
1	-	-	38	-	-	06	31	12	09	-	-	-	1
2	-	35.03	79	-	04	24	02	-	-	-	-	12	2
3	17	-	07	-	10	17	-	99	23	-	-	21	3
4	36	-	120	03	04	20	-	55	14	-	13	06	4
5	11	-	07	-	12	04	-	04	06	-	02	07	5
6	30	15	-	-	07	-	-	83	-	-	01	05	6
7	-	15	09	-	01	19	26	22	02	-	-	12	7
8	56	17	27	14	02	09	-	10	11	-	-	01	8
9	08	07	13	27	-	24	01	03	-	-	07	08	9
10	30	02	-	06	-	12	07	09	-	-	73	26	10
11	08	03	-	-	02	-	11	-	-	-	48	78	11
12	04	23	15	01	-	03	07	03	-	-	03	32	12
13	03	-	-	-	-	02	-	10	-	30	20	115	13
14	10	02	20	-	-	09	-	12	02	04	03	38	14
15	22	07	18	-	10	30	-	-	-	-	01	20	15
16	12	13	25	-	02	02	-	20	01	26	-	09	16
17	qms	44	09	-	01	29	-	33	-	-	07	61	17
18	qms	-	08	-	-	09	-	05	-	11	18	20	18
19	6.42	15	12	-	-	02	02	47	-	10	02	07	19
20	10	-	13	-	11	26	02	08	-	49	04	09	20
21	-	-	15	07	40	-	02	07	-	45	01	07	21
22	-	24	-	-	55	02	06	64	-	-	-	18	22
23	-	-	27	-	-	35	14	38	-	-	45	04	23
24	06	05	08	-	-	33	08	13	-	-	20	25	24
25	-	-	34	-	-	28	01	-	-	-	72	46	25
26	-	20	21	-	-	02	18	39	-	1.64	69	21	26
27	-	06	16	-	-	52	89	-	-	30	31	72	27
28	-	22	-	-	-	17	31	19	09	37	24	02	28
29	-	14	-	-	-	07	43	15	47	46	-	12	29
30	-	-	22	01	-	17	15	-	-	35	3ms 20	05	30
31	-	-	19	-	-	-	44	03	-	11	-	29	31
Total	3.05	2.57	5.82	.59	1.61	4.40	3.60	6.33	1.24	5.08	4.64	7.88	TOTAL for year 46.71
No. of Rain Days										4.98	4.84	7.68	

REGISTER OF RAINFALL IN 1913

Accepted at *Bulchysheady Carrigrohane*
in the County of *Denbigh*
by *Colnel. C. J. Mainwaring*

Lat. _____ Long. _____
Time of Observation *9 am*
Nearest Railway Station *Corwen*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. in.
Sea Level *1650* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

30

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	—	.15	.21	.01	—	.17	.45	.03	—	.12	—	1
2	—	—	.40	—	—	.06	.33	.13	.09	—	—	(.42)	2
3	—	.03	.80	—	.04	.24	.03	—	—	—	—	.13	3
4	.17	—	.07	—	.10	.17	—	1.02	.24	—	—	.23	4
5	.36	—	1.24	.03	.04	.20	—	.58	.14	—	.14	.07	5
6	.11	—	.07	—	.12	.04	—	.04	.07	—	.02	.09	6
7	.32	.16	—	—	.07	—	—	.82	—	—	.01	.05	7
8	—	.18	.10	—	.01	.20	.28	.23	.03	—	—	.13	8
9	.58	.19	.28	.16	.02	.09	—	.10	.11	—	—	.02	9
10	.08	.07	.14	.28	—	.24	.01	.03	—	—	.07	.09	10
11	.31	.02	—	.07	—	.12	.08	.11	—	—	.73	.28	11
12	.07	.03	—	—	.02	—	.13	—	—	—	.50	.80	12
13	.04	.25	.15	.01	—	.03	.08	.03	—	—	.03	.38	13
14	.03	—	—	—	—	.02	—	.11	—	.31	.22	1.30	14
15	.10	.03	.22	—	—	.09	—	.12	.02	.04	.04	.40	15
16	.22	.08	.19	—	.10	.32	—	—	—	—	.03	.21	16
17	.13	.14	.26	—	.02	.02	—	.21	.01	.27	—	.09	17
18	—	.45	.09	—	.01	.31	—	.35	—	—	.08	.63	18
19	—	—	.08	—	—	.07	—	.05	—	.11	.20	.20	19
20	.44	.16	.12	—	—	.02	.03	.47	—	.12	.03	.09	20
21	.12	—	.16	—	.12	.27	.02	.09	—	.49	.06	.11	21
22	—	—	.15	.07	.43	—	.02	.07	—	.45	.02	.09	22
23	—	.26	—	—	.60	.02	.06	.65	—	—	—	.20	23
24	—	—	.29	—	—	.36	.16	.40	—	—	.48	.05	24
25	.07	.06	.08	—	—	.36	.08	.14	—	—	.22	.25	25
26	—	—	.35	—	—	.29	.01	—	—	—	.75	.47	26
27	—	.21	.28	—	—	.02	.18	.39	—	1.67	.70	.22	27
28	—	.07	.18	—	—	.53	.92	—	—	.32	.33	.74	28
29	—	.22	—	—	—	.18	.33	.19	.09	.38	.25	.02	29
30	—	—	—	—	—	.07	.45	.15	.48	.48	—	.14	30
31	—	—	.25	—	—	—	.15	—	—	.37	(.20)	.07	31
Total	3.19	2.61	6.05	.83	1.71	4.34	3.52	6.93	1.31	5.01	5.03	8.17	YEAR'S TOTAL 48.70
Rain Days.	17	18	24	7	15	26	20	25	4	13	21	31	48.70

BRITISH RAINFALL.
SYMONS'S METEOROLOGICAL MAGAZINE.

HUGH ROBERT MILL, D. SC.
Telephone: P.O. Hampstead 942.

62, Camden Square,

London, N.W.

3rd April, 1913.

Col. C.S. Mainwaring,
Bwlchybenny,
Cerrig-y-druidion.

Dear Sir,

On examining the rainfall return for last year which you have been good enough to send me, I notice that the measurements have been uniformly entered on the register as the rainfall of the day on which the reading was taken. As you will observe by Rule IX of the enclosed pamphlet, it is the custom for almost all observers to enter the fall measured each day to the previous day, thus bringing the measurement made at 9 a.m. on the first of each month into the previous month. Of course there is no harm in entering the reading to the day on which it is made, but as it is very desirable that all the records should refer to exactly the same period, I should be glad if you would be good enough to let me know the amount you measured on the morning of January 1st of this year so that your record may not be out of harmony with others.

With apologies for troubling you,

Yours sincerely,

Hugh Robert Mill

Rain returned in 1912 48.70
Rain gauge Jan 1. 1913 .30
H. 9.00

Charles S. Mainwaring

Note this & write to commence today. as this was no rain 9. a.m. today

Copy from original observation book returned to observer.
Entered 1.11.14

REGISTER OF RAINFALL IN 1912

Cor. for Snow. 11.11.14

FORM A2.
BRITISH RAINFALL.

Kept at Bulchybendy No. 3 gauge
in the County of Denbigh
by Col. G. S. Mainwaring

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.
Time of Observation
Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. -	in. -	in. 38	in. -	in. -	in. 06	in. 30	in. 12	in. 07	in. -	in. -	in. (460)	1
2	-	3 in. 03	79	-	04	24	02	-	-	-	-	13	2
3	15	-	07	-	09	16	-	98	23	-	-	23	3
4	36	-	121	02	04	20	-	55	12	-	13	06	4
5	10	-	06	-	11	04	-	04	06	-	02	07	5
6	31	14	-	-	07	-	-	79	-	-	01	04	6
7	-	15	08	-	01	18	26	21	03	-	-	12	7
8	56	17	25	14	02	08	-	09	10	-	-	01	8
9	08	07	12	27	-	23	01	03	-	-	06	08	9
10	30	02	-	06	-	12	06	08	-	-	76	27	10
11	07	03	-	-	02	-	11	-	-	-	48	78	11
12	03	27	14	01	-	02	07	03	-	-	03	32	12
13	03	-	-	-	-	02	-	10	-	30	20	116	13
14	10	02	20	-	-	08	-	11	02	03	03	39	14
15	20	07	17	-	09	30	-	-	-	-	01	20	15
16	12	13	26	-	02	02	-	20	01	26	-	08	16
17	9 in. -	44	08	-	01	29	-	32	-	-	09	61	17
18	9 in. -	-	08	-	-	08	-	04	-	11	18	20	18
19	6 in. 42	14	11	-	-	02	02	45	-	10	02	07	19
20	10	-	13	-	11	25	02	08	-	49	04	09	20
21	-	-	14	06	40	-	02	06	-	45	02	07	21
22	-	20	-	-	56	02	05	64	-	-	-	18	22
23	-	-	27	-	-	34	14	38	-	-	46	04	23
24	06	05	07	-	-	32	07	13	-	-	20	24	24
25	-	-	34	-	-	28	01	-	-	-	73	45	25
26	-	19	21	-	-	02	16	38	-	164	69	20	26
27	-	06	16	-	-	50	88	-	-	30	31	72	27
28	-	22	-	-	-	16	30	17	08	37	24	02	28
29	-	14	-	-	-	07	45	13	47	46	-	13	29
30	-	-	22	01	-	16	14	-	-	35	(3 in 20) 20	05	30
31	-	-	19	-	-	-	44	03	-	11	29	29	31
Total	2.99	2.54	5.73	57	1.59	4.26	3.53	6.14	1.19	4.97	4.71 491	7.90 7.90	TOTAL for year 46.12 ✓
No. of Rain Days													

Copy from original returned to observer

REGISTER OF RAINFALL IN 1913

Kept at Bulchylendy No. 1 gauge

in the County of Denbigh

by Col. C. S. Mainwaring

Lat. 53. 18. 56. Long. 3. 16. 19. 14

Nearest Railway Station

Time of Observation

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. in.

Sea Level ft.

FORM A.
BRITISH RAINFALL.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	.22	.24	~~---~~	.04	-	-	-	-	-	.20	-	1
2	.04	.36	.65	.06	.15	.05	-	-	-	.01	.24	.12	2
3	.16	.08	.66	.08	.42	-	-	-	-	.03	-	.44	3
4	.35	.21	.20	-	.18	.01	-	-	-	.17	.17	.56	4
5	.30	.13	.26	-	.12	.57	.18	.01	-	1.37	.04	.03	5
6	.14	.21	.41	-	.10	.15	.25	-	-	.12	-	.21	6
7	.10	.79	.03	-	.25	.39	.04	-	.04	.44	.14	.05	7
8	-	.23	.05	.02	.34	.08	.05	.07	.14	.40	.02	.08	8
9	-	.26	.15	.15	.12	1.48	.30	.12	-	-	.13	.13	9
10	.15	-	.06	.04	.03	.02	.06	.07	-	.02	.17	-	10
11	.22	-	-	.51	.05	.14	-	-	-	.08	.52	.15	11
12	-	-	-	-	.12	.11	-	-	1.16	-	1.12	-	12
13	-	-	.42	.02	.01	.06	.01	.09	.25	.02	.79	-	13
14	.19	-	.36	.28	-	-	-	.12	.01	.29	.37	.01	14
15	.16	.03	.80	1.16	-	-	-	-	.04	-	.20	.09	15
16	.12	-	.07	.14	-	-	.01	.38	-	-	.08	-	16
17	.12	-	.23	.25	-	-	.03	-	-	-	.32	-	17
18	.04	-	.50	.25	.17	-	.08	-	-	-	.19	-	18
19	.15	-	.17	-	-	.27	-	-	.05	.24	.28	-	19
20	.16	-	.39	.04	.01	-	.03	-	.07	.15	1.18	-	20
21	-	-	.25	.26	.14	-	.34	.33	-	.09	.03	-	21
22	.40	-	.60	-	.01	.19	-	.83	.27	-	-	-	22
23	.16	-	.02	-	-	.11	-	.25	.17	-	.10	.03	23
24	.40	-	-	.15	-	.06	-	-	-	.05	.07	.12	24
25	-	-	-	.35	-	-	-	-	.24	.04	.07	.40	25
26	-	.12	-	1.30	-	.01	-	-	.41	.01	-	.84	26
27	.06	.02	-	.25	-	-	-	-	-	.34	-	.06	27
28	.28	-	.10	.33	-	-	-	-	-	.37	-	.15	28
29	.01	-	.28	.48	.14	-	.01	.01	-	.34	.09	-	29
30	.63	-	-	-	.08	-	-	-	-	.24	.11	-	30
31	.12	-	.14	-	.12	-	-	-	-	.07	-	-	31
Total	4.49	2.66	6.98	6.25	2.60	3.70	1.39	2.28	2.85	4.89	6.63	3.47	TOTAL for year 48.17
No. of Rain Days	24	12	24	20	20	16	13	11	12	22	24	17	215

REGISTER OF RAINFALL IN 1913

Kept at *Cenizyoudion*
in the County of *Down*
by *Col. C. S. Mainwaring*

Cor. by original & for part W.D. 11. III. 14.
W. H. H. No. 2 gauge

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Corcun*
Diameter of Rain Gauge *5 in.*
Height of top of Gauge above Ground *17.8* in.
" " " " Sea Level *1050* ft.

BRITISH RAINFALL
FORM A.
9-JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	30	15	0	15	04	0	0	0	0	0	22	0	1
2	03	24	25	07	16	06	0	0	0	01	31	14	2
3	04	38	68	08	43	0	0	0	0	04	0	43	3
4	17	11	67	0	19	02	0	0	0	18	20	59	4
5	36	23	23	0	12	62	19	01	0	1.40	04	03	5
6	32	13	28	0	18	18	27	0	0	13	0	23	6
7	15	23	42	0	25	40	04	0	04	48	74	06	7
8	10	82	03	02	36	09	06	07	14	40	02	08	8
9	0	26	05	17	14	1.48	34	12	0	0	14	14	9
10	0	28	17	05	08	02	08	07	0	03	19	0	10
11	17	0	07	53	05	16	0	0	0	08	56	17	11
12	04	0	0	0	14	12	0	0	1.19	0	1.16	0	12
13	0	0	0	02	01	06	01	09	27	03	80	0	13
14	0	0	42	29	0	0	0	14	02	30	39	02	14
15	20	0	37	1.18	0	0	0	0	05	0	22	08	15
16	17	05	82	15	0	0	01	39	0	0	09	0	16
17	14	0	09	28	0	0	03	0	0	0	38	0	17
18	12	0	25	27	18	0	08	0	0	0	21	0	18
19	04	0	58	0	0	28	0	0	04	28	30	0	19
20	17	0	19	05	02	0	03	0	07	15	1.21	0	20
21	18	0	42	27	15	0	34	37	0	10	05	0	21
22	0	6	26	0	01	19	0	85	29	0	0	0	22
23	43	0	62	0	00	1.2	0	29	18	0	12	03	23
24	18	0	02	17	0	07	0	0	10	05	09	12	24
25	41	0	0	36	0	0	0	0	22	05	08	42	25
26	0	0	0	1.31	0	01	0	0	42	02	0	88	26
27	0	12	0	26	0	0	0	0	0	38	0	07	27
28	07	02	0	33	0	0	0	0	0	40	0	78	28
29	29		11	49	15	0	0.1	02	0	39	09	0	29
30	01		29	0	08	0	0	0	0	25	12	0	30
31	67		0		13		0	0		07		0	31
Total	4.86	3.02	7.29	16.50	2.75	3.88	1.47	2.40	2.93	5.18	7.13	3.69	57.05
Rain Days.	24	12	24	20	20	16	13	11	12	22	24	17	215

Copy from original returned to observer.
S. made

Cor. for aith. 11. III. 14

REGISTER OF RAINFALL IN 1913

Kept at Bulchybendy No. 3 gauge
in the County of Denbigh
by Col. C. S. Mainwaring

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 8 in.
" " " Sea Level ft.
Time of Observation
Nearest Railway Station { Name
Distance Direction

16 MAR 1914
FORM A2.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in. .02	in. .22	in. .23	in. .13	in. .04	in. -	in. -	in. -	in. -	in. -	in. .19	in. -	1
2	.03	.36	.65	.06	.14	.04	-	-	-	.01	.30	.14	2
3	.15	.10	.66	.07	.42	-	-	-	-	.03	-	2 in S. .44	3
4	.34	.21	.22	-	.17	.01	-	-	-	.16	.18	.59	4
5	.31	.13	.27	-	.10	.56	.18	.01	-	1.35	.04	.03	5
6	.14	.22	.40	-	.09	.16	.24	-	-	.10	-	.22	6
7	.10	.80	.02	.02	.23	.39	.04	-	.04	.45	.12	.04	7
8	-	.25	.05	.02	.34	.08	.05	.07	.16	.40	.02	.60	8
9	-	.26	.17	.15	.11	1.48	.30	.11	-	-	.11	.13	9
10	.15	-	.06	.04	.02	.02	.06	.06	-	.01	.16	-	10
11	.19	-	-	.50	.04	.15	-	-	-	.07	.69	.15	11
12	-	-	-	-	.11	.10	-	-	1.14	-	1.15	-	12
13	-	-	.42	.02	.01	.05	.01	.08	.23	.03	.78	-	13
14	.17	-	.35	1.27	-	-	-	.12	.01	.27	.36	.01	14
15	.14	.03	.80	1.18	-	-	-	-	.04	-	.20	.08	15
16	.11	-	.07	.14	-	-	.01	.36	-	-	.07	-	16
17	.11	-	.22	.26	-	-	.03	-	-	-	.37	-	17
18	.03	-	.57	.25	.18	-	.08	-	-	-	.25	-	18
19	.15	-	.17	-	-	.26	-	-	.04	.25	.33	-	19
20	.15	-	.39	.04	.01	-	.03	-	.07	.15	1.19	-	20
21	-	-	.24	.25	.13	-	.33	.36	-	.08	.04	-	21
22	.40	-	.59	-	.01	.19	-	.82	.29	-	-	-	22
23	.17	-	.02	-	-	.11	-	.25	.16	-	.11	2 in S. .02	23
24	.40	-	-	.14	-	.06	-	-	-	.05	.08	.11	24
25	-	-	-	.33	-	-	-	-	.22	.05	.07	.44	25
26	-	.11	-	1.28	-	.01	-	-	.41	.02	-	.89	26
27	.06	.02	-	.23	-	-	-	-	-	.37	-	2 in S. .06	27
28	.27	-	.09	.30	-	-	-	-	-	.38	-	5 in S. .14	28
29	.01	-	.27	.47	.13	-	.01	.01	-	.38	.09	-	29
30	.65	-	-	-	.07	-	-	-	-	.25	.11	-	30
31	.14	-	.13	-	.13	-	-	-	-	.07	-	-	31
Total	4.39	2.78	6.93	6.13	2.48	3.67	1.37	2.25	2.81	4.93	7.01	3.59	TOTAL for year 48.27
No. of Rain Days	24	12	24	20	20	16	13	11	12	22	24	17	215

Copy from original observation book ret. to observer.

REGISTER OF RAINFALL IN 19/24

FORM A2.
BRITISH RAINFALL.
11 MAR 1914

Kept at Bwlchhendy No. 1 gauge
in the County of Denbigh
by Col. C. S. Mainwaring

RAIN GAUGE { Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
[]

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. 18	in. 05	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	-	06											2
3	05	02											3
4	59	-											4
5	01	-											5
6	03	14											6
7	35	22											7
8	17	-											8
9	30	14											9
10	05	27											10
11	-	20											11
12	-	60											12
13	-	32											13
14	-	96											14
15	-	06											15
16	-	11											16
17	-	51											17
18	-	-											18
19	-	02											19
20	-	45											20
21	-	20											21
22	-	69											22
23	-	07											23
24	40	03											24
25	35	-											25
26	05	-											26
27	19	03											27
28	30	10											28
29	55												29
30	40												30
31	59												31
Total	4.53	5.25					6.76	3.40	2.81	2.52		9.63	TOTAL for year
No. of Rain Days													

copy 04. 3.1.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
23 JAN 1915

Kept at Ballyhenry, Carrigrohane
in the County of Dublin
by Colonel C.S. Manning

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Corwen
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 1058 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.20	06	18	0	6	05	1.01	27	0	04	02	49	1
2	0	07	12	.02	01	0	86	12	0	05	29	66	2
3	.05	02	19	06	56	0	0	01	0	0	0	1.25	3
4	.62	0	08	34	31	0	13	0	0	0	.32	.52	4
5	.02	0	32	30	43	.05	32	0	0	03	29	.08	5
6	0	16	09	14	14	09	0	03	0	0	.09	.39	6
7	.40	24	19	10	42	17	27	12	0	0	02	32	7
8	.17	0	0	20	1.02	.45	0	1.10	0	0	0	43	8
9	.30	15	0	29	11	1.00	0	10	0	0	15	0	9
10	.05	30	19	10	01	0	0	0	27	0	08	0	10
11	0	22	33	02	11	28	2.69	0	22	0	72	50	11
12	0	65	11	0	0	0	12	0	43	0	54	21	12
13	0	35	30	.02	02	0	04	0	08	75	62	17	13
14	0	98	12	0	0	0	0	0	02	12	17	25	14
15	0	06	59	0	0	0	0	0	12	0	07	12	15
16	0	12	13	0	0	13	07	0	52	0	0	85	16
17	0	54	26	0	0	0	09	0	54	0	0	16	17
18	0	0	08	0	0	0	0	0	22	04	0	17	18
19	0	02	45	0	0	0	36	0	47	0	11	11	19
20	0	50	45	0	0	52	0	0	0	0	0	15	20
21	0	25	21	0	0	0	0	0	0	06	0	0	21
22	0	71	03	.03	11	07	0	24	0	01	0	0	22
23	0	07	09	0	0	.0	8	01	0	0	0	0	23
24	42	03	0	09	0	0	23	0	0	0	12	0	24
25	40	0	03	0	0	0	15	30	0	59	05	.67	25
26	05	0	0	0	0	0	34	1.17	0	40	24	32	26
27	20	03	0	0	0	0	0	01	0	04	40	0	27
28	33	10	12	0	09	0	0	0	0	03	25	0	28
29	57		14	0	0	0	0	0	0	20	46	0	29
30	42	X	34	0	0	0	0	0	0	05	71	2.14	30
31	61	X	03	X	08	X	39	0	X	7	X	0	31
Total	4.82	5.63	5.17	1.71	3.42	2.81	7.05	3.48	2.89	2.58	5.72	9.96	55.24
Rain Days.	16	22	26	13	14	10	16	12	10	15	21	21	196

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

Kept at Bwlch y. deudy. Gersg-y. duddron
in the County of Denbigh
by _____

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

- 3 MAY 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						.05 ✓			-		.02 ✓		1
2						-			-		.29 ✓		2
3						-			-		-		3
4						-			-		.32 ✓		4
5						.05 ✓			-	✓	.25 ✓	✓	5
6						.09 ✓			-		.09 ✓		6
7						.14 ✓			-		.02 ✓		7
8					✓	.45 ✓	✓		-		-		8
9						1.00 ✓			-		.15 ✓		9
10						-			.27 ✓		.08 ✓		10
11						.28 ✓			.22 ✓		.72 ✓		11
12						-			.43 ✓		.54 ✓		12
13						-			.08 ✓		.62 ✓		13
14						-			.02 ✓		.14 ✓		14
15						-			.12 ✓		.04 ✓		15
16						.13 ✓			.52 ✓		-		16
17						-			.54 ✓		-		17
18						-			.22 ✓		-		18
19						-			.44 ✓		.11 ✓		19
20						.52			-		-		20
21						-			-		-		21
22						.04			-		-		22
23						-			-		-		23
24						-			-		.12 ✓		24
25						-			-		.05 ✓		25
26						-			-		.24 ✓		26
27						-			-		.40 ✓		27
28						-			-		.25 ✓		28
29						-			-		.46 ✓		29
30		X				-			-		.41 ✓		30
31		X		X		X			X		X		31
Total						2.81 adds. to 2.41			2.91 adds. to 2.89 ✓		5.72 adds. to 5.68.		YEAR'S TOTAL
Rain Days.													

Copy from original observation book returned to observer.

REGISTER OF RAINFALL IN 1914.

Kept at Bulchibendy No. 3 gauge
in the County of Denbigh
by Col. G. S. Mainwaring

RAIN GAUGE
Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. .19	in. .05	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	-	.06											2
3	.05	.02											3
4	.62	-											4
5	1 in S. .01	-											5
6	2 in S. .14												6
7	.37	.23											7
8	.16	-											8
9	.28	.13											9
10	.04	.27											10
11	-	.21											11
12	-	.61											12
13	-	.35											13
14	-	.97											14
15	-	.06											15
16	-	.10											16
17	-	.51											17
18	-	-											18
19	-	.02											19
20	-	.48											20
21	-	.25											21
22	-	.67											22
23	-	.06											23
24	.41	.03											24
25	.37	-											25
26	.04	-											26
27	.19	.02											27
28	.32	.09											28
29	.54												29
30	.40												30
31	.60												31
Total	4.59	5.33					6.81	3.30	2.75	2.55		9.67	TOTAL for year
No. of Rain Days													

REGISTER OF RAINFALL IN 1915

Kept at Bulchyleady
in the County of Lewis & Harris
by And. C. S. Mainwaring

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Corwen
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 1050 ft.

Jan. 1, following.
71

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.52	.56			.66			.09	.30	.21		.07	1
2	.28	.82	.18	.37			.14	<u>1.56</u>	.06	.02		.07	2
3	.13	.18	.04	.21			.16					.25	3
4		.20			.13	.65	.01					.95	4
5	.20	.22	.14	.05	.24			.02				.60	5
6	.34	.10	.07	.25			.39					.48	6
7	.29	.45	.02	.21			.50	.25			.02	.47	7
8	.50	.38		.04				.14			.62	.02	8
9	.28	.24		.54						.06	.14	.74	9
10	.96	.17		.27			.04	.20		.08	.04	.38	10
11	.13		.07		.01		.17	.06			.41	.12	11
12	.06			.10	.23		.05	.13			.82		12
13		.35						.05	.08	.24		.58	13
14	.25	.13			.01					.03		.32	14
15	1.28				.08			.14				.12	15
16	.14	.56			.45		.69	.49	.02			.09	16
17	.13	.92			.49								17
18	.06	.60	.10	.28			.03						18
19		.12	.14	.23	.20		.40						19
20	.26			.03			.03	.02				.26	20
21	.46		.06				.31					.13	21
22	.30					.17	.27			.07		.23	22
23			.07			.09	.03		.12	.74		.10	23
24				.14			.03		.10	.73	.68	.65	24
25					.21	.23			.03			.28	25
26		1.20					.12		.15			.48	26
27		.12					.41			.36		.95	27
28		.30				.71		.17	.05	.04		.04	28
29					.10				.48		.15	.17	29
30				.12		.12	.66	.02	.16	.13	.05	.34	30
31	.50						.18	.20		.15		.82	31
Total	7.07	7.56	.89	2.56	2.60	1.35	4.90	3.54	1.55	2.46	2.93	9.61	47.02
Rain Days.	24	19	10	13	11	6	21	15	11	13	12	28	175

Gauge 1

REGISTER OF RAINFALL IN 1916

Gauge 1
BRITISH RAINFALL
FORM A.
1 MAR 1917

Kept at Bulchybendy
in the County of Denbigh
by Col. Charles S. Mainwaring

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Corwen
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft.
Sea Level 1050 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.78	.04	.15			.26	.40				.15		1
2	.60	.30				.05	.23		.93	.83	.14		2
3		.48		.05		.04	.30		1.06	.26	.19		3
4	.38	.07		.10	.53	.50	.02		X.06	.22	.20		4
5		.30			.18	.25				1.20	.30		5
6	.28	.54			.21		.16			.43	.48	.22	6
7	.09	.06			.19	.15	.05			.45	.50	.30	7
8	.11				.20					.03	.38		8
9		.13			.24				.23		.09		9
10	.07	.54		.11			.03			.21			10
11	.09	.26		.14	.05	.04			.06	.06			11
12	.07	.12	.47	.21	.24		.26	.10	.04	.20			12
13	.04	.20	.07					.85		.91			13
14		.20			.10			.49		.31		.19	14
15		.73	.33	.15			.07	.31	.18	.35			15
16		.08		.21						.06			16
17	.14	.07		.90				.12	.35	.25			17
18		.54		.14					.73	.09			18
19	.34		.21	.05				.10	.03	.02	.49		19
20	.40		.38	.04						X	.07	.40	20
21	.50		.18								.15		21
22				.04		.12				.11			22
23	.09			.06				.14		.49	.32	.14	23
24				.10	.80	.08		.32		.18	.06	.09	24
25			.30	.4	.59	.12	.04	.31		.14	.71		25
26	.10		.3		.07	.26	.10		.31	.15	.20		26
27					.07		.3	.13		.58	.16		27
28					.30					.46		.97	28
29		.50				.35				.26	.05	.15	29
30		X				.20				.99	.8	.07	30
31		X		X	.05	X		.12	X	.95	X	.4	31
Total	4.05	5.16	2.09	2.30	3.80	2.42	1.46	2.99	3.98	10.19	4.64	2.83	46.00
Rain Days.	18	18	8	14	15	13	11	11	11	27	18	9	45.91
													171

Page 2

REGISTER OF RAINFALL IN 1916

2.4203
FORM A.
BRITISH RAINFALL
1. MAR 1911

Kept at Ballybrandy
in the County of Dublin
by Anne Charles, S. Mainwaring

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Colwyn
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft.
Sea Level 1050 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.79	0.4	16			.27	.42				.16		1
2	.60	.32				0.5	.24		.43	.84	.14		2
3		.50		0.6		0.4	.10		10.9	.26	.22		3
4	.42	0.7		.10	.56	.52	0.2		10.5	.23	.23		4
5		.32			.18	.30				.122	.31		5
6	.29	.56			.21		.17			.47	.51	.24	6
7	0.9	0.6			.18	.15	0.5			.46	.50	.33	7
8	.11				.21					0.3	.40		8
9		.14			.24				.24		.10		9
10	0.7	.57		.10			0.3			.22			10
11	0.7	.27		.15	0.5	0.4			0.6	0.6			11
12	0.9	.12	.49	.22	.24		.27	.10	0.4	.22			12
13	0.3	.22	0.7					.86		.94			13
14		.20			.10			.49		.33		.20	14
15		.75	.35	.15			0.7	.32	.19	.36			15
16		0.9		.21						0.7			16
17	.14	0.7		.92				.12	.37	.26			17
18		.55		.15					.73	0.9			18
19	.31		.22	0.5				.10	0.3	0.2	.50		19
20	.40		.39	0.4							0.7	.41	20
21	.50		.20								.16		21
22				0.4		.12				.11			22
23	0.9			0.7				.15		.49	.34	.45	23
24				.11	.82	0.9		.33		.19	0.6	0.9	24
25			.32		.58	.12	0.4	.32		.14	.72		25
26	.10				0.7	.27	.10		.32	.17	.24		26
27					0.7			.13		.58	.16		27
28					.30					.47		.99	28
29		.56				.36				.26	10.5	.16	29
30		X				.20				100		0.9	30
31		X		X	0.5	X		.12	X	.96	X		31
Total	4.20	5.41	2.20	2.37	3.86	2.53	1.51	3.04	4.06	10.45	4.87	2.94	47.34
Rain Days.	16	18	8	14	15	13	11	11	11	27	18	9	171

Gauge 3

Kept at

in the County of

by

Butehead

Strathclyde

Col. Charles S. Mainwaring

REGISTER OF RAINFALL IN 1916

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge

Height of top of Gauge above Ground

Sea Level

9. am

Corwen

8

1

1050

FORM A.

BRITISH RAINFALL.

1. MAR 1917

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	77	0.4	13			25	141				15		1
2	61	30				0.5	23		91	83	15		2
3		50		0.4		0.4	0.9		103	25	19		3
4	38	0.7		11	54	52	0.2		0.7	24	22		4
5		30			17	25				117	29		5
6	30	55			19		16			47	48	22	6
7	0.8	0.6			17	15	0.5			46	50	35	7
8	11				20					0.2	38		8
9		13			23				23		0.8		9
10	0.7	36		9			0.3			21			10
11	0.8	27		14	0.5	0.4			0.6	0.6			11
12	0.7	12	47	23	22		26	10	0.4	19			12
13	0.3	21	0.7					86		96			13
14		20			0.9			48		31		19	14
15		79	34	14			0.7	31	17	35			15
16		0.7		20						0.9			16
17	13	0.7		93				12	35	25			17
18		57		17					72	0.9			18
19	31		22	0.5				10	0.3	0.2	30		19
20	40		37	0.4							0.6	39	20
21	50		18								14		21
22				0.4		11				11			22
23	10			0.6				14		48	34	46	23
24				11	83	0.8		31		16	0.6	0.8	24
25			32		55	12	0.4	30		13	73		25
26	11				0.7	25	14		31	16	22		26
27					0.7			12		56	13		27
28					32					46		97	28
29		54				36				26	0.5	18	29
30		X				19				105		0.7	30
31		X		X	0.5	X		12	X	98	X		31
Total	4.05	5.35	2.18	2.38	3.75	2.41	1.58	2.96	3.92	10.32	4.67	2.91	YEAR'S TOTAL
Rain Days.	16	18	8	14	15	13	11	11	11	12	18	9	46.34

Gauge

REGISTER OF RAINFALL IN 1917

4-28
FORM A.
BRITISH RAINFALL
JAN 1918

Kept at Dulchavybundy
in the County of Denbigh
by Colonel G.S. Mainwaring

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Corwen
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1050 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						.10		.18	.22		.14		1
2	.07			.46		.03		.05		.04	.03		2
3						.11		.04		.25	.03	.57	3
4										1.16			4
5	.45		.21	.19				.06	.03	.45	.50		5
6	.19							.28		.30	.66	.10	6
7										.20	.25	.08	7
8	.70					.16		.23	.11	.71	.50	.20	8
9						.02		.20	.04	(.23)	.34		9
10	.19		1.17					.12		.28			10
11	.18					.85		.26		.64	.07		11
12				.80				.05	.09	.19			12
13				.45	.06				.23	.35		.34	13
14				.10				.32		.08			14
15	(.35)						.18	.53		.11		.12	15
16				.35	.20			.14	.02	.14	.03		16
17		.50	.16	.40			.22	1.55	.02	.15			17
18			.07	.12			.55	.12	.28	.15			18
19		.22	.40		.21	.20		.03	.38			.40	19
20						1.05		.10	.04		.48		20
21			.08					.05	.20	.07			21
22					.11			.41	.02	.04			22
23						.35	.01	.40	.07	.12		.24	23
24			.08			.19		.22		.58	.31	.10	24
25		.21	.19				.04	.58	.05	.10	.11		25
26					1.02		.11	.15	.25	.24	.50		26
27							.24	.70		.03	.07		27
28			.31				.06	.82		.30	.03		28
29			.10					.13		.90	~~.10~~	.13	29
30		X	.15					.58		.14	.20	.07	30
31		X		X	.28	X		.72	X		X		31
Total	2.13	.58	2.92	2.87	2.91	2.03	1.41	9.02	2.05	7.92	4.25	2.35	YEAR'S TOTAL 40.44
Rain Days.	6	3	11	8	9	7	8	28	16	27	17	11	15-2

Gauge 2

REGISTER OF RAINFALL IN 1917

Kept at Bulchybendy Gerrigydruiddion
in the County of Denbighshire
by Colonel C. S. Mainwaring

Lat. Long.
Time of Observation 9am
Nearest Railway Station Corwen
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 1050 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						'10		'18	'22		'15		1
2	'07			'47		'03		'06		'05	'04		2
3						'14		'05		'28	'03	.60	3
4										'16			4
5	'45		'25	'21				'07	'03	'46	'51		5
6	'19							'30		'30	'67	'11	6
7										'23	'28	.08	7
8	'73	(15)			'17			'25	'11	'73	'52	.22	8
9					'02			'21	'05	'21	'36		9
10	'20		'19					'13		'27			10
11	'18				'86			'27		'66	'07		11
12				'85				'05	'10	'18			12
13				'49	'06			'34	'29	'35		.36	13
14				'12						'09			14
15	(36)						'18	'15		'11		.13	15
16				'36	'21			'54	'02	'15	'04		16
17		'51	'17	'43			'26	'57	'03	'16			17
18			'07	'12			'59	'12	'28	'15			18
19		'22	'45		'23	'20		'03	'39			.45	19
20						'09		'10	'04	'02	'51		20
21			'09					'06	'21	'09			21
22					'11			'42	'03	'05			22
23						'35	'01	'40	'08	'14		.29	23
24			'10			'20		'23		'61	'32	.12	24
25		'23	'20				'04	'57	'05	'10	'11		25
26					'03		'12	'16	'25	'26	'50		26
27							'24	'71		'03	'07		27
28			'32				'06	'87		'32	'03		28
29			'10					'15		'90		.15	29
30		X	'16					'60		'14	'21	.07	30
31		X		X	'36	X		'74	X		X		31
Total	2.18	.60	3.10	3.05	3.05	2.13	1.50	9.33	2.18	8.20	4.42	2.58	42.32
Rain Days.	6	3	11	8	9	7	8	28	16	28	17	11	152

Gauge 3 REGISTER OF RAINFALL IN 1917

Kept at Bulchibendy Gerrigydruiddon
in the County of Denbighshire
by Colonel C. S. Mainwaring

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Corwen
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 1050 ft.

FORM A.
BRITISH RAINFALL
JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						.10		.18	.22		.13		1
2	.07			.45		.03		.06		.04	.03		2
3						.13		.04		.28	.03	.60	3
4										1.12			4
5	.43		.23	.19				.06	.03	.44	.51		5
6	.19							(.27)		.29	.65	.11	6
7										.20	.30	.08	7
8	.74	(.15)			.16			.23	.11	.70	.50	.19	8
9					.02			.19	.04	.20	.34		9
10	.17		1.16					.12		.27			10
11	.18				.84			.25		.63	.07		11
12				.84				.05	.09	.20			12
13				.48	.06			.33	.28	.34		.34	13
14				.10						.09			14
15	(.35)						.17	.14		.11		.13	15
16				.35	.20			.53	.02	.14	.03		16
17		.50	.14	.44			.28	1.53	.03	.15			17
18			.07	.12			.60	.11	.27	.15			18
19		.21	.45		.22	.22		.04	.37			.43	19
20						1.08		.10	.04		.48		20
21			.11					.05	.21	.09			21
22					.10			.40	.02	.03			22
23						.35	.02	.40	.08	(.13)		.23	23
24			.11			.16		.22		.60	.33	.12	24
25		.21	.19				.06	(.54)	.03	.10	.11		25
26					1.00		.11	(.15)	.26	.25	.49		26
27							.24	.66		.03	.07		27
28			.35				.06	.82		.32	.03		28
29			.10					.14		.91		.16	29
30		X	.15					.58		.14	.20	.07	30
31		X		X	.32	X		.72	X		X		31
Total	2.13 1.78	.57 .92	3.06	2.97	2.92	2.07	1.54	8.91	2.10	7.94	4.30	2.46	40.97
Rain Days.	6	3	11	8	9	7	8	28	16	27	17	11	151

REGIST

DENBIGH.

Kept at Garthmeilio
in the County of Denbigh
by Colonel S. Parr

CERRIG-Y-DRUIDION.
"GARTHMEILIO"
1911-1916

FORM A2.
BRITISH RAINFALL
12 JAN 1912

ft. - in.
25 ft.

Direction E

IMPORTANT NOTE.—Rain measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.14		.34		.14		.09	.19			.54	.18	1
2					.32		.01	.13		.23		.31	2
3					.56		.01	.04	.06	.02	.10	.30	3
4	.02		.11					<u>1.77</u>	.05		.51	.22	4
5	.77		.13					.92		.06	.16		5
6	.04							.36		.01	.61	.62	6
7			.20	.04							.55		7
8	.23									.01	.76	.50	8
9											.90	.84	9
10			.11		.12						.04	.66	10
11		.13			.04				.04		.29	.19	11
12	.17		^{snow} .35						1.64		.86		12
13			.11						.01		.16	.10	13
14	.33	.11									.08	.16	14
15						.10	.04				.20	.22	15
16			.14			.54				.06	.36	.27	16
17		.44		.03		.94					.80	.50	17
18		.51		.24		.15				.02	.09	.32	18
19						.34	.05		.41	.04	.22	.60	19
20		.16		.50		.07	.04	1.38	.15	.14	.06	.16	20
21		.53		.02		.12	.16	.03	.03	.06		.10	21
22		.34				.06				.51	.04	.33	22
23						.04		.16	.13	.42			23
24	.25			.04		.79		.04	.03	.25		.16	24
25	.03	.53		.08		.13		.22	.98	.32		.11	25
26				.38		.11		.31	.23	.10	.10	.10	26
27		.97	.14	.39			.14	.71	.61			.05	27
28		.23		.21		.36		.14			.09		28
29						.15	.35	.04	.35	.90		.13	29
30			.16			.14	.03		.04	.45	.07		30
31					.59					.13		.02	31
Total	1.78	3.95	1.79	1.93	1.77	4.04	9.26	4.4	4.76	3.72	7.59	7.15	45.84
No. of Rain Days.	9	10	10	10	6	15	10	15	15	18	23	25	166

REGISTER

FORM A2.
BRITISH RAINFALL
12 JAN 1912

Kept at *Garthmeilie Haugwa*
in the County of *Denbighshire*
by *Colonel S. Parry Hughes*

RAIN GAUGE
Pattern *Howards*
Diameter of top *5* in.
Height of top above Ground *1* ft. - in.
" " " Sea Level *925* ft.
Time of Observation *10 AM*
Nearest Railway Station { Name *Corwen*
Distance *9 miles* Direction *E*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	<i>.14</i>		<i>.34</i>		<i>.14</i>		<i>.09</i>	<i>.19</i>			<i>.54</i>	<i>.18</i>	1
2					<i>.32</i>		<i>.01</i>	<i>.13</i>		<i>.23</i>		<i>.31</i>	2
3					<i>.56</i>		<i>.01</i>	<i>.04</i>	<i>.06</i>	<i>.02</i>	<i>.10</i>	<i>.30</i>	3
4	<i>.02</i>		<i>.11</i>					<i>1.77</i>	<i>.05</i>		<i>.51</i>	<i>.22</i>	4
5	<i>.77</i>		<i>.13</i>					<i>.92</i>		<i>.06</i>	<i>.16</i>		5
6	<i>.04</i>							<i>.36</i>		<i>.01</i>	<i>.61</i>	<i>.62</i>	6
7			<i>.20</i>	<i>.04</i>							<i>.55</i>		7
8	<i>.23</i>									<i>.01</i>	<i>.76</i>	<i>.50</i>	8
9											<i>.90</i>	<i>.84</i>	9
10			<i>.11</i>		<i>.12</i>						<i>.04</i>	<i>.66</i>	10
11		<i>.13</i>			<i>.04</i>				<i>.04</i>		<i>.29</i>	<i>.19</i>	11
12	<i>.17</i>		<i>show .35</i>						<i>1.64</i>		<i>.86</i>		12
13			<i>.11</i>						<i>.01</i>		<i>.16</i>	<i>.10</i>	13
14	<i>.33</i>	<i>.11</i>									<i>.08</i>	<i>.16</i>	14
15						<i>.10</i>	<i>.04</i>				<i>.20</i>	<i>.22</i>	15
16			<i>.14</i>			<i>.54</i>				<i>.06</i>	<i>.36</i>	<i>.27</i>	16
17		<i>.44</i>		<i>.03</i>		<i>.94</i>					<i>.80</i>	<i>.50</i>	17
18		<i>.51</i>		<i>.24</i>		<i>.15</i>				<i>.02</i>	<i>.09</i>	<i>.32</i>	18
19						<i>.34</i>	<i>.05</i>		<i>.41</i>	<i>.04</i>	<i>.22</i>	<i>.60</i>	19
20		<i>.16</i>		<i>.50</i>		<i>.07</i>	<i>.04</i>	<i>1.38</i>	<i>.15</i>	<i>.14</i>	<i>.06</i>	<i>.16</i>	20
21		<i>.53</i>		<i>.02</i>		<i>.12</i>	<i>.16</i>	<i>.03</i>	<i>.03</i>	<i>.06</i>		<i>.10</i>	21
22		<i>.34</i>				<i>.06</i>				<i>.51</i>	<i>.04</i>	<i>.33</i>	22
23						<i>.04</i>		<i>.16</i>	<i>.13</i>	<i>.42</i>			23
24	<i>.05</i>			<i>.04</i>		<i>.79</i>		<i>.04</i>	<i>.03</i>	<i>.25</i>		<i>.16</i>	24
25	<i>.03</i>	<i>.53</i>		<i>.08</i>		<i>.13</i>		<i>.22</i>	<i>.98</i>	<i>.32</i>		<i>.11</i>	25
26				<i>.38</i>		<i>.11</i>		<i>.31</i>	<i>.23</i>	<i>.10</i>	<i>.10</i>	<i>.10</i>	26
27		<i>.97</i>	<i>.14</i>	<i>.39</i>			<i>.14</i>	<i>.71</i>	<i>.61</i>			<i>.05</i>	27
28		<i>.23</i>		<i>.21</i>		<i>.36</i>		<i>.14</i>			<i>.09</i>		28
29						<i>.15</i>	<i>.35</i>	<i>.04</i>	<i>.35</i>	<i>.90</i>		<i>.13</i>	29
30			<i>.16</i>			<i>.14</i>	<i>.03</i>		<i>.04</i>	<i>.45</i>	<i>.07</i>		30
31					<i>.59</i>					<i>.13</i>		<i>.02</i>	31
Total	<i>1.78</i>	<i>3.95</i>	<i>1.79</i>	<i>1.93</i>	<i>1.77</i>	<i>4.04</i>	<i>9.26</i>	<i>4.44</i>	<i>4.76</i>	<i>3.72</i>	<i>7.59</i>	<i>7.15</i>	<i>45.84</i>
No. of Rain Days.	<i>9</i>	<i>10</i>	<i>10</i>	<i>10</i>	<i>6</i>	<i>15</i>	<i>10</i>	<i>15</i>	<i>15</i>	<i>18</i>	<i>23</i>	<i>25</i>	<i>166</i>

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

Kept at Garthmeilia Llaugwm
in the County of Denbighshire
by Colonel S. P. Hughes

Lat. 52° 11' N Long. 3° 6' W
Time of Observation 9 A.M.
Nearest Railway Station Corwen
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 950 ft.

23 MAY 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

ix

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-		.27			.05	.28	.12	.07			.49	1
2	-		.62			.37	.01					.11	2
3	.14		.15		.23	.27		.94	.33			.04	3
4	.41		.98		.10	.03		.71	.08		.10		4
5	.17		.27		.18			.05	.07			.16	5
6	.27		.10		.06			.95				.11	6
7		.20	.03	.02	.02	.17	.27	.06	.02				7
8	.41	.42		.36		.07		.12	.05			.26	8
9		.12		.25		.42	.02					.04	9
10	.50	.15				.10	.10	.07			.77	.03	10
11	.14		.20				.14				.64	.70	11
12		.23	.10			.09	.09	.03			.02	.20	12
13	.05	.12				.02		.10		.34	.16	.90	13
14	.10		.24			.25		.05	.02	.01		.25	14
15	.04	.10	.15	.07	.12	.45						.20	15
16		.15	.37					.20		.20	.05		16
17	.14	.50				.45		.31			.19	.62	17
18	.19					.15	.01	.05		.12		.11	18
19	.14	.14	.15			.37		.48		.13	.10		19
20	.35		.10		.12	.11	.04	.11		.40		.06	20
21					.54		.04	.07		.59		.09	21
22			.25	.09	.36	.02	.10	.48				.13	22
23	.05	.22	.20			.38	.15	.43		.02	.31	.05	23
24	.03	.07	.28			.32	.11	.07			.28	.16	24
25			.37			.35	.03	.05			.40	.50	25
26		.16				.02	.16	.36		1.64	.33	.25	26
27		.03				.57	.85			.37		.56	27
28			.27			.22	.61	.25	.06	.29	.62	.20	28
29		.12	.10			.25	.58	.11	.73	.45		.10	29
30			.40	.04		.14	.24			.50		.02	30
31			.05				.61	.05		.08		.26	31
Total	3.13	2.73	5.65	.83	1.73	5.64	4.44	6.22	1.43	5.14	3.97	6.60	YEAR'S TOTAL 47.57
Rain Days.	16	15	22	6	9	25	20	25	9	14	13	27	201

REGISTER OF RAINFALL IN 1913

Kept at *Garthmeilis, Llanquon*
in the County of *Denbighshire*
by *Colonel S. Parry-hydes*

Lat. *53° 1/2'* Long. *3° 36'*
Time of Observation *10 AM*
Nearest Railway Station *Corwen*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. in.
" " " " Sea Level *925* ft.

FORM A.
BRITISH RAINFALL.
8-JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
1/4

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.31								.22		1
2	.06	.73	.43	.04	.26	.03					.29	.06	2
3	.09	.05	.45		.58					.03		.58	3
4	.37				.07	.06				.11	.13	.44	4
5	.32	.20	.50		.10	.64	.09			<u>1.75</u>	.06	.04	5
6	.09	.15	.31		.27	.16	.17			.18			6
7		.49	.10		.24	.51	.07			.51		.03	7
8		.25	.05	.05	.19		.03	.12	.05	.41		.14	8
9				.20	.40	1.53	.24	.14	.23	.01		.01	9
10	.27				.20	.01	.05	.08		.08	.39		10
11					.12	.13					.36	.03	11
12			.50	.30	.11	.04	.02		1.09		1.00		12
13			.30	.08		.03		.10	.31		.35		13
14	.15		.45	.37				.10	.01	.39	.38		14
15	.33			.93				.01	.03		.33		15
16							.02	.43			.06	.01	16
17			.05	.15			.05				.27		17
18	.21		.50	.37	.23	.02	.04				.08	.03	18
19			.26			.22			.08	.23	.14		19
20	.33		.10	.14			.05		.05	.15	.67		20
21	.11		.43		.23		.30	.39		.04	.02		21
22	.41		.70			.28		.82	.36				22
23			.05		.01	.19		.15	.22		.14		23
24	.20		.02	.43		.07					.05	.73	24
25	.31			.46					.20	.04	.10	.43	25
26				1.16					.40	.01		.73	26
27		.09		.26						.28			27
28			.03	.34						.34			28
29	.33		.34	.39	.13					.32	.04	.34	29
30	.77				.07					.15	.05		30
31	.12		.15		.14					.23			31
Total	4.47	1.96	6.03	5.67	3.35	3.92	1.13	2.34	3.03	5.26	5.13	3.00	45.29
Rain Days.	17	7	21	16	17	15	12	10	12	21	21	14	181

OF RAINFALL IN 194

Kept at Garthmeilio Llangwm
in the County of Denbighshire
by Colonel S. Parr Sykes

Lat. $53^{\circ} 12' 24''$ Long. $3^{\circ} 30'$
Time of Observation 10 A.M.
Nearest Railway Station Cornwell
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft.
Sea Level 925 ft.

9 a.m. and the result entered to the almost universal rule, he is earnestly following year in the space provided the measurement of rain, to the British Rainfall post-free on application to

Jan. 1, following.

23, Onslow Gardens,
S.W.

May 19th 1915

Dear Sir

Dear Sir
In my return of Rainfall
at Garthmead. Langworn
Cormen N. Wales for the last
year I neglected filling up
the space for January 1st 1915.
I have sent up to Water for it
and find it was '68

Yr. Faithfully
S. Park Hughes

Sept.	Oct.	Nov.	Dec.	Date.
		.10	.03	1
	.03		.35	2
		.31	.48	3
		.06	1.15	4
	.02	.50	.45	5
			.14	6
		.04	.37	7
.04		.16	.73	8
.08		.10		9
.13		.04	.73	10
.17		.52	.42	11
.43		.72	.15	12
.12	.69	.48		13
.03		.27	.16	14
.18	.06		.18	15
.52			.23	16
.27			.35	17
.17	.03		.65	18
.33				19
		.09		20
				21
				22
				23
		.10		24
	.72	.03	.65	25
	.43	.17	.36	26
	.02	.27	.68	27
	.02	.25	.48	28
	.21	.31		29
	.02	.83	.34	30
X		X		31
YEAR'S TOTAL				
2.47	2.25	5.35	9.09	49.80
12	11	20	21	178

W. 8,000. X. 14.

Keep
in the
by

prev
requ
for

the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

4.5.15
N 1914
1/2A Long 30 30"
Observation 10 A.M.
Railway Station Corwen
Rain Gauge 5 in.
Top of Gauge above Ground 1 ft. in.
" " Sea Level 9.25 ft.

9 a.m. and the result entered to the almost universal rule, he is earnestly following year in the space provided the measurement of rain,

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.01			.05	.81	.30			.10	.03	1
2	.16	.08	.28	.01	.02		.87	.20		.03		.35	2
3			.03	.05	.64			.20			.31	.48	3
4			.09	.29	.39		.11				.06	1.15	4
5	.71		.23	.38	.35	.03	.28	.01		.02	.50	.45	5
6		.14		.21	.27	.07						.14	6
7	.43	.22	.42	.05	.34	.11	.18	.21			.04	.37	7
8				.05	.83	.29	.03	1.15	.04		.16	.73	8
9	.15	.19		.01	.10	.68		.20	.08		.10		9
10		.34	.19	.16	.02	.04			.13		.04	.73	10
11		.24	.05	.06	.13	.20	2.25		.17		.52	.42	11
12	.27	.80	.37	.01		.02	.01		.43		.72	.15	12
13			.25				.05		.12	.69	.48		13
14		.91	.16						.03		.27	.16	14
15		.05	.48						.18	.06		.18	15
16		.06	.14				.01		.52			.23	16
17		.55	.19			.25	.03		.27			.35	17
18			.40						.17	.03		.65	18
19			.34				.45		.33				19
20		.53	.37			.57					.09		20
21		.49				.04							21
22		.80			.13	.11		.23					22
23			.28				.09						23
24	.28						.24				.10		24
25	.25			.07			.16	.42		.72	.03	.65	25
26	.22						.15	.52		.43	.17	.36	26
27	.05									.02	.27	.68	27
28	.37	.15			.08		.12			.02	.25	.48	28
29	.40		.04		.03					.21	.31		29
30	.15	~~X~~	.27							.02	.83	.34	30
31	.20	~~X~~		~~X~~		~~X~~	.45		~~X~~		~~X~~		31
Total	3.64	5.55	4.59	1.35	3.33	2.46	6.29	3.44	2.47	2.25	5.35	9.09	49.80
Rain Days	13	15	20	12	13	13	18	10	12	11	20	21	178

REGISTER OF RAINFALL IN 1915

Kept at Garthmeilis
in the County of Denbighshire
by Colonel S. P. Dykes

Lat. _____ Long. _____
Time of Observation 10 AM
Nearest Railway Station Corwen
Diameter of Rain Gauge 5 inch in. Howe
Height of top of Gauge above Ground 5 ft. _____ in.
" " " " Sea Level 950 ft.

FORM A.
BRITISH RAINFALL
23. MAR 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
14

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.68	.40	.42		.05			.13	.31	.23			1
2		.77	.25	.30	.35		.36	.183	.03	.01		.16	2
3		.14	.05		.70		.15	.01				.14	3
4	.07	.10	.06		.12	.08						<u>1.37</u>	4
5	.10	.02		.10	.20			.02				.43	5
6	.41	.15		.27	.14		.39	.18				.56	6
7	.50	.45					.37	.28				.50	7
8	.41							.17			.50	.50	8
9	.35			.20						.05	.27		9
10	.85			.49			.01	.13		.06		.19	10
11	.09		.08	.22			.18	.03			.80	.18	11
12	.04	.10	.06	.02			.02	.02		.34	<u>1.37</u>		12
13	.02						.01	.06	.09	.02		.56	13
14	.20	.20			.17		.01	.08	.05			.30	14
15	.10						.03	.07	.06			.22	15
16	.73				.50		.57	.57	.01				16
17	.17	1.15											17
18		1.06			.38		.07					.06	18
19	.07	.06		.06	.17		.36					.13	19
20	.43			.14			.06	.03					20
21	.22	.10	.08	.11			.21						21
22			.20			.10	.31			.07	.18	.30	22
23		.14		.06		.10	.01		.15	.69		.27	23
24	.28						.04		.11	.31		.28	24
25						.18	.38		.04		.15	.25	25
26		.49					.14		.12			.70	26
27		.22	.20			.23	.38			.66		.75	27
28					.04	.20		.16	.28	.06			28
29					.06	.15		.03	.28		.21	.25	29
30		X			.08	.02	.95	.01	.11			.60	30
31	.03	X		X		X	.21	.11	X	.14	X	.07	31
Total	5.75	5.63	1.40	1.97	2.96	1.06	5.22	3.42	1.64	2.64	3.41	8.77	43.87
Rain Days.	20	16	9	11	13	8	23	19	13	12	7	23	174

REGISTER OF RAINFALL IN 1916

Kept at *Garthmeilis*
in the County of *Denbighshire*
by *Colonel S. P. Dymes.*

Lat. *53* Long. *3-30*
Time of Observation *9 A.M.*
Nearest Railway Station *Corwen*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. in.
" " " " Sea Level *950* ft.

Jan. 1, following.

.04

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	<i>.14</i>		<i>.20</i>				<i>.40</i>				<i>.38</i>		1
2	<i>.95</i>	<i>.34</i>				<i>.48</i>			<i>.86</i>	<i>.86</i>	<i>.89</i>	<i>.01</i>	2
3	<i>.35</i>	<i>.22</i>				<i>.05</i>			<i>.98</i>	<i>.34</i>	<i>.15</i>		3
4	<i>.25</i>	<i>.08</i>				<i>.03</i>			<i>.10</i>	<i>.96</i>	<i>.16</i>		4
5	<i>.02</i>	<i>.27</i>	<i>.10</i>		<i>.43</i>					<i>.21</i>	<i>.43</i>		5
6	<i>.26</i>	<i>.66</i>			<i>.11</i>		<i>.22</i>			<i>.64</i>	<i>.17</i>		6
7	<i>.19</i>				<i>.32</i>	<i>.08</i>	<i>.20</i>			<i>1.17</i>	<i>.68</i>	<i>.05</i>	7
8	<i>.15</i>	<i>.08</i>			<i>.30</i>		<i>.14</i>		<i>.15</i>		<i>.14</i>		8
9					<i>.06</i>		<i>.22</i>				<i>.34</i>		9
10	<i>.05</i>	<i>.76</i>	<i>.33</i>							<i>.40</i>			10
11										<i>.14</i>			11
12		<i>.23</i>		<i>.27</i>			<i>.12</i>	<i>.12</i>	<i>.04</i>				12
13	<i>.03</i>	<i>.27</i>			<i>.04</i>		<i>.43</i>	<i>.40</i>		<i>1.00</i>			13
14		<i>.21</i>		<i>.40</i>				<i>.43</i>		<i>.34</i>			14
15		<i>.91</i>	<i>.12</i>	<i>.21</i>			<i>.05</i>	<i>.34</i>		<i>.54</i>		<i>.40</i>	15
16		<i>.12</i>	<i>.08</i>	<i>.27</i>				<i>.19</i>		<i>.03</i>			16
17	<i>.25</i>	<i>.10</i>		<i>.09</i>						<i>.22</i>			17
18	<i>.04</i>			<i>.04</i>						<i>.07</i>			18
19	<i>.23</i>		<i>.43</i>									<i>.50</i>	19
20	<i>.34</i>		<i>.23</i>	<i>.11</i>					<i>.64</i>		<i>.54</i>		20
21	<i>.41</i>		<i>.35</i>	<i>.10</i>		<i>.01</i>							21
22	~~<i>.06</i>~~	<i>.02</i>		<i>.03</i>		<i>.16</i>		<i>.17</i>		<i>.12</i>	<i>.25</i>		22
23		<i>.33</i>						<i>.14</i>		<i>.44</i>	<i>.30</i>		23
24	<i>.06</i>		<i>.05</i>		<i>.91</i>	<i>.30</i>	~~<i>.34</i>~~	<i>.20</i>		<i>.17</i>			24
25					<i>.31</i>	<i>.17</i>	<i>.34</i>	<i>.51</i>			<i>.70</i>		25
26	<i>.10</i>							<i>.10</i>		<i>.13</i>			26
27					<i>.21</i>			<i>.08</i>	<i>.34</i>	<i>.50</i>	<i>.15</i>		27
28			<i>.34</i>		<i>.23</i>	<i>.04</i>				<i>.38</i>	<i>.05</i>	<i>1.00</i>	28
29		<i>.83</i>	<i>.20</i>		<i>.03</i>	<i>.36</i>				<i>.29</i>		<i>1.00</i>	29
30		~~<i>.10</i>~~	<i>.10</i>		<i>.01</i>	<i>.27</i>				<i>.15</i>		<i>.08</i>	30
31		~~<i>.04</i>~~	<i>.04</i>	~~<i>.04</i>~~		~~<i>.04</i>~~			~~<i>.04</i>~~	<i>.89</i>	~~<i>.04</i>~~		31
Total	<i>3.82</i>	<i>5.43</i>	<i>2.65</i>	<i>2.32</i>	<i>2.96</i>	<i>1.95</i>	<i>2.12</i>	<i>2.68</i>	<i>3.11</i>	<i>10.59</i>	<i>5.33</i>	<i>3.04</i>	YEAR'S TOTAL <i>46.00</i>
Rain Days.	<i>17</i>	<i>16</i>	<i>13</i>	<i>9</i>	<i>12</i>	<i>11</i>	<i>9</i>	<i>11</i>	<i>7</i>	<i>23</i>	<i>15</i>	<i>7</i>	<i>150</i>

DENBIGH L.E.A.

Received 24 JUN 1921

At TY'NYFELI

Kept at CERF

in the County of DE

DENBIGH

CERRIG-Y-DRUIDION.

TYN-Y-FELIN C. SCHOOL

1920

920. 28 JUN 1921

James Williams

9 a.m.

IMPORTANT NOTE. — Rain should be measured daily at 9 a.m., if possible, and the result entered to the previous day.

Date	Jan. in.	Feb. in.	March in.	April in.	May in.	June in.	July in.	Aug. in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date
1							.53		.20			.20	1
2									.03			.31	2
3													3
4							1.50	(1.80)					4
5					.24		.15		.34			.03	5
6			1.00				.04			1.27		.05	6
7							.15				.04		7
8							.15					.03	8
9									.07			.04	9
10													10
11			.20				.44						11
12			.15	2.24			.08						12
13			.25										13
14			.50				.10		.83	.12			14
15			.05								1.29		15
16			.65					5.50	.32				16
17			.05	1.50	1.07		.21			.27			17
18			—	.22	—		.21						18
19			—	1.50	.20								19
20			—	.35			.17		.67	.02			20
21			—	.22	.074				.44			.26	21
22			—	.43					.01			.26	22
23			—	.05				.42				.07	23
24			—										24
25			.65	.09							.04		25
26			.50	.14									26
27			.60	.18									27
28			1.05	.074		3.25							28
29			.50	.13							.13		29
30			.22			.13					.19		30
31						.07		.06	.27	.50	.31		31
Total	(5.20)	(4.80)	5.37 (6.37)	5.39	1.55	3.45	3.14 (6.84)	6.57 (2.87)	3.18	2.18	2.00	5.62 3.62	TOTAL for year 47.45
No. of Rain Days													

DENBIGH L.E.A.

Recorded **24 JUN 1921**

At **TYNYFELIN COUNCIL SCHOOL**

Observed at **CERRIG-Y-DRUIDION**

Ref. in the County of **DENBIGHSHIRE**

Register of Rainfall in 1920.

by **John Wm. Jones**
John Williams
 Time of Observation **9 a.m.**

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., if possible, and the result entered to the previous day.

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2							.53		.20			.20	2
3									.03			.31	3
4							1.50	(1.80)					4
5					.24		.15		.34			.03	5
6			1.00				.04			1.27		.05	6
7							.15				.04		7
8							.15					.03	8
9									.07			.04	9
10													10
11			.20				.44						11
12			.15	2.24			.08						12
13			.25										13
14			.50				.10		.83	.12			14
15			.05								1.29		15
16			.65					5.50	.32				16
17			.05	1.50	1.07			.21		.27			17
18			—	.22	.20			.21					18
19			—	.35	.07			.17	.67	.02			19
20			—	.22					.44			.26	20
21			—		.43				.01			.26	21
22			—		.05			.42				.07	22
23			—										23
24			.65	.09							.04		24
25			.50	.14									25
26			.60	.18									26
27			1.05	.07		3.25							27
28			.50	.15							.13		28
29			.22			.13					.19		29
30						.07			.27		.31		30
31								.06		.50			31
Total	(5.20)	(4.80)	5.37 (6.37)	5.39	1.55	3.45	3.14 (6.84)	6.57 (2.87)	3.18	2.18	2.00	5.62 3.62	TOTAL for year 47.45
No. of Rain Days													

REGI

4287

5' 25" Dec 7 80

AM

Chirk

in.

Ground 1 ft. 0 in.

Sea Level 625 ft.

he result entered to the
rsal rule, he is earnestly
in the space provided

Jan. 1, following.

0.58

Kept at Chirk

in the County of Denbigh

by John

CHIRK CASTLE.

1914 - 20

780813

IMPORTANT NOT
previous day. If an O
requested to add the rea

for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.06			.02	.48	.40				.40	1
2			.04				1.07	.04			.40	.45	2
3				.13	.38		.02					1.31	3
4	.20			.41	.21		.16				.65	.55	4
5	.11		.06	.32	.10		.23				.25	.07	5
6	.23	.08		.06	.14	.03					.15	.46	6
7	.01	.11	.28		.17	.13	.10	.14				.28	7
8				.05	.33	.23	.05	.48				.10	8
9	.17	.10	.05	.28	.05	.46		.10	.07				9
10		.29	.16	.09	.02	.06			.18				10
11		.32	.28		.12	.17			.07		.78	.67	11
12		1.01	.12				.10		.20		.20	.31	12
13		.42	.25				.04			.23	.44	.27	13
14		.69	.09							.17	.25	.01	14
15			.41								.19	.05	15
16		.10	.12						.21			.03	16
17	.02		.18				.06		.30			1.10	17
18		.18	.02			.30			.16			.14	18
19			.07				.60		.35			.12	19
20		.54	.21			.13	.03					.23	20
21		.30	.03			.46		.46		.15		.06	21
22		.48			.05	.07				.09			22
23			.07			.01	.06						23
24			.29				.13	.24		.05	.07		24
25	.24						.22	.20		.60	.08	.50	25
26	.01		.17				.13	.12		.09	.18	.43	26
27	.08	.05									.40	1.14	27
28	.25	.06	.31		.13					.04	.03	.34	28
29	.07		.19							.09	.68		29
30	.58	X	.25					.03		.02	.54	.35	30
31		X		X	.03	X	.49		X	.22	X		31
Total	1.97	4.23	3.71	1.36	1.73	2.07	3.97	2.21	1.54	1.75	5.29	9.37	YEAR'S TOTAL
Rain Days.	12	15	23	7	12	12	17	10	8	11	16	24	40.75
													39.79
													167

REGISTER OF RAINFALL

FORM A.
BRITISH RAINFALL
FEB 1915

Kept at Chirk Castle Llanidloes
in the County of Denbighshire
by John Jones

Lat. 52° 56' 10" N. Long. 3° 5' 25" W.
Time of Observation 9 A.M.
Nearest Railway Station Chirk
Diameter of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 625 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
0.58

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.06			.02	.48	.40				.40	1
2			.04				1.07	.04			.40	.45	2
3				.13	.38		.02					1.31	3
4	.20			.41	.21		.16				.65	.55	4
5	.11		.06	.32	.10		.23				.25	.07	5
6	.23	.08		.06	.14	.03					.15	.46	6
7	.01	.11	.28		.17	.13	.10	.14				.28	7
8				.05	.33	.23	.05	.48				.10	8
9	.17	.10	.05	.28	.05	.46		.10	.07				9
10		.29	.16	.09	.02	.06			.18				10
11		.32	.28		.12	.17			.07		.78	.67	11
12		1.01	.12				.10		.20		.20	.31	12
13		.42	.25				.04			.23	.44	.27	13
14		.69	.09							.17	.25	.01	14
15			.41								.19	.05	15
16		.10	.12						.21			.03	16
17	.02		.18				.06		.30			1.10	17
18		.18	.02			.30			.16			.14	18
19			.07				.60		.35			.12	19
20		.54	.21			.13	.03					.23	20
21		.30	.03			.46		.46		.15		.06	21
22		.48			.05	.07				.09			22
23			.07			.01	.06						23
24			.29				.13	.24		.05	.07		24
25	.24						.22	.20		.60	.08	.50	25
26	.01		.17				.13	.12		.09	.18	.43	26
27	.08	.05									.40	1.14	27
28	.25	.06	.31		.13					.04	.03	.34	28
29	.07		.19							.09	.68		29
30	.58	X	.25					.03		.02	.54	.35	30
31		X		X	.03	X	.49		X	.22	X		31
Total	1.97	4.23	3.71	1.36	1.73	2.07	3.97	2.21	1.54	1.75	5.29	9.37	YEAR'S TOTAL 40.75
Rain Days.	12	15	23	7	12	12	17	10	8	11	16	24	39.70

REGISTER OF RAINFALL IN 1915

Kept at Chirk Castle
in the County of Denbighshire
by James Vert Reg James

Lat. 52° 56' 10" N Long. 3° 5' 25" W
Time of Observation 9 AM
Nearest Railway Station Chirk
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 14 ft.
" " " " Sea Level 625 ft.

FORM A.
BRITISH RAINFALL.

12 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.58	.08	.27		.06			.09	.18	.13		.32	1
2	.09	.35	.26	.18	.43	.03		1.67		.10		.07	2
3	.34	.15		.03			.26					.25	3
4		.25			.27		.04					.95	4
5	.07	.30	.07	.03			.04	.04				.80	5
6	.17	.15	.06	.18			.37					.40	6
7	.17	.48		.06			.26	.28				.24	7
8	.22	.32		.03				.05			.20		8
9	.18	.36		.36							.04	.69	9
10	.49	.03		.16				.10		.07	.03	.08	10
11	.16		.01		.08		.03				1.20	.10	11
12	.05			.08	.38			.21		.13	1.80	.07	12
13		.15		.05	.19			.50			.35	.10	13
14	.01			.02					.05		.05	.37	14
15	.45			.01	.07			.08			.26	.15	15
16	.46	.70			.82		1.16	.61					16
17		.77	.01		.62			.05				.10	17
18	.04	1.06	.03										18
19		.03		.03	.15		.13						19
20	.02			.01	.03							.04	20
21	.39	.08					.23					.03	21
22		.08	.09			.02	.07			.08		.20	22
23		.46	.09			.03	.41		.01	1.01		.16	23
24			.12	.10			.09		.08	.64		.15	24
25			.03			.35	.14				.08	.09	25
26		.46					.28		.04			.65	26
27		.18					.28			.43		1.24	27
28		.25				.39		.10		.06		.02	28
29						.69		.09	.01			.07	29
30	.15	X					.17			.15	.08	.25	30
31	.19	X		X		X	.21		X	.04	X	.94	31
Total	4.23	6.69	1.03	1.33	3.10	1.53	4.17	3.86	1.37	2.84	4.09	8.53	41.77
Rain Days.	19	21	11	15	11	6	17	13	6	11	10	27	167

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916

Kept at *Chirk Castle Gardens*
in the County of *Denbighshire*
by *John Jones*

Lat. *52°56'10"* Long. *3°5'25"*
Time of Observation *9 a.m.*
Nearest Railway Station *Chirk*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *2* in.
Sea Level *625* ft.

FORM A.
BRITISH RAINFALL
15 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.58		.45		.02	.11	.25				.20		1
2	.24	.16	.50						.94	.82			2
3		.38					.03		.33	.30	.35	.12	3
4	.05	.06		.11	.58	.28	.16		.03	.09	.36		4
5		.05			.36	.20				.84	.38		5
6	.08	.38			.32	.14	.28			.35	.67	.03	6
7	.05	.03			.02		.15			.20	.11	.32	7
8	.07		.22		.20						.02	.32	8
9					.25	.09			.25		.07	.10	9
10		.44			.05	.10	.02		.05			.04	10
11	.03	.08	.20	.03		.02							11
12	.02		.04	.05	.32		.17	.09	.03				12
13	.08	.16	.22	.24	.02					.12			13
14		.19	.03	.02	.02			.09		.22			14
15		.30	.43	.14				.10	.02	.13			15
16		.04		.09				.13		.05			16
17	.08	.10		.45				.25	.25	.26			17
18		.19	.10	.39					.42	.06	.40	.37	18
19	.20		.24	.01							.53		19
20	.15		.60										20
21	.18		.26				.02				.02	.21	21
22						.07				.30		.16	22
23	.05		.02	.03				.09		.04	.46	.18	23
24		.17		.08	1.37	.12		.46		.43		.07	24
25			.27		.11			.24			.61		25
26					.25	.13				.14	.08		26
27		.15			.03				.20	.51			27
28		.11			.15	.35				.30		.04	28
29		.19						.04		.20	.02	.22	29
30		X				.15				.50			30
31		X		X		X			X	.53	X		31
Total	1.76	3.28	3.61	1.64	4.07	1.66	1.08	1.49	2.52	6.39	4.24	2.21	33.89
Rain Days.	14	18	14	12	16	12	8	9	10	21	15	13	162

REGISTER OF RAINFALL IN 1917

Kept at Chirk Castle Gdns. Chirk
in the County of Denbighshire
by James Vent.

Lat. 52° 56' 10" Long. 3° 5' 25" W. of G.
Time of Observation 9 a.m.
Nearest Railway Station Chirk
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 625 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.01	.36		.08		.28	.03		.09	.35	1
2	.02		.02	.04		.16		.06			.24	.10	2
3		.12								.15	.12	.04	3
4	.04	.09	.20	.02				.06		.80	.05		4
5	.26		.28					.25	.02	.21	.26		5
6	.07		.30			.08				.24	.31		6
7	.36									.11	.22	.06	7
8	.26							.30		.44	.07	.04	8
9			.24	.23	.10			.06		.09	.45		9
10	.29		.88	.65	.17			.10	.04	.05			10
11	.31			.06				.31		.30	.02		11
12	.14			.09	.80			.08		.08			12
13				.02				.68	.06	.15			13
14				.04				.04		.03		.04	14
15	.05				.10		.07	.57		.26		.22	15
16				.18		.25		.17		.01		.09	16
17		.02	.03	.19	.51	.35	.36	1.09	.12	.03		.06	17
18				.13	.14		.20	.03	.37	.16			18
19		.39	.48			.21							19
20	.03	.11	.05		.32	.80			.07		.54		20
21					.05	.13				.03	.10		21
22								.36	.09	.03			22
23		.10			.22			.17	.02	.19		.09	23
24		.02	.02			.05	.05	.08		.23	.16	.07	24
25		.10	.14			.20				.10	.23		25
26						.13		.31	.10	.18	.15		26
27					1.41	.38	.22	.88					27
28			.12					.34		.86			28
29			.23				.04	.05		.15		.15	29
30		X	.38					.33		.09	.03		30
31		X		X	.20	X		.31	X		X		31
Total	1.83	0.95	3.38	2.01	4.02	2.82	0.94	6.91	0.92	4.67	3.04	1.31	32.80
Rain Days.	11	8	15	12	11	12	6	24	10	25	16	12	162

REGISTER OF RAINFALL IN 19~~19~~ 18.

Kept at Chirk Castle Gardens
in the County of Denbighshire
by James Vork

Lat. 52° 56' 10" Long. 3° 5' 25"
Time of Observation 9 a.m.
Nearest Railway Station Chirk
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 625 ft.

FORM A.
BRITISH RAINFALL
20.1.18

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.10		.14				.04	.06	.07	.50		1
2		.06		.08				.70				.24	2
3		.06			.68				.30	.05			3
4	.05	.05							1.00	.15	.90	.34	4
5		.07		.07	.18			.38	.64	.33	.04	.02	5
6		.47	.02	.29		.08		.05	.05	.47			6
7	.18	.04		.06	.15				.33	.02	.20	.15	7
8	.06	.32					.25	.01	.12	.20	.01		8
9	.03	.70		.29		.30			.78	.13	.10	.15	9
10	.06			.11			.75		.21	.08	.07	.09	10
11	.06	.02		.04	.05		.14		.15			.06	11
12		.20			.08		.25		.09				12
13	.04				.04	.02			.12	.02			13
14	.71					.06	.30		.43	.03		.18	14
15	.32				.01		.75		.90	.09		.45	15
16				.12		.02	.25		.25	.14		.42	16
17	.35				.25	.08	.06		.09	.03		.35	17
18	.40		.02				.06		.31	.02		.23	18
19	.16	.02	.05	.06		.27	.23		.03	.03		.45	19
20	.52	.30		.28	.03	.07	.01		.48			1.07	20
21	.15	.04		.28		.02	.01		.70			.16	21
22	.03				.27	.05	.14		.03			.38	22
23	.09				.73	.02	.30		.15		.03	.02	23
24	.01	.16					.13	.10	.04		.17	.21	24
25					.17	.02	.30	.65	.02		.01		25
26	.03						.42	.08	.07		.05	.05	26
27			.24					.25	.14			.07	27
28		.16	.25								.20	.13	28
29			.03						.34			.02	29
30		X	.36						.04	.04		.25	30
31		X	.12	X		X		.04	X	.03	X		31
Total	3.25	2.77	1.09	1.82	2.64	1.01	4.35	2.30	7.87	1.93	2.28	5.49	36.80
Rain Days	18	16	8	12	12	12	17	10	28	18	12	23	186

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1919.

Kept at Chirk Castle Gardens.
in the County of Denbighshire.
by James Vert. (J. A. Jones)

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Chirk
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 625 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.29		.06	.09	.10		.21		.06	.22		.74	1
2	.15		.28				.02		.08		.03	.07	2
3					.04	.10	.05				.12	.03	3
4		.07	.40				.23		.07			.26	4
5	.04	.40		.04	.02						.05	.26	5
6	.01		.20		.12							.30	6
7	.16								.02				7
8	.41		.15			.02					.01		8
9	.90			.06							.02		9
10	.07		.09							.07		.37	10
11			1.22	.05	.07		.17					.04	11
12	.17		.26	.09		.40			.17	.42	.07		12
13	.14			.30			.04			.46		.10	13
14	.21	.05		.42			.12			.65		.04	14
15	.40	.07		.77	.70					.20		.67	15
16	.08	.95		.08		.02					.14		16
17	.10	.63				.09	.01	.15			.73		17
18			.78		.38		.05	.53	.12				18
19	.15	.45	1.15	.02		.02	.03	.40	.23		.07	.07	19
20	.35		.25			.07		.03	.20		.30	.20	20
21	.02	.40	.05				.29					.11	21
22		.32					.02		1.00			.97	22
23					.17	.20				1.10	.05	.03	23
24				.02	.05					.70	.23	.16	24
25	.04			.20		.01		.20		.02	.05	.04	25
26			.17	.14		.02		.01	.05		.09	.50	26
27	.13	.01	.05	.21				.05				.02	27
28			.03	.08				1.30				.47	28
29			.05	.05		.01		.11		.15		.20	29
30		X	.05	.04		.11						.27	30
31		X	.09	X		X			X		X	.10	31
TOTAL	3.70	3.35	5.33	2.66	1.65	1.07	1.34	2.78	2.00	3.99	1.86	6.02	YEAR'S TOTAL
Days with "1 in. or more	18	10	18	17	9	12	12	9	10	10	14	24	163

REGISTER OF RAINFALL IN 1920...

Kept at Chirk Castle
in the County of Denbighshire
by John A. Jones

Lat. _____ Long. _____
Time of Observation 9 AM
Nearest Railway Station Chirk
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			06	13	60		45		05	23		34	1
2		04		12	04		23		08	10		33	2
3	04			60	04	05	80		16	40		04	3
4		01					06	85	05	87			4
5			20		01		15	15	09	09			5
6		03	58	10	03		01			42		04	6
7		02		08			23						7
8	50	14	06	51	08		06	07	04	01			8
9	23	40		60			08	15					9
10	43	09	03	01		01	74					06	10
11	45	07	20	48	32	38	02						11
12	15	03	06	55	01	15	10	04			15	10	12
13	12	07	40	25		08			01		10		13
14	01		50	46		32	08		45	20	50		14
15		23	10	73		06			04	08	01		15
16				09	21	33	65		37	74	01		16
17	01			02	35	06			20				17
18	17			07	(35)	04	07	03	26				18
19	01	1.58		18	03	07		13					19
20				35			09	09				18	20
21				06			30	11				34	21
22	06			10			30	10				09	22
23			06				10	02				40	23
24	07		73	05			02	01			01	28	24
25	01	04	26	16	20		83						25
26	15		67	05	05	03	14					03	26
27	52	04	74	25	67	15	03				10	35	27
28	69		33	03	02	05			01		01	13	28
29	25		28	04	38		15				28	90	29
30	09		40	25	05	12			45		28	32	30
31	03		06				04	01		60		04	31
TOTAL	3.99	2.79	5.72	6.32	3.45	2.90	5.73	1.76	2.26	3.74	1.45	3.97	44.38
Days with "01 in. or more	20	14	19	27	18	15	25	13	14	11	10	17	203
Days with "04 in. or more	16	10	18	24	13	13	21	9	12	10	6	16	167

RE

Cowseyd. Bay
COUNCIL OFFICES

Kept at Council Office
in the County of
by Wm.

IMPORTANT NOTE
previous day. If an Observer is requested to add the reading for it at the end of this month, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

1911 — 1920

FORM A2.
BRITISH RAINFALL.
23 JAN 1912
1. Name Cowseyd Bay.
2. Distance 4.66 Direction N.
3. Sea Level 82 ft.
4. Ground 1 ft. in.
5. 8 in.

the result entered to the
ersal rule, he is earnestly
r in the space provided

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	—	—	.06	—	.13	—	—	.02	—	.50	—	.80	2
3	—	—	—	—	.39	—	.03	—	.09	—	.10	.13	3
4	—	—	.21	—	.04	—	—	1.12	.02	—	.18	.34	4
5	.12	—	—	—	.04	—	—	.91	—	—	—	.02	5
6	.24	—	—	—	—	—	—	.10	—	—	.09	.98	6
7	—	—	—	—	—	—	—	—	—	—	.24	—	7
8	.14	—	.24	—	—	—	—	—	—	—	.50	.50	8
9	—	—	—	—	—	—	—	—	—	—	.10	.58	9
10	.02	.16	.09	—	—	—	—	—	—	—	.02	.55	10
11	.24	—	—	—	.03	—	—	—	—	—	.80	.13	11
12	—	—	.34	—	—	—	—	—	1.21	—	.16	—	12
13	—	—	—	—	.11	.04	—	—	—	—	.02	.05	13
14	—	—	—	—	—	—	—	—	—	—	—	.02	14
15	—	.05	—	—	—	—	.02	—	—	—	.11	.05	15
16	—	.12	—	.04	—	.30	.02	—	—	—	.16	.10	16
17	—	—	—	.03	—	.19	—	—	—	—	.28	.29	17
18	—	.13	—	.13	—	.38	—	—	—	.09	.04	.55	18
19	—	—	—	.40	—	.04	—	—	.25	.12	.10	.40	19
20	—	.05	—	.14	—	.02	.02	.23	.30	.06	—	.20	20
21	—	.16	—	—	—	.06	.02	—	—	.11	—	—	21
22	—	.06	—	—	—	.06	—	—	—	.30	—	.35	22
23	—	.24	.04	—	—	.08	—	.06	.15	.09	—	.11	23
24	—	—	—	.04	—	1.41	—	.03	—	.55	—	.12	24
25	—	.02	—	.41	—	.05	—	—	.68	.15	—	.11	25
26	—	.24	—	.09	—	—	—	.04	—	.48	.13	.15	26
27	—	.24	—	.03	—	—	—	.38	1.00	—	.08	.08	27
28	—	.24	—	—	—	—	—	—	.14	—	—	.05	28
29	—	—	—	.10	—	.19	.83	—	.11	.31	—	.08	29
30	—	—	—	—	.20	.03	—	—	.05	.36	.03	—	30
31	—	—	.28	—	—	—	.11	—	—	.16	—	—	31
Total	.82	1.21	1.36	1.44	.94	2.35	1.08	2.98	4.00	3.32	2.82	6.24	TOTAL for year 29.65
No. of Rain Days	5	12	8	10	8	13	8	10	11	14	19	26	144

REGISTER OF RAINFALL IN 1911.

FORM A2.
BRITISH RAINFALL
23 JAN 1912

Kept at Council Office Grounds

in the County of Denbigh

by Wm. Jones B.S.

Pattern Snowdon
RAIN GAUGE Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 82 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Colwyn Bay
Distance 4.6 Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	—	—	.04	—	.03	—	—	.02	—	.50	—	.30	2
3	—	—	—	—	.39	—	.03	—	.09	—	.10	.13	3
4	—	—	.21	—	.04	—	—	1.12	.02	—	.13	.34	4
5	.12	—	—	—	.04	—	—	.91	—	—	—	.02	5
6	.24	—	—	—	—	—	—	.10	—	—	.09	.93	6
7	—	—	—	—	—	—	—	—	—	—	.24	—	7
8	.14	—	.24	—	—	—	—	—	—	—	.50	.50	8
9	—	—	—	—	—	—	—	—	—	—	.10	.53	9
10	.02	.16	.09	—	—	—	—	—	—	—	.02	.55	10
11	.24	—	—	—	.03	—	—	—	—	—	.30	.13	11
12	—	—	.34	—	—	—	—	—	1.21	—	.16	—	12
13	—	—	—	—	.11	.04	—	—	—	—	.02	.05	13
14	—	—	—	—	—	—	—	—	—	—	—	.02	14
15	—	.05	—	—	—	—	.02	—	—	—	.11	.05	15
16	—	.12	—	.04	—	.30	.02	—	—	—	.16	.10	16
17	—	—	—	.03	—	.19	—	—	—	—	.28	.29	17
18	—	.13	—	.13	—	.33	—	—	—	.09	.04	.55	18
19	—	—	—	.40	—	.04	—	—	.25	.12	.10	.40	19
20	—	.05	—	.14	—	.02	.02	.23	.30	.06	—	.20	20
21	—	.16	—	—	—	.06	.02	—	—	.11	—	—	21
22	—	.06	—	—	—	.06	—	—	—	.30	—	.35	22
23	—	.24	.04	—	—	.03	—	.06	.15	.09	—	.11	23
24	—	—	—	.04	—	1.41	—	.03	—	.55	—	.12	24
25	—	.02	—	.41	—	.05	—	—	.68	.15	—	.11	25
26	—	.24	—	.09	—	—	—	.04	—	.43	.13	.15	26
27	—	.24	—	.03	—	—	—	.38	1.00	—	.03	.03	27
28	—	.24	—	—	—	—	—	—	.14	—	—	.05	28
29	—	—	—	.10	—	.19	.33	—	.11	.31	—	.03	29
30	—	—	—	—	.20	.03	—	—	.05	.36	.03	—	30
31	—	—	.23	—	—	—	.11	—	—	.16	—	—	31
Total	.82	1.41	1.36	1.44	.94	2.85	1.03	2.93	4.00	3.32	2.32	6.24	TOTAL for year 29.65
No. of Rain Days	5	12	3	10	3	13	3	10	11	14	19	26	144

REGISTER OF RAINFALL IN 1912.

Kent at Council Office, Foulde, Rainyday.
in the County of Kent
by J. Jones. B.S.

Lat. 53° 16' N. Long. 3° 44' W.
Time of Observation 9 a.m.
Nearest Railway Station Rainyday
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
Sea Level 82 ft.

BRITISH RAINFALL FORM A.
15 JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	20	—	03	03	—	—	18	—	—	05	1
2	—	05	31	—	10	20	02	—	—	—	—	05	2
3	20	—	02	—	—	09	—	42	09	—	—	04	3
4	16	—	115	03	05	14	—	59	05	—	18	—	4
5	10	—	—	—	—	04	—	—	15	—	05	04	5
6	40	02	03	—	02	—	—	12	—	—	—	—	6
7	—	20	03	—	—	16	23	—	—	—	—	08	7
8	25	11	06	04	—	32	—	—	23	—	—	—	8
9	04	08	—	25	—	42	—	—	—	—	—	10	9
10	08	—	—	04	—	09	04	18	—	—	38	—	10
11	—	—	—	—	06	—	09	—	—	—	10	33	11
12	—	13	—	—	—	06	—	—	—	—	—	03	12
13	02	—	—	—	—	05	—	42	—	16	—	20	13
14	03	—	03	—	—	03	—	34	04	06	—	04	14
15	—	08	33	—	—	06	—	14	—	—	04	24	15
16	03	04	05	—	03	—	—	—	—	20	04	—	16
17	44	49	—	—	—	60	—	12	—	—	16	10	17
18	20	02	02	—	—	—	—	15	—	20	—	—	18
19	—	06	20	—	—	—	—	50	—	40	03	—	19
20	—	—	10	—	24	—	—	40	—	29	05	03	20
21	—	—	13	—	43	—	08	16	—	35	06	09	21
22	—	04	—	—	20	—	09	59	—	—	—	—	22
23	—	—	31	—	—	06	06	65	—	—	24	—	23
24	—	05	04	—	—	13	05	06	—	—	25	24	24
25	—	—	04	—	—	19	10	—	—	—	40	19	25
26	—	05	02	—	—	05	44	42	—	92	40	10	26
27	—	—	10	—	—	22	120	—	—	32	06	09	27
28	—	11	—	—	—	05	05	09	—	25	43	—	28
29	—	06	—	—	—	—	30	05	02	25	—	—	29
30	—	—	14	—	—	38	03	—	23	22	10	02	30
31	—	—	20	—	44	—	150	04	—	04	—	11	31
Total	201	159	351	39	163	370	428	580	99	366	294	223	3246
Rain Days.	12	16	21	4	10	21	15	19	8	13	14	20	146

✓ *42 22* *and for with 29.IV.14*
REGISTER OF RAINFALL IN 1913

Kept at *Council Offices Grounds,*
Colwyn Bay,
in the County of *Denbigh*
by *Wm Jones C.E.*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Colwyn Bay*
Diameter of Rain Gauge *8* in.
Height of top of Gauge above Ground *1* ft. in.
" " " " Sea Level *82* ft.

FORM A.
BRITISH RAINFALL
10 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.11	.10	—	—	—	—	—	—	.06	—	1
2	—	.08	.06	.05	.10	.02	—	—	—	—	.22	—	2
3	.08	—	.26	—	.42	—	—	—	—	.04	—	.55	3
4	.38	.05	—	—	.08	.04	—	—	—	.06	.04	.61	4
5	.43	.04	.10	—	.10	.16	.18	—	—	.28	.04	—	5
6	.10	.04	.30	—	.04	.14	.25	—	—	.05	.19	.12	6
7	.04	.50	—	—	.23	.36	.03	—	—	.43	—	.04	7
8	—	.04	.03	—	.16	.02	—	.50	.20	.14	—	—	8
9	—	.11	.15	.12	.09	.26	.12	—	.10	—	.08	.22	9
10	.24	—	—	.02	—	—	.03	.50	—	—	.04	—	10
11	.20	—	—	.40	—	.10	—	—	—	.03	.15	—	11
12	—	—	—	—	.04	.12	.04	—	1.50	—	.41	—	12
13	—	—	.33	—	.13	—	.04	.08	.20	—	.20	—	13
14	.08	—	.05	.15	—	—	—	.06	—	.34	—	—	14
15	.15	—	.14	.34	—	—	—	—	—	—	.15	—	15
16	—	—	.04	.09	—	—	—	—	—	—	.03	—	16
17	.05	—	.12	.10	—	—	—	—	.04	—	.22	—	17
18	—	—	.40	.10	.09	—	.16	—	.30	—	.13	—	18
19	.06	—	.02	—	—	.61	—	—	—	.38	.03	—	19
20	—	—	.12	.04	—	—	—	—	.15	.10	.32	—	20
21	—	—	—	.03	.08	.03	.54	.05	—	.04	.03	—	21
22	.32	—	.43	—	—	.26	—	.80	.55	—	—	—	22
23	.03	—	.05	—	—	.05	—	.58	.20	—	.04	.04	23
24	.15	—	—	.10	—	.10	—	—	—	—	.04	—	24
25	—	—	—	.03	—	—	—	—	.04	—	—	—	25
26	—	.03	—	.65	—	—	—	—	.34	—	—	.42	26
27	—	.03	—	.10	—	—	—	—	—	.20	—	.20	27
28	.12	—	.02	.10	—	—	—	—	—	.43	—	.26	28
29	—	—	—	.48	.09	—	—	—	—	.34	.13	—	29
30	.40	—	—	—	—	—	—	—	—	.02	.08	—	30
31	.05	—	.04	—	—	—	—	—	—	—	—	—	31
Total	2.91 <i>2.91</i>	.98	3.10 <i>3.20</i>	3.03	1.68	2.30	1.39	2.54	3.68	2.94	3.02 <i>3.02</i>	2.49	30.09 <i>30.59</i>
Rain Days.	14	9	19	18	13	14	9	4	11	15	21	9	162

REGISTER OF RAINFALL IN 1914

Kept at Council Office Grounds
Colwyn Bay
in the County of Denbigh
by W. Jones B.E.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Colwyn Bay
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 82 ft.

FORM A.
BRITISH RAINFALL
16 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.06	.14	—	—	.10	.44	.19	—	.03	.07	.36	1
2	—	—	—	—	—	—	.35	—	—	.04	.04	.35	2
3	.03	—	.24	.06	.09	—	—	—	—	—	—	1.18	3
4	.18	—	.05	.14	.06	—	.05	—	—	—	.24	.31	4
5	.13	—	.14	.11	.05	—	.06	.02	—	.10	.24	—	5
6	.05	.04	.03	—	.05	.02	—	—	—	—	.09	.13	6
7	—	.21	.14	.03	.43	.10	.11	.09	—	—	—	.16	7
8	—	—	.03	.04	.34	.12	—	.10	—	—	—	.04	8
9	.41	.08	.06	.10	.12	.58	—	.10	—	—	.25	—	9
10	.09	.44	.28	.03	.03	—	—	—	.26	—	.19	—	10
11	—	.11	.29	—	.03	.34	.28	—	.11	—	.46	.23	11
12	—	.43	.19	—	.04	—	.15	—	.43	—	.16	.08	12
13	—	.04	.16	—	.02	—	—	—	—	.10	.28	.10	13
14	—	.24	—	—	—	—	—	—	—	—	.19	—	14
15	—	.15	.14	—	—	—	—	—	.08	—	.11	.31	15
16	—	—	—	—	—	—	—	—	.95	—	—	—	16
17	.05	.25	.26	—	—	—	—	—	.68	.05	—	.41	17
18	—	—	.23	—	—	—	—	—	.14	.08	—	.33	18
19	—	.04	.05	—	—	—	.13	—	.24	—	—	.24	19
20	—	.49	.21	—	—	.29	.22	.04	—	—	—	.12	20
21	—	.06	—	—	—	—	—	.10	—	.04	—	.12	21
22	—	.29	—	.06	.18	.14	—	.04	—	—	—	—	22
23	—	—	.04	—	—	—	.06	.02	—	—	.06	—	23
24	—	—	—	.04	—	—	.16	—	—	—	.14	—	24
25	.05	—	—	—	—	—	.04	.09	—	.44	—	.08	25
26	—	—	—	—	—	—	.38	.09	—	.29	.08	.39	26
27	.13	—	—	—	—	—	—	—	—	.19	.22	.54	27
28	.16	—	—	—	.08	—	—	—	—	—	.06	.37	28
29	.24	X	.10	—	—	—	—	.11	—	—	.12	.05	29
30	—	X	.04	—	—	—	—	.09	—	—	.36	.63	30
31	.14	X	—	X	—	X	.42	—	X	.04	X	.05	31
Total	1.69	2.99	2.94	.64	1.52	1.69	3.15	1.08	2.89	1.43	3.35	6.39	29.46
Rain Days.	12	15	20	9	13	8	14	13	8	11	18	23	164

REGISTER OF RAINFALL IN 1915

Kept at Colwyn Bay
in the County of Denbigh
by Wm Jones A.M.I.C.E., Surveyor
at Colwyn Bay

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Colwyn Bay
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 82 ft.

BRITISH RAINFALL FORM A.
JAN. 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
9 a.m.

12

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	47	—	—	—	50	—	—	04	29	15	—	17	1
2	16	52	16	19	—	—	20	23	17	—	—	—	2
3	—	21	—	16	—	—	19	12	11	—	—	14	3
4	—	—	—	—	27	—	23	—	—	—	—	42	4
5	—	09	21	—	—	—	—	—	07	—	—	90	5
6	09	37	—	25	—	—	36	—	—	—	—	45	6
7	70	41	—	—	—	—	10	17	—	—	—	20	7
8	19	26	—	—	—	—	44	44	—	04	32	04	8
9	10	16	—	27	—	—	—	18	—	13	—	—	9
10	28	—	—	39	—	—	02	—	—	04	05	21	10
11	—	—	—	—	24	—	09	27	—	—	33	22	11
12	06	—	—	33	16	—	—	11	—	—	76	14	12
13	—	20	—	—	—	—	09	28	—	44	72	—	13
14	—	—	—	—	—	—	—	29	—	—	74	11	14
15	52	—	—	—	—	—	—	19	—	—	16	—	15
16	—	39	—	—	24	—	17	71	—	—	13	21	16
17	—	54	—	—	39	—	—	—	—	—	08	—	17
18	—	44	—	—	24	—	—	—	—	—	—	—	18
19	—	01	09	25	07	—	06	—	—	—	—	—	19
20	17	—	05	—	—	—	—	—	—	—	—	23	20
21	15	02	—	—	—	—	10	—	—	—	—	35	21
22	—	21	—	—	—	16	—	—	—	02	—	09	22
23	—	15	80	—	—	09	03	—	—	44	—	04	23
24	—	—	06	09	—	41	—	—	03	—	—	40	24
25	—	—	—	—	—	30	—	—	05	15	10	38	25
26	—	16	—	—	—	—	19	—	15	—	—	50	26
27	—	09	—	—	—	31	07	—	—	20	—	52	27
28	—	11	—	—	—	—	22	56	—	—	—	14	28
29	—	~~X~~	—	—	—	—	—	—	21	05	—	08	29
30	24	~~X~~	—	—	—	17	—	02	10	—	~~X~~	26	30
31	06	~~X~~	—	~~X~~	—	~~X~~	09	28	~~X~~	—	~~X~~	35	31
Total	3.19	4.34	1.37	1.93	2.11	1.44	2.65	3.89	1.18	1.65	3.39	6.55	33.69
Rain Days.	13	18	76	8	8	6	17	15	9	10	10	24	144
YEAR'S TOTAL													33.69

REGISTER OF RAINFALL IN 1916

Kept at Council Offices Colwyn Bay
in the County of Denbigh
by Wm Jones Assoc M Inst CE

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Colwyn Bay
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
Sea Level 80 ft.

FORM A.
BRITISH RAINFALL
10 JUL 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.40	.02	.15			.05	.32				.15		1
2	.10	.24	.28			.04	.03		.97	.19	.03		2
3		.50		.16			.17		.93	.68	.17	.15	3
4	.13		.08	.05	.61	.29			.09	.13	.17		4
5		.49	.04		.26	.05				.04	.13		5
6	.22	.35	.05		.17		.18			.21	.27	.03	6
7		.12			.23	.30	.07			.04	.37	.30	7
8	.04	.03	.06		.03	.10				.12	.25	.04	8
9		.13			.20				.06		.07		9
10		.54		.14	.22		.08			.07			10
11	.08	.04		.14	.12				.09				11
12	.05	.11	.10	.04	.28		.29		.04	.07			12
13		.06	.06	.19				.17		.25			13
14		.17	.05		.18			.22		.03		.07	14
15		.11	.22	.16	.04		.06	.54	.09	.23			15
16		.04		.15			.05	.03		.08			16
17		.11		.56					.43	.30			17
18	.03	.15		.21				.02	.31	.05	.29		18
19	.19	.23	.10	.06				.13			.50	.06	19
20	.11		.65	.02							.09	.30	20
21	.08		.08		.05						.16		21
22						.03						.06	22
23	.14		.08			.08		.15		.11	.19	.34	23
24		.03			.64			.12		.05		.03	24
25		.08	.16		.47	.17		.15		.03	.35		25
26	.18		.18		.06	.03					.14		26
27		.07			.22	.04		.06	.33	.08			27
28		.21				.12				.38		.24	28
29		.35				.31				.26		.22	29
30		X				.27				.66			30
31		X		X		X			X	.14	X		31
Total	1.75	4.18 4.28	2.34	1.88	3.78	1.88 1.90	1.25	1.59	3.34	4.20 4.16	3.33 3.23	1.84 1.86	31.36 31.36
Rain Days.	13	23	16	12	16	14	9	10	10	23	16	12	174

REGISTER OF RAINFALL IN 1917

Sept at Bolwyn Bay
 in the County of Denbigh
 by Wm Jones, Assoc. M. Inst. C.E.

Lat. _____ Long. _____
 Time of Observation 10 a.m.
 Nearest Railway Station Bolwyn Bay
 Diameter of Funnel of Rain Gauge 8" in.
 Height of top of Gauge above Ground 1 ft. = _____ in.
 " " " " Sea Level 80 ft.

FORM A.
 BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.71		.10		.14	.14		.24	.06	1
2	.09			.21						.05	.04	.08	2
3						.10				.19		.10	3
4	.06	.03	.04							.66		.05	4
5	.23		.02	.11						.68	.18	.06	5
6	.06					.05			.04	.14	.26	.03	6
7	.45							.05		.19	.10	.02	7
8	.04			.22				.22		.39	.12	.40	8
9			.08	.11	.12			.44		.26	.36		9
10	.31		.55	.71				.05		.16			10
11	.06			.10	.07			.07		.45	.08		11
12	.09		.02	.21	.69				.06	.42			12
13				.14				.06	.17	.08	.07	.30	13
14				.21	.08		.11	.09		.33		.03	14
15	.04			.19	.02					.10		.30	15
16				.26				.40			.03	.41	16
17			.17	.06	.15		(.22)	.67		.19			17
18			.04		.04		.23	.06	.20	.04			18
19		.48	.23										19
20		.15		.01	.13	.98		.12	.02		.56		20
21		.05	.09					.04					21
22		.11				.04		.29	.14	.04	.07		22
23		.21				.49	.06	.07	.05	.08		.10	23
24			.04					.11		.16	.12		24
25		.15									.05		25
26						.39		1.35	.28	.16	.73	.03	26
27			.08		1.13	.04	.31	.57		.10			27
28			.17				.04	.47		.23			28
29										.62			29
30		X	.55					.20		.18	.05		30
31		X	.71	X	.19	X		.62	X		X	.04	31
Total	1.43	1.18	2.79	3.25	2.62	2.19	.97	6.09	1.10	5.90	3.06	2.01	32.59
Re- Da	10	7	14	14	10	8	6	21	9	24	16	15	154
													YEAR'S TOTAL

REGISTER OF RAINFALL IN 19/8.

Kept at Colwyn Bay
in the County of Denbigh
by Wm Jones Assoc M. Inst. C.E.

Lat. _____ Long. _____
Time of Observation 9 a.m. + 10 a.m.
Nearest Railway Station Colwyn Bay
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. = in.
" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.05	.11			.22	.44		.15		1
2		.09						.09	.05			.10	2
3		.08			.58				.13	.17			3
4	.04	.04							.27	.19	.31	.03	4
5		.02	.04	.10	.21			.22		.42			5
6		.08		.25		.06		.05		.30			6
7		.33		.16	.13				.30	.18	~~.51~~ x	.05	7
8	.19	.06		.19			.63	.03	.13	.25			8
9	.05					.55	.06		.46	.17		.04	9
10	.27	.45					.10		.11	.03	.35 x	.07	10
11	.10	.09	.04		.04		.16		.07	.21		.14	11
12		.25			.33		.08						12
13		.03			.13				.55	.09			13
14	.43	.05				.21	.12		.43			.24	14
15	.09						.36		.75	.19		.40	15
16		.06				.10	.25	.08	.23	.08		.44	16
17	.16						.08		.14	.20		.15	17
18	.17	.13				.09			.11			.21	18
19	.11	.06	.06	.25			.22		.04	.10		.34	19
20	.52	.55		.18	.45	.10			.10			.24	20
21	.30	.13		.07		.05	.04		.49			.05	21
22					.73		.03		.18			.35	22
23	.06				1.18		.15		.11				23
24	.02	.14						.27	.37	.03	.13	.13	24
25					.39		.06	.56	.52	.11	.03		25
26							.21	.05	.25		.02		26
27		.17	.21			.17		.16	.66		.19	.29	27
28		.16	.26					.04			.52	.30	28
29			.09						.26			.04	29
30		X	.04					.03	.18			.07	30
31		X	.25	X		X			X	.05	X		31
Total	2.51	2.97	.99	1.25	4.28	1.33	2.55	1.80	7.33	2.77	1.70	3.68	33.16
Rain Days.	14	20	8	8	12	8	15	12	26	17	10	20	169

REGISTER OF RAINFALL IN 1919

Kept at Colwyn Bay (M.O.)
in the County of Denbigh
by The Borough Surveyor

Lat. _____ Long. _____
Time of Observation 9.18 h. winter time
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 83 in.
" " " " Sea Level 83 ft.

FORM A.
BRITISH RAINFALL
MAR 20

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	<i>IN.</i>	<i>IN.</i>	<i>IN.</i>	<i>IN.</i>	<i>IN.</i>	<i>IN.</i>	<i>IN.</i>	<i>IN.</i>	<i>IN.</i>	<i>IN.</i>	<i>IN.</i>	<i>IN.</i>	
1	0.09	-	0.03	-	0.33	-	0.11	-	0.33	0.13	0.04		1
2	0.10	-	0.54	-	-	-	0.06	-	-	-	-	-	2
3	-	-	-	-	-	0.18	0.09	-	-	-	0.04	-	3
4	0.03	-	0.28	-	-	0.04	0.22	0.10	0.08	-	-	-	4
5	0.15	0.10	-	-	-	-	-	-	-	-	-	-	5
6	-	-	0.11	-	0.09	-	-	-	-	-	-	-	6
7	-	-	0.16	0.16	-	-	-	-	-	-	-	-	7
8	0.20	-	0.05	-	-	0.05	-	-	-	-	0.07	-	8
9	<u>0.59</u>	-	0.03	0.06	-	-	-	-	-	-	-	-	9
10	0.11	-	0.07	-	-	-	-	-	-	0.18	-	-	10
11	0.03	-	<u>1.51</u>	-	-	0.06	0.12	-	0.07	0.05	-	-	11
12	-	-	-	-	-	<u>0.59</u>	-	-	-	0.33	0.13	-	12
13	0.10	-	-	0.26	-	-	0.16	-	-	0.37	-	-	13
14	0.20	0.10	-	0.30	-	-	0.15	-	-	0.43	-	-	14
15	0.32	0.03	-	0.12	<u>0.65</u>	-	-	-	-	0.11	-	-	15
16	0.12	-	0.06	-	-	-	-	-	-	-	<u>0.31</u>	-	16
17	0.16	<u>0.52</u>	-	0.02	-	0.06	-	0.25	-	-	0.15	-	17
18	0.04	0.20	0.75	-	-	-	0.08	0.73	0.08	-	-	-	18
19	-	0.04	0.33	-	-	-	-	0.09	0.22	-	0.18	-	19
20	0.08	0.14	0.18	-	-	0.07	-	-	-	-	0.19	-	20
21	0.09	0.16	-	-	-	-	<u>0.37</u>	-	0.07	-	-	-	21
22	-	0.25	-	-	-	-	-	-	<u>0.54</u>	-	-	-	22
23	-	0.18	-	-	-	0.04	-	-	-	<u>1.20</u>	0.03	-	23
24	-	-	-	-	0.26	0.04	-	0.08	-	0.44	0.04	-	24
25	0.09	-	-	0.22	-	-	-	0.16	0.11	0.03	0.18	-	25
26	0.12	-	0.25	0.21	-	0.10	-	0.45	-	-	-	-	26
27	0.29	-	0.05	0.34	-	-	-	0.11	0.15	-	-	-	27
28	0.03	-	0.10	-	-	-	-	<u>1.18</u>	-	-	-	-	28
29	-	-	-	0.19	-	0.06	-	0.22	-	0.04	-	-	29
30	-	X	0.04	0.22	-	0.26	-	-	-	-	0.28	-	30
31	-	X	0.34	X	-	X	0.07	0.12	X	-	X	-	31
Total	2.94	1.72	4.88	2.10	1.33	1.55	1.43	3.49	1.65	<u>3.36</u> ~~3.30~~	1.64	(6.00)	YEAR'S TOTAL (32.09)
Rain Days	20	10	18	11	4	12	10	11	9	11	12		

Not recorded

REGISTER OF RAINFALL IN 1920.

Kept at Calwyn Bay (M.O.)
in the County of Denbigh
by The Borough Surveyor

Lat. _____ Long. _____
Time of Observation 9.15
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 83 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	0.20	0.20	0.27	-	0.29	-	0.25	0.31	-	0.18	1
2	-	-	-	0.22	-	-	0.11	0.15	0.17	0.12	-	0.08	2
3	-	0.39	-	0.14	0.11	0.05	0.21	-	0.19	0.43	-	-	3
4	-	-	-	-	-	-	0.11	0.23	0.06	0.13	-	-	4
5	-	-	0.07	-	0.05	-	0.12	0.08	0.58	0.04	-	-	5
6	-	-	0.65	-	-	-	-	-	-	0.21	-	0.07	6
7	-	0.11	0.05	-	0.04	-	0.29	-	-	-	-	-	7
8	0.21	-	-	0.37	0.04	-	0.04	0.20	-	-	-	0.10	8
9	0.16	0.29	-	0.79	-	-	0.04	0.21	0.09	-	0.04	0.04	9
10	0.27	0.19	-	-	-	-	-	-	-	-	-	0.12	10
11	0.21	0.04	0.20	-	0.27	0.24	-	0.07	-	-	-	-	11
12	0.17	0.03	0.15	0.09	-	1.08	-	-	0.03	-	0.07	0.06	12
13	0.13	0.14	0.22	0.04	-	0.02	0.04	-	-	-	-	-	13
14	-	-	0.43	0.25	-	0.14	0.08	-	0.47	0.09	0.33	-	14
15	-	0.18	-	-	-	-	-	-	-	0.04	0.07	-	15
16	-	-	0.04	0.32	0.14	0.05	0.45	-	0.14	0.09	0.08	-	16
17	0.05	-	0.05	-	0.10	0.07	0.05	0.12	0.15	-	-	-	17
18	0.31	-	-	0.06	0.14	0.37	-	0.25	1.05	-	-	-	18
19	-	0.92	-	0.14	0.03	0.11	-	-	0.06	-	-	-	19
20	-	0.05	-	0.15	-	-	0.09	-	0.88	-	-	0.11	20
21	-	-	-	-	-	-	0.58	-	-	-	-	0.15	21
22	0.15	-	-	0.20	-	-	0.21	0.82	-	-	-	0.11	22
23	-	-	0.17	0.07	-	-	0.39	-	-	-	-	0.27	23
24	0.05	-	0.57	-	-	-	0.05	-	-	-	-	0.26	24
25	0.11	0.19	0.42	-	0.61	-	1.25	-	-	-	-	0.04	25
26	0.16	0.11	0.89	0.47	-	-	-	-	-	-	0.04	0.03	26
27	0.36	0.10	0.63	0.04	0.12	0.39	0.07	-	-	-	0.04	-	27
28	0.19	-	0.50	-	-	-	-	-	-	-	0.32	0.22	28
29	0.27	-	0.13	0.06	0.63	-	0.27	-	-	-	0.16	0.78	29
30	0.07	~~X~~	0.46	0.22	-	0.10	0.30	-	0.35	-	0.30	0.08	30
31	0.14	~~X~~	-	~~X~~	0.05	~~X~~	-	0.10	~~X~~	0.27	~~X~~	-	31
TOTAL	3.01	2.45	5.83	3.83	2.60	2.62	5.04	2.23	4.47	1.73	1.45	2.70	38.26
Days with 0.1 in. or more	17	13	18	18	14	11	21	10	14	10	10	17	173

RI

DENBIGH.

COLWYN BAY.

Foul crosses.

1911-1914

Kept at Wagstaff
in the County of
by Wm.

warden.

5 in.

Ground 1 ft.

Sea Level 400 ft.

2. m.

Name Colwyn Bay

Distance 2 1/2 miles Direction N. E.

FORM A2.
BRITISH RAINFALL
23 JAN 1912

IMPORTANT NOTI

measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. —	in. —	in. .13	in. —	in. .02	in. —	in. .03	in. .03	in. —	in. .04	in. .13	in. .04	1
2	—	—	.06	—	.13	—	—	.02	—	.42	—	.30	2
3	—	—	—	—	.43	—	.02	—	.10	—	.10	.11	3
4	—	—	.14	—	.02	—	—	1.20	.02	—	.15	.32	4
5	.15	—	.02	—	.04	—	—	.66	—	.02	—	—	5
6	.26	—	.02	—	—	—	—	.08	—	—	.04	.04	6
7	—	—	—	—	—	—	—	—	—	—	.23	—	7
8	.13	—	.24	—	—	—	—	—	—	—	.43	.53	8
9	—	—	—	—	—	—	—	—	—	—	.09	.46	9
10	.03	.10	.09	—	—	—	—	—	—	—	.03	.60	10
11	.15	—	—	—	.03	—	—	—	1.28	—	.24	.10	11
12	—	—	.32	—	—	—	—	—	—	—	.14	—	12
13	—	—	—	—	.12	—	—	—	—	—	.03	.06	13
14	—	—	—	—	—	—	.02	—	—	—	—	.03	14
15	—	.04	—	—	—	—	—	—	—	—	.04	.03	15
16	—	.10	—	.02	—	.34	.02	—	—	—	.14	.08	16
17	—	—	—	—	—	.22	—	—	—	—	.25	.31	17
18	—	.15	—	.15	—	.30	—	.02	—	.09	.05	.53	18
19	—	—	—	.35	—	.05	—	—	.20	.12	.11	.42	19
20	—	.03	—	.14	—	—	.02	.20	.31	.09	—	.16	20
21	—	.15	—	—	—	.02	.02	.02	—	.09	—	—	21
22	—	.04	—	—	—	.03	—	—	—	.29	—	.31	22
23	—	.23	.05	—	—	.14	—	.06	.14	.10	—	.10	23
24	—	.03	—	.05	—	1.40	—	.22	—	.55	—	.08	24
25	—	.02	—	.42	—	.03	—	—	.45	.16	—	.08	25
26	—	.24	—	.03	—	—	—	.02	—	.50	.11	.12	26
27	—	.15	—	.03	—	—	—	.41	1.05	—	.04	.02	27
28	—	.11	—	—	—	.02	—	—	.09	—	—	.05	28
29	—	—	—	.03	—	.15	.99	—	.15	.29	—	.04	29
30	—	—	—	—	—	.03	—	—	.04	.29	.03	—	30
31	—	—	.30	—	.23	—	.12	—	—	.10	—	—	31
Total	.44	1.43	1.43	1.35	1.02	2.81	1.24	2.44	4.19	3.45	2.53	5.91	TOTAL for year 28.94
No. of Rain Days	5	13	10	9	8	12	8	12	11	15	19	25	144

RI

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

Kept at Gragestaff Upper Colwyn Bay
(near Colwyn)
in the County of Denbigh
by Wm. Jones F.F.

Pattern Snowdon
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 400 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Colwyn Bay
Distance 2 1/2 miles Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	—	—	.06	—	.13	—	—	.02	—	.42	—	.30	2
3	—	—	—	—	.43	—	.02	—	.10	—	.10	.11	3
4	—	—	.14	—	.02	—	—	1.20	.02	—	.15	.32	4
5	.15	—	.02	—	.04	—	—	.66	—	.02	—	—	5
6	.26	—	.02	—	—	—	—	.08	—	—	.04	.94	6
7	—	—	—	—	—	—	—	—	—	—	.23	—	7
8	.13	—	.24	—	—	—	—	—	—	—	.43	.53	8
9	—	—	—	—	—	—	—	—	—	—	.09	.46	9
10	.03	.10	.09	—	—	—	—	—	—	—	.03	.60	10
11	.15	—	—	—	.03	—	—	—	1.23	—	.24	.10	11
12	—	—	.32	—	—	—	—	—	—	—	.14	—	12
13	—	—	—	—	.12	—	—	—	—	—	.03	.06	13
14	—	—	—	—	—	—	.02	—	—	—	—	.03	14
15	—	.04	—	—	—	—	—	—	—	—	.04	.03	15
16	—	.10	—	.02	—	.34	.02	—	—	—	.14	.08	16
17	—	—	—	—	—	.22	—	—	—	—	.25	.31	17
18	—	.15	—	.15	—	.30	—	.02	—	.09	.05	.53	18
19	—	—	—	.35	—	.05	—	—	.20	.12	.11	.42	19
20	—	.03	—	.14	—	—	.02	.20	.31	.09	—	.16	20
21	—	.15	—	—	—	.02	.02	.02	—	.09	—	—	21
22	—	.04	—	—	—	.03	—	—	—	.29	—	.31	22
23	—	.23	.05	—	—	.14	—	.06	.14	.10	—	.10	23
24	—	.03	—	.05	—	1.40	—	.22	—	.55	—	.03	24
25	—	.02	—	.42	—	.03	—	—	.45	.16	—	.03	25
26	—	.24	—	.03	—	—	—	.02	—	.50	.11	.12	26
27	—	.15	—	.03	—	—	—	.41	1.05	—	.04	.02	27
28	—	.11	—	—	—	.02	—	—	.09	—	—	.05	28
29	—	—	—	.03	—	.15	.99	—	.15	.29	—	.04	29
30	—	—	—	—	—	.03	—	—	.04	.29	.03	—	30
31	—	—	.30	—	.23	—	.12	—	—	.10	—	—	31
Total	.44	1.43	1.43	1.35	1.02	2.31	1.24	2.44	4.19	3.45	2.53	5.91	TOTAL for year 23.94
No. of Rain Days	5	13	10	9	8	12	8	12	11	15	19	25	144

REGISTER OF RAINFALL IN 1912.

BRITISH RAINFALL FORM A.
15 JAN 1913

Kept at Glagstaff, Upper Colwyn Bay.
(Lower Colwyn Bay)
in the County of Denbighshire. 2
by W. Jones B.S.

Lat. 53° 16' N. Long. 3° 44' W.
Time of Observation 9 a.m.
Nearest Railway Station Colwyn Bay
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.24	—	.02	.02	—	—	.15	—	—	.06	1
2	—	.05	.22	—	.10	.26	.02	—	—	—	—	.05	2
3	.18	—	—	—	—	.11	—	.40	.04	—	—	.04	3
4	.20	—	1.15	—	.04	.14	—	.54	.04	—	.15	—	4
5	.10	—	—	—	—	.05	—	—	.09	—	.06	.05	5
6	.45	.02	—	—	—	—	—	.12	—	—	—	—	6
7	—	.25	.12	—	.02	.15	.20	—	—	—	—	.04	7
8	.31	.11	.06	.08	—	.39	—	—	.20	—	—	—	8
9	.04	.09	—	.20	—	.52	—	—	—	—	.03	.05	9
10	.08	—	—	.02	—	.08	.05	.13	—	—	.24	—	10
11	—	—	—	—	.04	—	.05	—	—	—	.09	.33	11
12	—	.15	—	—	—	.05	.02	—	—	—	.04	.05	12
13	—	.03	.03	—	—	.04	—	.26	—	.15	—	.22	13
14	.02	—	—	—	—	.03	—	.38	.06	.05	—	.04	14
15	.02	.05	—	—	.03	.05	—	.16	—	—	—	.25	15
16	.03	.05	.06	—	—	—	—	—	—	.20	.05	—	16
17	.23	.53	—	—	—	.63	—	.09	—	—	.13	.12	17
18	.04	.02	.02	—	—	—	—	.16	—	.18	—	—	18
19	—	.06	.16	—	—	.02	—	.38	—	.33	.04	—	19
20	—	—	.15	—	.31	—	—	.36	—	.30	.06	.03	20
21	—	—	.20	—	.50	—	.08	.16	—	.32	—	.08	21
22	—	.02	—	—	.22	—	.10	.54	—	—	.02	—	22
23	—	—	.32	—	—	.06	.05	.50	—	—	.20	—	23
24	—	.03	.02	—	—	.15	.06	.04	—	—	.24	.21	24
25	—	—	.02	—	—	.14	.09	—	—	—	.36	.20	25
26	—	.03	.05	—	—	.02	.31	.41	—	1.10	.40	.03	26
27	—	—	.10	—	—	.25	1.12	—	—	.33	.08	.04	27
28	—	.10	—	—	—	.05	.04	.11	—	.28	.41	—	28
29	—	.06	—	—	—	—	.31	.05	—	.25	—	.02	29
30	—	—	.14	—	—	.50	—	—	.02	.23	.04	—	30
31	.02	—	.23	—	.30	—	1.80	.06	.24	.04	—	.11	31
Total	1.45	1.65	3.29	.30	1.58	3.41	4.30	5.18	.84	3.46	2.40	2.11	31.20
Rain Days.	13	14	18	3	10	22	15	19	8	13	18	20	146

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1913

Kept at the Flagstaff, Colwyn Bay
in the County of Denbigh
by Wm J. Jones, C.E.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Colwyn Bay
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Sea Level ft.

FORM A.
BRITISH RAINFALL
10 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.08	.06	.04	—	—	—	—	—	.06	—	1
2	.04	.08	.06	.08	.11	.04	—	—	—	—	.20	—	2
3	.08	—	.28	—	.48	—	—	—	—	.04	—	.50	3
4	.40	.06	.03	—	.10	—	—	—	—	.06	.07	.52	4
5	.43	.04	.09	—	.10	.18	.19	—	—	.25	.03	—	5
6	.10	.06	.30	—	.08	.18	.26	—	—	.05	.14	.13	6
7	.05	.50	—	—	.25	.40	.03	—	—	.46	.15	.04	7
8	—	.07	.05	—	.15	—	.02	.46	.20	.08	—	—	8
9	—	.11	.12	.13	.09	.25	.14	.02	.15	—	.10	.33	9
10	.27	—	—	.04	.04	—	.03	.50	—	—	.03	—	10
11	.30	—	—	.40	—	.12	.05	—	—	.04	.15	—	11
12	.02	—	.05	—	.05	.15	—	—	1.65	—	.90	—	12
13	—	—	.33	—	.11	.02	.06	.10	.30	—	.22	—	13
14	.05	—	.07	.12	—	—	—	.06	—	.35	—	—	14
15	.17	—	.15	.44	—	—	—	—	.06	—	.14	—	15
16	—	—	.03	.10	—	—	—	—	—	—	.03	—	16
17	.05	—	.08	.12	.03	—	—	—	.06	—	.25	—	17
18	—	—	.40	.12	.10	—	.18	—	.27	—	.14	—	18
19	.07	—	.02	.04	—	.65	—	—	.02	.34	.03	—	19
20	.03	—	.14	.04	—	—	.03	—	.19	.08	.30	—	20
21	—	—	—	.04	.10	.02	.55	.05	—	.09	—	—	21
22	.28	—	.70	—	—	.26	—	.85	.63	—	—	—	22
23	.08	—	.02	—	—	.06	—	.12	.30	—	.06	.05	23
24	.15	—	—	.08	—	.13	—	.05	—	—	.06	—	24
25	—	—	—	.06	—	—	—	—	.07	—	—	—	25
26	—	.04	—	.65	—	—	—	—	.36	—	—	.40	26
27	.02	—	—	.12	—	—	—	—	—	.20	—	.04	27
28	.13	—	.06	.10	—	—	—	—	—	.40	—	.10	28
29	—	—	.05	.50	.10	—	.02	—	—	.36	.11	—	29
30	.38	—	—	—	.04	—	—	—	—	.03	.07	—	30
31	.05	—	.04	—	—	—	—	—	—	.02	—	—	31
Total	3.15 ~~2.95~~	.98	3.17	3.24	1.97	2.46	1.56	2.21	4.26	2.85	3.24 ~~3.24~~	2.11	YEAR'S TOTAL 31.48 31.18 180
Rain Days.	21	8	22	19	14	13	12	9	13	16	21	9	

Box 82 REGISTER OF RAINFALL IN 1914

Kept at Flagstaff, Upper Colwyn Bay
in the County of Denbigh
by W. Jones G. E.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Colwyn Bay
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 400 ft.

FORM A.
BRITISH RAINFALL

16 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.05	.12	.	.	.12	.81	.21	.	.	0.09	0.28	1
2	—	.	.	.	.	.	.38	.	.	0.40	0.08	0.38	2
3	—	.	.24	.05	.09	.	—	.	.	.	.	1.16	3
4	.20	.	.05	.20	.07	.	.05	.	.	.	0.34	0.24	4
5	.15	.	.15	.08	.06	.02	.03	.	.	0.11	0.15	0.20	5
6	.04	.	.05	.	.06	.	.	.	.	.	0.09	0.12	6
7	.02	.20	.17	.03	.42	.10	.12	.08	.	.	—	0.27	7
8	.13	.	.02	.04	.48	.12	.	.01	.	.	—	0.20	8
9	.43	.07	.04	.10	.14	.64	.	.01	.	0.20	0.23	—	9
10	.08	.44	.11	.	.30	.	.	.	.28	.	0.18	—	10
11	.	.10	.18	.	.03	.43	.25	.	.90	.	0.63	0.20	11
12	.	.45	.20	.	.04	.	.12	.	.44	.	0.15	0.07	12
13	.	.05	.18	.	.02	.	.	.	.	.09	0.20	0.09	13
14	.	.03	.03	.	.	.	.	.	.	.	0.17	0.20	14
15	.	.08	.15	.	.	.	.	.	.70	.	0.11	0.11	15
16	.	.02	.	.	.	.	.	.	1.03	.	—	—	16
17	.06	.20	.17	.	.	.	.	.	.40	.	—	0.35	17
18	.	.	.25	.	.	.	.03	.	.12	0.10	—	0.25	18
19	.	.03	.05	.	.	.	.16	.	.25	.	0.05	0.27	19
20	.	.40	.07	.	.	.30	.26	.	.	.	—	0.16	20
21	.	.06	.02	.	.	.02	.	.	.	0.50	—	0.10	21
22	.	.29	.03	.05	.20	.12	.	.07	.	.	—	0.20	22
23	.	.	.05	.	.	.	.06	.04	.	.	0.05	—	23
24	.	.	.	.03	.	.	.12	.	.	.	0.13	—	24
25	.05	.	.	.	.	.	.06	.09	.	0.44	—	0.13	25
26	.	.03	.	.	.	.	.38	.05	.	0.26	0.05	0.50	26
27	.13	.	.	.	.04	.	.63	.	.	0.16	0.18	0.58	27
28	.15	.05	.04	.	.20	.	.	.	.	0.30	0.07	0.37	28
29	.22	.	.07	.	.	.	.	.10	.	0.40	0.12	—	29
30	.	X	.05	.	.	.	.	.10	.	0.50	0.35	0.80	30
31	.20	X	—	X	.	X	.45	.	X	0.07	X	0.09	31
Total	1.86	2.55	2.49	.58	2.10	1.87	3.28	.76	4.42	3.33	3.45	7.32	YEAR'S TOTAL 34.01
Rain Days.	13	17	24.	8	14	9	15	10	8	12	20	25	175

RI

DENBIGH
GARN

Kept at Garn
in the County of Den
by W. D. W. G.

IMPORTANT NOTE
previous day. If an O
requested to add the res
for it at the end of th
the selection and plac
Organization are given in

1911 - 1920

5 in.
Ground 1 ft.
Sea Level 447 ft.
Name Trefnant
Distance 2 1/2 Direction N.E.
the result entered to the
versal rule, he is earnestly
ar in the space provided
ent of rain,
tish Rainfall

Jan. 1, following.

W.D.

Rules for Rainfall Observers, sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2			0.12				0.10	0.08		0.02	0.34	0.06	2
3			0.09		0.13		0.08	0.02		0.33	0.01	0.14	3
4				0.02	0.50		0.01		0.10	0.01	0.11	0.06	4
5			0.14		0.05			0.88	0.03		0.20	0.21	5
6	0.17		0.15	0.01	0.04			0.37		0.02	0.03	0.06	6
7	0.24		0.16					0.12			0.21	0.33	7
8	0.02										0.22	0.01	8
9	0.26		0.17								0.15	0.39	9
10	0.02		0.03								0.23	0.36	10
11		0.12	0.07		0.01				0.03		0.07	0.73	11
12	0.19				0.01				0.01		0.25	0.09	12
13	0.03		0.20						1.97	0.01	0.26		13
14		0.04	0.02		0.29				0.02		0.04	0.18	14
15	0.02	0.03	0.03									0.10	15
16		0.05	0.02				0.06				0.18	0.04	16
17		0.10	0.02	0.03		0.31	0.01				0.09	0.07	17
18						0.40				0.01	0.31	0.09	18
19		0.30		0.11		0.03		0.02		0.03	0.01	0.35	19
20		0.04		0.25		0.04			0.18	0.04	0.44	0.55	20
21	0.02	0.05		0.11		0.03	0.03	1.01	0.15	0.06		0.10	21
22		0.16		0.02		0.02		0.03	0.04	0.12		0.05	22
23		0.14				0.03				0.20		0.38	23
24		0.20				0.08		0.05	0.10	0.10		0.15	24
25		0.02				3.13		0.03		0.28		0.21	25
26		0.16		0.11		0.31		0.02	0.91	0.15		0.09	26
27		0.12		0.07		0.02		0.02		0.22	0.10	0.07	27
28		0.09	0.03	0.16				0.36	0.74		0.01	0.08	28
29		0.33		0.02		0.01		0.02	0.09			0.03	29
30				0.05		0.05	0.70	0.02	0.25	0.38		0.08	30
31						0.09				0.32	0.01	0.01	31
Total	0.97	2.03	1.53	0.96	1.18	4.55	0.99	3.05	4.62	2.31	3.35	5.07	TOTAL for year 30.61
No. of Rain Days	9	16	15	12	8	14	7	15	14	18	21	29	178

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Garr
in the County of Denbigh
by W. D. W. Griffiths

Pattern
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 4.47 ft.
Time of Observation 9 am.
Nearest Railway Station { Name Trefnant
Distance 2 1/2 Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
Nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			0.12				0.10	0.08		0.02	0.34	0.06	1
2			0.09		0.13		0.08	0.02		0.33	0.01	0.14	2
3				0.02	0.50		0.01		0.10	0.01	0.11	0.06	3
4			0.14		0.05			0.88	0.03		0.20	0.21	4
5	0.17		0.05	0.01	0.04			0.37		0.02	0.03	0.06	5
6	0.24		0.06					0.12			0.21	0.33	6
7	0.02										0.22	0.01	7
8	0.26		0.17								0.15	0.39	8
9	0.02		0.03								0.23	0.36	9
10		0.12	0.07		0.01				0.03		0.07	0.73	10
11	0.19				0.01				0.01		0.25	0.09	11
12	0.03		0.20						1.97	0.01	0.26		12
13		0.04	0.02		0.29				0.02		0.04	0.18	13
14	0.02	0.03	0.03									0.10	14
15		0.05	0.02				0.06				0.18	0.04	15
16		0.10	0.02	0.03		0.31	0.01				0.09	0.07	16
17						0.40				0.01	0.31	0.09	17
18		0.30		0.11		0.03		0.02		0.03	0.01	0.35	18
19		0.04		0.25		0.04			0.18	0.04	0.44	0.55	19
20	0.02	0.05		0.11		0.03	0.03	1.01	0.15	0.06		0.10	20
21		0.16		0.02		0.02		0.03	0.04	0.12		0.05	21
22		0.14				0.03				0.20		0.30	22
23		0.20				0.08		0.05	0.10	0.10		0.15	23
24		0.02				3.13		0.03		0.20		0.21	24
25		0.16		0.11		0.31		0.02	0.91	0.15		0.09	25
26		0.12		0.07		0.02		0.02		0.22	0.10	0.07	26
27		0.09	0.03	0.16				0.36	0.74		0.01	0.08	27
28		0.33		0.02		0.01		0.02	0.09			0.03	28
29				0.05		0.05	0.70	0.02	0.25	0.38		0.08	29
30						0.09				0.32	0.01	0.01	30
31			0.40		0.07					0.01			31
Total	0.97	2.03	1.53	0.96	1.18	4.55	0.99	3.05	4.62	2.31	3.35	5.07	TOTAL for year 30.61
No. of Rain Days	9	16	15	12	8	14	7	15	14	18	21	29	178

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
6 JAN 1913

Kept at *Gann*

in the County of *Denbigh*

by *W. D. W. Griffiths*

Pattern
RAIN GAUGE Diameter of top *5* in.
Height of top above Ground *1* ft. in.
Sea Level *4.47* ft.
Time of Observation *9 am*
Nearest Railway Station { Name *Trefnant*
Distance *2 mi.* Direction *N.E.*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0.12			0.16	0.30	0.08	0.22			0.07	1
2		0.14	0.25	0.02	0.04	0.22	0.00					0.08	2
3	0.22				0.05	0.10		0.96	0.11			0.07	3
4	0.26		0.04	0.05	0.04	0.10		1.06	0.01		0.12	0.03	4
5	0.20	0.02			0.07	0.02		0.01	0.08		0.01		5
6	0.37	0.03	0.02		0.05			0.50					6
7		0.15	0.06		0.03	0.16	0.07		0.07			0.03	7
8	0.33	0.09	0.09	0.10	0.01	0.14		0.13	0.20				8
9	0.20	0.03	0.07	0.30		0.52		0.01			0.02	0.11	9
10	0.08			0.02	0.01	0.56		0.35			0.96	0.01	10
11	0.07	0.02			0.05		0.06				0.09	0.57	11
12		0.15	0.03			0.05	0.02	0.01				0.06	12
13	0.01	0.02				0.02		0.12			0.06	0.18	13
14	0.03		0.08			0.03		0.13	0.02	0.13		0.10	14
15	0.18	0.03	0.33			0.19		0.05			0.06	0.12	15
16	0.08	0.03	0.04		0.19			0.03	0.01	0.16	0.03	0.03	16
17	0.65	0.42	0.01		0.01	0.31	0.01	0.18			0.11	0.24	17
18	0.17	0.03						0.01		0.12	0.02	0.02	18
19		0.06	0.26			0.03		0.20		0.21	0.03	0.01	19
20	0.02		0.10		0.08			0.13		0.53	0.06	0.02	20
21	0.01	0.01	0.10	0.03	0.45		0.03	0.29		0.43	0.03	0.07	21
22		0.04			0.56	0.02	0.04	0.50		0.01		0.05	22
23	0.01		0.28		0.01	0.07	0.15	0.47			0.15	0.02	23
24	0.06	0.01	0.06			0.09	0.02	0.08		0.02	0.23	0.26	24
25	0.01		0.07			0.23				0.02	0.60	0.46	25
26		0.12	0.10			0.08	0.20	0.60		1.13	0.39	0.06	26
27		0.01	0.14			0.20	1.05			0.27	0.12	0.21	27
28		0.10	0.03			0.07	0.19	0.07	0.02	0.18	0.32		28
29		0.06		0.08		0.04	0.09	0.30	0.39	0.19		0.06	29
30	0.03		0.24			0.11	0.06			0.31	0.18		30
31			0.15		0.25		1.09	0.08		0.02		0.15	31
Total	2.99	1.57	3.47	0.58	1.90	3.54	4.26	6.35	1.73	3.73	3.59	3.09	TOTAL for year 36.20
No. of Rain Days.	20	21	23	7	16	24	16	25	10	15	20	26	223

REGISTER OF RAINFALL IN 1913

Kept at farm
in the County of Denbigh
by W. D. W. Griffiths

Lat. _____ Long. _____
Nearest Railway Station _____
Time of Observation 9 am
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " Sea Level 447 ft.

FORM A.
BRITISH RAINFALL
- 3 JAN 1914

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.03	0.14	0.16	0.18	0.02						0.11		1
2		0.19	0.15	0.03	0.10						0.15		2
3	0.82	0.09	0.35		0.54				0.01			0.63	3
4	0.30	0.02	0.05		0.09	0.07	0.01			0.20	0.02	0.91	4
5	0.36	0.09	0.16		0.11	0.34	0.27			0.26		0.04	5
6	0.01	0.11	0.25		0.03	0.17	0.60			0.07	0.06	0.13	6
7		0.36	0.06		0.11	0.41	0.27			0.14	0.05	0.01	7
8		0.23	0.09	0.02	0.47	0.02	0.02			0.50	0.01	0.01	8
9		0.06	0.06	0.17	0.19	0.29	0.23	0.33	0.18		0.04	0.15	9
10	0.12	0.01	0.05	0.08	0.15	0.01	0.04	0.18		0.03	0.07	0.01	10
11	0.38			0.41	0.06	0.10	0.01	0.18		0.08	0.10		11
12	0.01		0.02		0.07	0.11			1.12		0.70		12
13			0.23	0.02	0.22	0.01	0.06	0.10	0.07		0.44		13
14	0.07	0.02	0.20	0.08				0.16	0.05	0.17	0.02		14
15	0.10	0.02	0.46	0.63				0.04	0.02	0.01	0.08	0.06	15
16	0.01		0.07	0.09							0.06		16
17	0.02		0.05	0.16	0.07		0.12				0.08		17
18	0.03		0.25	0.18	0.22	0.02	0.11				0.07		18
19	0.06		0.01	0.01		0.21	0.01		0.05	0.29	0.04		19
20	0.02		0.23	0.01	0.01					0.09	0.26		20
21			0.10	0.03	0.11		0.27			0.09	0.07		21
22	0.24		0.72			0.24		0.76	0.56	0.01			22
23	0.01		0.08	0.01	0.02	0.02		0.12	0.12	0.05	0.03	0.23	23
24	0.18			0.03		0.05					0.06	0.03	24
25				0.18					0.11	0.03	0.01	0.16	25
26		0.06		0.75					0.38			0.57	26
27				0.09					0.01	0.24		0.12	27
28	0.13		0.02	0.12						0.02		0.22	28
29			0.20	0.53	0.17			0.01		0.35	0.05		29
30	0.39									0.08	0.05		30
31	0.05				0.02					0.08			31
Total	2.54	1.34	4.02	3.01	2.70	2.07	2.70	1.88	2.68	2.87	2.63	3.20	TOTAL for year 32.50
No. of Rain Days	21	13	24	22	20	15	13	9	12	20	24	15	208

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

Kept at Garr
in the County of Dublin
by W. J. W. Griffiths

Lat. _____ Long. _____
Nearest Railway Station Griffiths
Time of Observation 9
Diameter 5 in.
Height of top above Ground 1 ft. _____ in.
Sea Level 447 ft.

RAIN GAUGE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.01	0.02	0.08			0.04	1.10	0.27			0.01	0.64	1
2		0.02	0.02				0.50	0.02		0.01	0.19	0.55	2
3	0.06		0.20	0.05	0.17						0.01	1.05	3
4	0.34		0.13	0.06	0.21	0.01	0.02				0.17	0.40	4
5	0.13		0.24	0.15	0.11	0.02	0.22	0.03		0.07	0.19	0.03	5
6	0.08	0.03	0.03	0.04	0.10	0.05		0.01			0.05	0.13	6
7	0.02	0.10	0.19	0.05	0.37	0.10	0.13	0.06			0.01	0.36	7
8	0.11		0.02	0.05	0.60	0.20		0.28	0.01		0.02	0.31	8
9	0.34	0.08	0.22	0.20	0.06	0.00			0.17		0.20	0.01	9
10	0.04	0.10	0.40	0.06		0.06			0.30		0.04		10
11		0.09	0.14	0.01	0.11	1.21	1.34		0.15		0.60	0.26	11
12		0.45	0.17		0.02	0.05	0.03		0.35		0.31	0.03	12
13		0.12	0.15	0.03	0.02		0.02		0.01	0.86	0.31	0.11	13
14		0.53	0.02				0.01		0.01	0.10	0.23	0.01	14
15		0.09	0.37						0.03		0.03	0.13	15
16		0.07	0.01				0.01		0.82			0.04	16
17	0.02	0.17	0.11				0.08		0.64			0.43	17
18		0.01	0.27						0.24	0.02	0.02	0.29	18
19		0.02	0.03				0.20		0.42		0.01	0.16	19
20		0.22	0.23			0.54	0.19					0.16	20
21		0.06				0.02		0.04		0.04	0.01	0.10	21
22		0.27	0.02	0.02	0.11	0.14		0.04					22
23		0.03	0.02	0.01			0.05				0.02		23
24	0.07	0.01		0.05			0.31				0.12	1	24
25	0.11						0.32	0.05		0.48	0.06	0.29	25
26	0.01		0.05				0.40	0.06		0.26	0.13	0.34	26
27	0.11									0.10	0.31	0.95	27
28	0.26	0.13	0.03							0.04	0.17	0.51	28
29	0.08		0.02		0.12			0.02		0.10	0.14	0.01	29
30	0.01		0.09		0.01			0.02		0.02	0.41	0.41	30
31	0.43				0.01		0.16			0.08		0.04	31
Totals	2.23	2.70	3.26	0.70	2.02	3.32	5.09	0.88	3.15	2.34	3.77	7.75	37.29
	18	21	26	13	14	13	18	12	12	13	26	27	213

Postal address

W. D. W. GRIFFITHS

GARN,

TREFNANT,

DENBIGHSHIRE.

Kept at *Garn: Trefnant*

in the County of *Denbigh*

by *W. D. W. Griffiths*

REGISTER OF RAINFALL IN 1915

FORM A2.
BRITISH RAINFALL
4 - JAN 1916

Pattern
RAIN GAUGE Diameter of top *5* in.
Height of top above Ground *1* ft.
" " " Sea Level *447* ft.
Time of Observation *9 am*
Name *Trefnant*
Nearest Railway Station Distance *2 1/2* Direction *S.W.*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

0.46

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.25	0.05	0.10		0.39			0.12	0.33	0.15		0.06	1
2	0.12	0.49	0.11	0.24			0.01	1.25	0.17	0.01		0.02	2
3	0.09	0.12	0.01	0.03			0.10		0.02			0.22	3
4	0.01	0.10			0.13							1.03	4
5	0.02	0.09	0.17		0.10	0.02	0.04					0.39	5
6	0.19	0.09	0.03	0.19			0.24	0.07			0.02	0.36	6
7	0.33	0.20		0.03			0.60	0.14			0.02	0.24	7
8	0.26	0.16						0.50		0.01	0.27	0.01	8
9	0.12	0.30		0.56				0.01			0.13	0.43	9
10	0.44	0.01	0.03	0.32				0.12			0.00	0.16	10
11	0.02			0.02	0.10		0.06	0.00		0.03	0.40	0.21	11
12	0.07			0.10	0.20		0.01			0.10	1.25	0.05	12
13		0.33		0.02							0.60	1.04	13
14	0.12	0.01		0.03	0.06		0.01	0.04	0.03	0.01	0.20	0.00	14
15	0.60			0.01	0.03		0.01		0.03		0.35	0.04	15
16	0.23	0.25			0.41		0.65	0.52				0.03	16
17		0.52			0.30			0.02		0.01			17
18	0.02	0.39	0.20										18
19		0.02	0.02	0.15	0.07		0.00	0.01					19
20	0.14	0.02		0.06				0.02				0.19	20
21	0.15			0.02			0.17			0.01		0.10	21
22	0.05	0.36	0.13				0.06			0.03	0.03	0.06	22
23		0.39	0.08	0.03		0.25	0.11		0.02	0.02		0.07	23
24			0.10	0.13			0.01		0.02	0.26	0.03	0.46	24
25				0.01		0.30	0.03		0.01		0.09	0.23	25
26		0.21					0.09		0.40			0.36	26
27		0.07					0.10	0.01	0.01	0.11		0.19	27
28		0.16	0.02		0.01	0.00		0.34		0.05		0.01	28
29			0.01		0.04	0.22	0.04		0.17	0.01	0.03	0.04	29
30	0.12			0.05					0.00	0.05	0.00	0.10	30
31	0.14						0.06	0.41		0.06		0.32	31
Total	3.57	4.34	1.25	2.00	2.08	0.87	2.64	3.74	1.37	1.72	3.82	5.66	TOTAL for year 33.05
No. of Rain Days.	21	22	13	10	12	5	20	16	12	16	15	20	198

REGISTER OF RAINFALL IN 1916

+ 10 am day Summer time
9 4 Part of Sept

Kept at Garn: Defnaut
in the County of Denbigh
by W. D. W. Griffiths

Lat. _____ Long. _____
Time of Observation 9 am x
Nearest Railway Station Defnaut (2 miles)
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 447 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.46		0.16			0.13	0.24				0.03		1
2	0.13	0.08	0.28			0.06	0.18		0.28	1.10	0.09		2
3		0.25	0.02	0.11			0.37		2.14	0.21	0.09	0.14	3
4	0.11	0.03	0.07	0.05	0.69	0.39			0.16	0.07	0.16		4
5		0.35	0.01		0.17	0.06				0.36	0.06		5
6	0.17	0.36	0.01		0.23	0.01	0.23			0.06	0.20	0.04	6
7	0.02	0.09	0.01		0.39	0.08	0.01			0.16	0.21	0.23	7
8	0.05		0.22		0.12	0.03	0.01			0.01	0.22	0.02	8
9	0.02	0.15			0.24				0.06		0.06	0.03	9
10		0.67		0.13	0.04	0.03	0.04		0.01	0.03		0.02	10
11	0.07	0.10	0.13	0.20	0.07				0.06			0.02	11
12	0.06	0.15	0.04	0.10	0.29		0.23	0.03	0.03	0.20		0.04	12
13	0.02	0.24	0.04	0.27	0.01			0.48	0.02	0.06		0.08	13
14		0.12		0.01	0.15			0.07		0.09		0.01	14
15		0.26	0.27	0.11	0.05		0.03	0.43	0.12	0.21			15
16		0.09	0.01	0.17			0.03	0.56		0.24			16
17	0.03	0.08		0.50					0.65	0.37			17
18		0.39		0.40				0.03	0.65	0.03	0.21	0.03	18
19	0.04		0.13	0.23				0.06	0.07		0.34		19
20	0.09		0.43	0.07							0.02	0.19	20
21	0.13		0.10			0.02					0.14		21
22						0.04				0.05		0.09	22
23	0.05		0.11	0.04		0.02		0.21		0.15	0.10	0.25	23
24		0.30		0.03	0.90	0.03		0.13		0.15		0.03	24
25		0.05	0.25		0.22	0.20		0.19		0.03	0.47		25
26	0.10	0.02	0.05		0.12	0.01				0.16	0.13		26
27			0.02		0.04	0.01		0.05	0.14	0.67		0.02	27
28		0.65			0.10	0.03				0.41	0.01	0.15	28
29		0.20				0.27		0.01		0.25		0.24	29
30						0.15				0.69		0.01	30
31								0.03		0.26		0.04	31
Total	1.55	4.83	2.36	2.66	3.83	1.57	1.37	2.28	5.03	6.04	2.62	1.68	35.62
Rain Days.	16	21	20	15	17	10	10	13	13	25	17	20	205

REGISTER OF RAINFALL IN 1917

Kept at Larn
 in the County of Denbigh
 by W. D. W. Griffiths

Lat. _____ Long. _____
 Time of Observation Day - generally summer time
 Nearest Railway Station Trefnant
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. _____ in.
 " " " " Sea Level 447 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				0.26		0.04		0.42	0.12		0.10	0.17	1
2	0.19		0.03	0.00				0.10		0.01		0.10	2
3	0.05	0.30				0.01		0.05		0.26		0.09	3
4	0.05	0.00	0.06					0.03		0.82		0.02	4
5	0.20		0.14	0.10				0.22		0.64	0.10		5
6	0.07		0.21	0.01						0.22	0.45		6
7	0.62							0.03	0.01	0.29	0.20	0.06	7
8	0.02		0.01	0.21				0.15	0.04	0.79	0.16	0.20	8
9			0.04	0.35	0.00			0.17		0.48	0.76		9
10	0.20		0.50	0.30	0.03			0.00		0.05			10
11	0.27			0.09	0.01			0.07		0.37	0.05	0.02	11
12	0.04	0.17		0.27	0.66				0.07	0.22			12
13	0.01			0.00				0.23	0.09	0.30	0.05	0.00	13
14	0.10			0.12	0.09					0.19		0.04	14
15	0.02			0.05	0.01		0.07			0.00		0.13	15
16		0.04		0.19				0.10	0.02	0.05		0.39	16
17	0.01	0.01	0.10	0.42	0.13		0.26	0.94	0.03	0.21			17
18			0.07	0.13	0.04		0.10	0.02	0.23	0.06			18
19		0.59	0.30	0.01		0.10		0.01	0.01				19
20		0.00			0.23	0.05	0.17	0.06	0.09		0.49		20
21		0.04	0.07		0.03	0.11		0.01		0.01	0.01		21
22		0.00				0.02		0.31	0.03	0.09	0.01		22
23		0.09			0.00	0.36		0.05		0.26	0.01	0.10	23
24		0.09	0.06			0.17	0.25	0.07		0.31	0.10	0.03	24
25		0.15	0.07			0.32	0.01			0.15	0.00		25
26			0.01			0.14	0.01	0.79	0.21	0.15	0.41	0.01	26
27			0.02		1.24	0.16	0.13	0.68		0.05			27
28		0.02	0.21				0.06	1.10		0.37			28
29		~~0.02~~	0.05					0.01		0.55		0.07	29
30		~~0.02~~	0.60	~~0.42~~				0.16		0.08	0.02		30
31		~~0.02~~	0.39	~~0.42~~	0.09	~~0.42~~		0.35	~~0.42~~	0.01	~~0.42~~		31
Total	1.93	1.74	3.10	2.75	2.72	2.28	1.14	6.37	9.95	7.07	3.00	1.51	34.72
Rain Days.	14	13	19	16	13	11	9	26	12	20	16	15	192

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
29

Kept at *Garn Trefnant*

in the County of *Denbigh*

by *W. J. W. Griffiths*

Lat. _____ Long. _____
Time of Observation *9 am*
Nearest Railway Station *Trefnant*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. _____ in.
" " " " Sea Level *447* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				0.12	0.05			0.64	0.67	0.02	0.29		1
2							0.02	0.09	0.04				2
3					0.40			0.01	0.15	0.20			3
4	0.01	0.03						0.02	0.30	0.34	0.41	0.01	4
5		0.07		0.09	0.21			0.14	0.01	0.28	0.04		5
6	0.02	0.47		0.22				0.02	0.14	0.30			6
7	0.05			0.05	0.16	0.13				0.10	0.20		7
8	0.10	0.21					0.13		0.54	0.29	0.04	0.02	8
9	0.01	0.68		0.20		0.94			0.72	0.28		0.04	9
10	0.16	0.05		0.34			0.12		0.11	0.06	0.15	0.01	10
11	0.05	0.04	0.02		0.11		0.01		0.02	0.07		0.06	11
12		0.16		0.01	0.16		0.10		0.13				12
13	0.01	0.09			0.01	0.04			0.25	0.09	0.10		13
14	0.54					0.14	0.15		0.31	0.05		0.20	14
15	0.40					0.06	0.22		0.78	0.42		0.34	15
16		0.01				0.79	0.52	0.06	0.11	0.09		0.69	16
17	0.17					0.03	0.01		0.12	0.19		0.29	17
18	0.31	0.08				0.02	0.02		0.15			0.29	18
19	0.11	0.01	0.03	0.10			0.24		0.13	0.05		0.01	19
20	0.27	0.57		0.38	0.25	0.10	0.01		0.10			0.79	20
21	0.12	0.29		0.09	0.01	0.03			0.37			0.09	21
22	0.01				0.96	0.02	0.03		0.15			0.52	22
23	0.02				1.16		0.34		0.13				23
24		0.23				0.01	0.01		0.03		0.18	0.35	24
25					0.29	0.04	0.07	0.81	0.09	0.04	0.02		25
26	0.01						0.36	0.09	0.05	0.03	0.01	0.01	26
27		0.34	0.25			0.12		0.23	0.27		0.31	0.39	27
28	0.02	0.06	0.33					0.02	0.01		0.51	0.29	28
29		~~X~~	0.05						0.28			0.03	29
30		~~X~~	0.03					0.17	0.22		0.01	0.11	30
31		~~X~~	0.24	~~X~~		~~X~~	0.01	0.18	~~X~~	0.02	~~X~~	0.02	31
Total	2.39	3.39	0.95	1.80	3.77	2.47	2.37	1.88	6.46	2.92	2.27	5.36	35.85
Rain Days.	19	17	7	10	12	14	18	13	29	19	13	21	192

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1919

Kept at Garn: Trefnant
in the County of Denbigh
by W.D.W. Griffith

Lat. _____ Long. _____
Time of Observation 9 am Normal time 10 am
Nearest Railway Station Trefnant
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 447 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
0.22

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0.10				0.48		0.15		0.26	0.25		0.17	1
2	0.09		0.49				0.11	0.06	0.03	0.02		0.25	2
3						0.44	0.17				0.04	0.03	3
4	0.06	0.06	0.37			0.03	0.60	0.07	0.01			0.32	4
5	0.08	0.12		0.01						0.01	0.02	0.21	5
6	0.02		0.24		0.10					0.02		0.30	6
7	0.02		0.13	0.04					0.01			0.03	7
8	0.20		0.02			0.16							8
9	0.97										0.04		9
10	0.01		0.18				0.04			0.21	0.02	0.07	10
11			1.95	0.08			0.12			0.04		0.03	11
12			0.16	0.01		0.65			0.02	0.42	0.39		12
13	0.10	0.04		0.08			0.18			0.86			13
14	0.20			0.33			0.25	0.01		0.61		0.03	14
15	0.37	0.01		0.32	1.00					0.14		0.48	15
16	0.16	0.34	0.02			0.02					0.36		16
17	0.12	0.45	0.04			0.03		0.10			0.56		17
18	0.01		0.78				0.03	0.90	0.37		0.01	0.21	18
19		0.22	0.41	0.02		0.06		0.20	0.32		0.24	0.10	19
20	0.10	0.05	0.19			0.07			0.09		0.51	0.42	20
21	0.01	0.12					0.37		0.44			0.23	21
22		0.18				0.02	0.05	0.02	0.97			1.31	22
23						0.29		0.03		1.26	0.07	0.14	23
24				0.06	0.19	0.03		0.04	0.02	0.19	0.30	0.18	24
25	0.15							0.23	0.08	0.09	0.52	0.01	25
26	0.09	0.02	0.34	0.20		0.18		0.52	0.04		0.01	0.37	26
27	0.24		0.10	0.37		0.02		0.09	0.18		0.03		27
28			0.14	0.03				1.95	0.05			0.20	28
29	0.05		0.22	0.25		0.06		0.24	0.01	0.05		0.25	29
30	0.01	X		0.20		0.53		0.01			0.20	0.51	30
31		X	0.72	X		X	0.06		X		X	0.22	31

Total	3.16	1.61	6.50	2.08	1.77	2.69	2.21	4.47	2.90	4.17	3.32	6.07	40.95
Rain Days	22	11	18	14	4	15	12	15	16	14	16	24	181
	16	9	16	10	4	9	11	11	10	11	11	19	137

W M L
cndy run rules
REGISTER OF RAINFALL IN 1920

Kept at Garn Trefnant
in the County of Denbigh
by W. S. W. Griffith

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Trefnant
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. a in.
" " " " Sea Level 447 ft.

Form A.
BRITISH RAINFALL
- 8 JAN 1921
Jan. 1, following.
0.78

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.01		0.17	0.20	0.10		0.22	0.04	0.10	0.22	0.02	0.14	1
2	0.03			0.26	0.06		0.43	0.10	0.11	0.25		0.12	2
3		0.21		0.10	0.06	0.02	0.90	0.02	0.10	0.35		0.07	3
4					0.02		0.10	0.29	0.06	0.10	0.02	0.01	4
5			0.10		0.03		0.13	0.14	0.36	0.02			5
6			0.41	0.04			0.05			0.32	0.01	0.10	6
7	0.04	0.10	0.02	0.04	0.10		0.33			0.01	0.01		7
8	0.33		0.01	0.30	0.10		0.05	0.05			0.01	0.02	8
9	0.19	0.31		0.60			0.13	0.21			0.01	0.02	9
10	0.44	0.51					0.11					0.06	10
11	0.25	0.10	0.19	0.19	0.15	0.27	0.01	0.13				0.01	11
12	0.24	0.03	0.14	0.15	0.02	1.57	0.04				0.10	0.09	12
13	0.23	0.11	0.08	0.05		0.10					0.10		13
14		0.04	0.47	0.12		0.13	0.01		0.83	0.02	0.46		14
15		0.20	0.05	0.10					0.02	0.09	0.05		15
16		0.01	0.01	0.14	0.25	0.07	0.20		0.10	0.27	0.03		16
17			0.01	0.03	0.34	0.31		0.12	0.17	0.02			17
18	0.35			0.09	0.32	0.27	0.47	0.23	0.40				18
19	0.01	1.40		0.10	0.14	0.11		0.22	0.01			0.03	19
20	0.07	0.01		0.29			0.06	0.01	0.51	0.02		0.03	20
21	0.15			0.05			0.59	0.05	0.02			0.46	21
22			0.01	0.03		0.03	0.12	0.44				0.03	22
23			0.09	0.05			0.39	0.01			0.01	0.21	23
24	0.09		0.42				0.04	0.02				0.26	24
25		0.14	0.40		0.69		1.15		0.01	0.01		0.04	25
26	0.13	0.13	0.81	0.37	0.57	0.03	0.05				0.04	0.04	26
27	0.36	0.07	0.79	0.31	0.21	0.21	0.04				0.02	0.00	27
28	0.43	0.01	0.57	0.01		0.03	0.01				0.14	0.19	28
29	0.13		0.24		0.34	0.04	0.37				0.08	0.67	29
30	0.09	~~X~~	0.47	0.35	0.02	0.10			0.30	0.01	0.25	0.10	30
31	0.15	~~X~~	0.01	~~X~~	0.01	~~X~~	(0.01)	0.09	~~X~~	0.33	~~X~~	0.02	31
Total	3.70	3.46	5.45	4.29	3.61	3.29	6.17	2.17	3.70	2.04	1.36	2.77	41.41
Rain Days.	20	16	22	24	19	15	26	17	15	15	17	22	228

82

R

1

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kept at Denbigh **DENBIGH MENTAL HOSPITAL**
in the County of De
by W. Barker

5 in.
Ground ft. 10
Sea Level 316 ft.

Name _____
Distance _____ Direction _____
the result entered to the
versal rule, he is earnestly
ar in the space provided
ent of rain,
tish Rainfall
pplication to

Jan. 1, following.

1911 - 1920

IMPORTANT NO
previous day. If an
requested to add the re
for it at the end of t
the selection and plac
Organization are given i
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			08				28	08			21	08	1
2			08	01	06		08	01		27		17	2
3					62		01		08		11	06	3
4			11		02			92	02	01	31	26	4
5	27		02		01			44		01	02	05	5
6	16		08					11			27	35	6
7											34		7
8	25		15							02	14	41	8
9			07								19	23	9
10		09	06								05	62	10
11	20				02						23	17	11
12			33		01				172		15	01	12
13	03		02		10				02		03	14	13
14	01	01	03				04		03			11	14
15		03	02								15	07	15
16		07	02	02		21					12	07	16
17						45					32	11	17
18		36		11		03				02		37	18
19		01		17					33	03	41	51	19
20		05		10			02	115	10	01		05	20
21		25				02	02	01		17	02	05	21
22		18		01		01				21		37	22
23		21				02	01	05	06	18		16	23
24		02				252				21		37	24
25		25		06		26		08	50	19		06	25
26		25		06		01		01		22	10	05	26
27		07	03	11			02	37	81			05	27
28		30		02				03	05			02	28
29						04	67	01	20	41		05	29
30						09			04	29			30
31			34		05					03			31
Total	92	215	144	67	89	366	115	327	396	228	317	502	2858
No. of Rain Days	6	15	15	10	8	11	9	13	13	16	18	28	162

REGISTER OF RAINFALL IN 1911

Kept at Denbigh Asylum
in the County of Denbigh 2
by W. Barker

Pattern
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 10 ft.
" " " Sea Level 316 ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			08				28	08			21	08	1
2			08	01	06		08	01		27		17	2
3					62		01		08		11	06	3
4			11		02			92	02	01	31	26	4
5	27		02		01			44		01	02	05	5
6	16		08					11			27	35	6
7											34		7
8	25		15							02	14	41	8
9			07								19	23	9
10		09	06								05	62	10
11	20				02						23	17	11
12			33		01				172		15	01	12
13	03		02		10				02		03	14	13
14	01	01	03				04		03			11	14
15		03	02								15	07	15
16		07	02	02		21					12	07	16
17						45					32	11	17
18		36		11		03				02		37	18
19		01		17					33	03	41	51	19
20		05		10			02	1.15	10	01		05	20
21		25				02	02	01		17	02	05	21
22		18		01		01				21		37	22
23		21				02	01	05	06	18		16	23
24		02				2.52				21		37	24
25		25		06		26		08	50	19		06	25
26		25		06		01		01		22	10	05	26
27		07	03	11			02	37	81			05	27
28		30		02				03	05			02	28
29						04	67	01	20	41		05	29
30						09			04	29			30
31			34		05					03			31
Total	92	2.15	1.44	67	89	3.66	1.15	3.27	3.96	2.28	3.17	5.02	TOTAL for year 28.58
No. of Rain Days	6	15	15	10	8	11	9	13	13	16	18	28	162

REGISTER OF RAINFALL IN 1912

Kept at *Aylburn, Denbigh*

in the County of *Denbigh*

by *Mr. Larkin*

Lat. _____ Long. _____

Time of Observation *9 a.m.*

Nearest Railway Station *Denbigh*

Diameter of Rain Gauge *5* in.

Height of top of Gauge above Ground _____ ft. *10* in.

Sea Level *316* ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0.12			0.07	0.20	0.06	0.16			0.06	1
2		0.13	0.27	0.01	0.02	0.20	0.05					0.07	2
3	0.17		0.07		0.04	0.18		0.93	0.09			0.07	3
4	0.23		1.11	0.03	0.05	0.11		0.89	0.01		0.09	0.01	4
5	0.19				0.04	0.04			0.07		0.02		5
6	0.33	0.05	0.03		0.02			0.34				0.01	6
7		0.09	0.05			0.11	0.06	0.01	0.05			0.04	7
8	0.29	0.09	0.07	0.15		0.22		0.08	0.14				8
9	0.02		0.07	0.25		0.85						0.10	9
10	0.11			0.03		0.70	0.02	0.33			0.85		10
11	0.07	0.02			0.05		0.02				0.06	0.52	11
12		0.17	0.04			0.69	0.03	0.01				0.08	12
13						0.01		0.07		0.13	0.05	0.20	13
14		0.04	0.06			0.04		0.12	0.01	0.02		0.06	14
15	0.12		0.36		0.12	0.13		0.03			0.05	0.10	15
16	0.11	0.04	0.04		0.06			0.01		0.17	0.02	0.01	16
17	0.45	0.45	0.01			0.22	0.01	0.14			0.12	0.22	17
18	0.15	0.02	0.01							0.08			18
19		0.06	0.16			0.01		0.12		0.15	0.02	0.01	19
20			0.07		0.08		0.03	0.11		0.52	0.06	0.02	20
21	0.01		0.05		0.60			0.24		0.40	0.01	0.05	21
22		0.04			0.45	0.02		0.50				0.12	22
23			0.21			0.04	0.17	0.22			0.12		23
24	0.05		0.05			0.10	0.01	0.13		0.04	0.44	0.26	24
25			0.05			0.17					0.58	0.43	25
26		0.14	0.10			0.06	0.36	0.56		1.10	0.29	0.08	26
27			0.09			0.21	0.95			0.21	0.12	0.25	27
28		0.11				0.03	0.20	0.07	0.01	0.17	0.31		28
29		0.04	0.09				0.10	0.19	0.40	0.20		0.04	29
30			0.19			0.14	0.01			0.29	0.16		30
31			0.15		0.28		1.12	0.05		0.04		0.05	31
Total	2.30	1.49	3.52	0.47	1.81	4.35	3.34	5.31	0.94	3.52	3.37	2.86	33.28
Rain Days.	14	15	25	5	12	23	16	23	9	14	18	24	19.8

badly c. end on with 29.IV.14
REGISTER OF RAINFALL IN 1913

Kept at *Asyrum, Derbyshire*
in the County of *Derbyshire*
by *Mr. Barrie*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Derby*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *0* ft. *10* in.
" " " " Sea Level *316* ft.

FORM A.
BRITISH RAINFALL
2-JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.02	0.16	0.04	0.05	0.06						0.11		1
2		0.19	0.23	0.01	0.09						0.16	0.01	2
3	0.02	0.01	0.40		0.50				0.01	0.01		0.68	3
4	0.28	0.04	0.05		0.12	0.08				0.23	0.01	1.05	4
5	0.43	0.08	0.22		0.11	0.17	0.29	0.08		0.33		0.02	5
6	0.02	0.14	0.28		0.05	0.06	0.59			0.05	0.03	0.12	6
7		0.49	0.07		0.12	0.37	0.59			0.14	0.05		7
8		0.25	0.04	0.03	0.66	0.03	0.02	0.22		0.31			8
9		0.02	0.04	0.14	0.14	0.28	0.17	0.05	0.08		0.06	0.16	9
10	0.14		0.05	0.04	0.16		0.04	0.23		0.02	0.09		10
11	0.18	0.01	0.01	0.39	0.01	0.09		0.22		0.07	0.11		11
12			0.01			0.07			1.12		0.58	0.02	12
13			0.18		0.04		0.09	0.06	0.06		0.49		13
14	0.07	0.01	0.18	0.04				0.16	0.09	0.14	0.04		14
15	0.10	0.02	0.49	0.76				0.02	0.01		0.07	0.03	15
16			0.08	0.08							0.03	0.01	16
17	0.03		0.02	0.14	0.05		0.06				0.06		17
18	0.04		0.43	0.21	0.15		0.10				0.04		18
19	0.05		0.04			0.10	0.01		0.03	0.21	0.02		19
20	0.04		0.31	0.02			0.02			0.07	0.31		20
21			0.05	0.02	0.11		0.22	0.10		0.08	0.03		21
22	0.19		0.60			0.23		0.67	0.31				22
23	0.25		0.08	0.05	0.02	0.01		0.08	0.08	0.01	0.02	0.15	23
24	0.18			0.05		0.05		0.01		0.02	0.04	0.01	24
25				0.18					0.15	0.01		0.03	25
26		0.05		0.85					0.48			0.67	26
27	0.02			0.14						0.19		0.12	27
28	0.12		0.03	0.14						0.02		0.20	28
29			0.20	0.46	0.15			0.01		0.15	0.04		29
30	0.35				0.01					0.10	0.04		30
31	0.10		0.16		0.06					0.05			31
Total	263	1.47	4.32	3.80	2.61	1.54	2.20	1.91	2.42	2.21	2.43	3.28	30.82
Rain Days.	20	13	26	20	19	12	12	13	11	20	22	15	203

REGISTER OF RAINFALL IN 1914

Kept at Asylum, Denbigh
 in the County of Denbigh
 by Mr. Larkin

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Denbigh
 Diameter of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 0 in.
 " " " " Sea Level 316 ft.

FORM A.
 BRITISH RAINFALL
 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	0.02	0.07	—	—	0.01	0.92	0.19	—	—	—	0.75	1
2	—	0.02	0.01	0.02	—	—	0.81	0.05	—	0.01	0.18	0.63	2
3	0.03	—	0.21	0.04	0.17	—	—	—	—	—	—	1.00	3
4	0.33	—	0.08	0.08	0.16	—	0.03	—	—	—	0.12	0.39	4
5	0.16	—	0.23	0.17	0.15	0.06	0.06	0.07	—	0.09	0.17	0.01	5
6	0.12	0.04	0.02	0.03	0.04	0.06	—	0.01	—	—	0.06	0.15	6
7	—	0.12	0.13	0.05	0.35	0.25	0.29	0.07	—	—	0.01	0.48	7
8	0.06	—	0.02	0.06	0.59	0.21	—	0.33	0.02	—	0.01	0.19	8
9	0.35	0.04	0.19	0.16	0.06	0.81	—	0.01	0.34	—	0.12	—	9
10	0.08	0.20	0.32	0.07	—	0.05	—	—	0.10	—	0.09	—	10
11	—	0.10	0.16	—	0.14	0.90	1.42	—	0.07	—	0.61	0.32	11
12	—	0.53	0.09	—	0.01	0.05	0.07	—	0.22	—	0.30	0.03	12
13	—	0.13	0.11	0.02	0.01	—	0.02	—	—	0.82	0.36	0.12	13
14	—	0.60	0.03	—	—	—	—	—	0.01	0.09	0.18	0.01	14
15	—	0.03	0.48	—	—	—	—	—	0.05	—	0.01	0.13	15
16	—	0.05	0.03	—	—	—	0.02	—	0.65	—	—	0.02	16
17	0.02	0.07	0.18	—	—	0.05	0.06	—	0.64	—	—	0.59	17
18	—	—	0.22	—	—	—	—	—	0.22	—	—	0.17	18
19	—	0.02	0.01	—	—	—	0.25	—	0.45	—	0.03	0.12	19
20	—	0.25	0.28	—	—	0.63	0.30	—	—	—	—	0.13	20
21	—	0.11	—	—	—	0.07	0.01	0.14	—	0.05	—	0.07	21
22	—	0.29	0.02	—	0.17	0.03	—	0.08	—	—	—	—	22
23	—	0.02	0.02	0.02	—	—	0.16	—	—	—	0.02	—	23
24	0.07	—	—	0.04	—	—	0.36	—	—	—	0.10	—	24
25	0.20	—	—	—	—	—	0.31	0.06	—	0.44	0.05	0.29	25
26	0.01	0.06	0.03	—	—	—	0.33	0.08	—	0.20	0.11	0.29	26
27	0.06	—	—	—	—	—	—	—	—	0.14	0.38	0.83	27
28	0.32	—	0.06	—	0.08	—	—	—	—	0.01	0.20	0.43	28
29	0.07	X	0.01	—	—	—	—	0.01	—	0.08	0.15	0.01	29
30	0.05	X	0.05	—	—	—	—	0.02	—	0.01	0.38	0.46	30
31	0.32	X	—	X	0.02	X	0.16	—	X	0.07	X	0.04	31
Total	2.25	2.80	3.06	0.76	1.95	3.18	5.59	1.12	2.77	2.01	3.64	7.64	36.77
Rain Days.	16	19	26	12	13	13	18	13	11	12	22	26	2.01
YEAR'S TOTAL													

REGISTER OF RAINFALL IN 1915

Kept at The Asylum, Denbigh
in the County of Denbigh 2
by Mr. L. A. M. M. M.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Denbigh
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 316 ft.

4293
FORM A.
BRITISH RAINFALL.
JAN 1916
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.40	0.05	0.24	—	0.37	—	—	0.11	0.40	0.14	—	0.04	1
2	0.17	0.50	0.06	0.30	—	—	—	1.21	0.36	—	—	—	2
3	0.19	0.12	—	0.01	—	—	0.12	—	0.01	—	—	0.18	3
4	0.01	0.11	—	—	0.16	—	—	—	—	—	—	0.87	4
5	—	0.05	0.21	—	0.11	0.03	0.03	0.01	—	—	—	0.45	5
6	0.17	0.10	0.04	0.14	—	—	0.21	—	—	—	—	0.32	6
7	0.30	0.19	—	0.04	—	—	0.63	0.11	—	—	0.02	0.22	7
8	0.24	0.16	~~0.17~~	—	—	—	—	0.40	—	—	0.27	0.08	8
9	0.14	0.33	—	0.50	—	—	—	0.02	—	—	0.12	0.39	9
10	0.42	—	0.02	0.32	—	—	—	0.18	—	0.02	0.12	0.09	10
11	0.02	—	0.01	0.05	0.17	—	0.09	—	—	—	0.22	0.17	11
12	0.05	—	—	0.10	0.13	—	—	0.03	—	0.20	1.38	0.08	12
13	—	0.30	—	0.01	—	—	—	0.05	—	—	0.64	0.06	13
14	0.14	—	—	0.02	0.05	—	—	0.04	0.04	—	0.17	0.07	14
15	0.75	—	—	0.01	0.02	—	0.02	0.02	—	—	0.49	0.08	15
16	0.30	0.29	—	—	0.39	—	0.54	0.50	—	—	—	0.02	16
17	—	0.57	0.11	—	0.31	—	—	0.01	—	—	—	—	17
18	0.03	0.30	0.12	—	0.07	—	—	—	—	—	—	—	18
19	—	—	—	0.12	—	—	0.13	—	—	—	—	—	19
20	0.12	0.01	—	0.03	—	—	—	0.02	—	—	—	0.14	20
21	0.21	0.07	—	0.01	—	—	0.14	—	—	0.01	—	0.14	21
22	0.03	0.22	0.08	—	—	0.12	0.01	—	—	0.05	0.01	0.09	22
23	—	0.45	0.02	0.03	—	0.04	0.17	—	0.02	0.75	0.02	0.06	23
24	—	—	0.11	0.11	—	—	0.07	—	0.02	0.34	—	0.33	24
25	—	—	0.01	—	—	0.30	0.09	—	—	—	0.15	0.20	25
26	—	0.20	—	—	—	—	0.05	—	0.27	—	—	0.35	26
27	—	0.11	—	—	—	—	0.21	0.01	0.01	0.16	—	0.27	27
28	—	0.10	0.01	—	—	0.36	—	0.29	—	—	—	0.01	28
29	—	~~X~~	—	—	0.15	0.14	0.59	0.02	0.21	—	0.01	0.04	29
30	0.13	~~X~~	—	0.02	—	—	—	0.02	0.09	0.06	0.13	0.20	30
31	0.13	~~X~~	—	~~X~~	—	~~X~~	0.08	0.53	~~X~~	0.07	~~X~~	0.37	31
Total	3.95	4.23	1.04	1.82	1.93	0.99	3.18	3.58	1.43	1.80	3.65	5.32	32.92
Rain Days.	20	20	13	17	11	6	17	19	10	10	14	27	184

made

REGISTER OF RAINFALL IN 1916

4225

BRITISH RAINFALL FORM A. 2 JAN 1917

Kept at Asylum, Denbigh

in the County of Denbigh

by Mr. D. A. M. M.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Denbigh

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Sea Level 316 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.65	—	0.13	—	—	0.14	0.17	—	—	—	0.05	—	1
2	0.16	0.11	0.25	—	—	—	0.03	—	1.03	1.04	0.08	—	2
3	—	0.17	0.02	0.10	—	—	0.10	—	1.79	0.20	0.07	0.16	3
4	0.10	0.02	0.06	0.04	0.60	0.30	—	—	0.06	0.03	0.13	—	4
5	—	0.23	—	—	0.14	0.07	—	—	—	0.44	0.07	—	5
6	0.16	0.32	0.01	—	0.14	0.01	0.19	—	—	0.11	0.27	0.04	6
7	—	0.03	0.01	0.03	0.32	0.08	—	—	—	0.20	0.19	0.26	7
8	0.04	0.10	0.26	—	—	0.02	0.02	—	—	0.01	0.22	0.02	8
9	—	0.03	0.01	—	0.24	—	—	—	0.30	—	0.08	0.01	9
10	—	0.56	0.03	0.08	0.02	0.01	—	—	0.03	0.03	—	0.02	10
11	0.07	0.24	0.05	0.21	0.05	—	—	—	0.05	—	—	0.02	11
12	0.05	0.03	0.04	0.10	0.33	—	0.25	0.02	0.03	0.20	—	—	12
13	0.03	0.37	0.03	0.23	0.01	—	—	0.19	0.01	0.06	—	0.06	13
14	—	0.05	—	0.02	0.13	—	—	0.05	—	0.03	—	0.01	14
15	—	0.37	0.18	0.07	0.01	—	0.04	0.18	0.09	0.12	—	—	15
16	—	0.06	—	0.09	—	—	0.02	0.38	—	0.22	—	—	16
17	0.04	0.08	—	0.60	—	—	—	0.02	0.54	0.26	—	—	17
18	—	0.31	0.02	0.39	—	—	—	0.03	0.64	0.04	0.24	0.01	18
19	0.21	—	0.10	0.20	—	—	—	0.03	0.01	—	0.34	—	19
20	0.10	—	0.46	0.08	—	—	—	—	—	—	0.01	0.23	20
21	0.17	0.02	0.08	—	—	0.01	—	—	—	—	0.16	—	21
22	—	—	—	—	—	0.04	—	—	—	0.03	—	0.10	22
23	0.04	—	0.08	0.04	—	0.02	—	0.10	—	0.16	0.20	0.21	23
24	—	0.19	—	0.01	0.86	0.03	—	0.12	—	0.20	—	0.04	24
25	—	0.04	0.21	—	0.21	0.15	—	0.38	0.02	0.01	0.52	—	25
26	0.06	—	0.07	—	0.44	—	0.04	—	—	0.11	0.17	—	26
27		0.03	—	—	0.06	—	—	0.03	0.25	0.70	—	—	27
28		0.41	—	—	0.14	—	—	—	—	0.40	—	0.20	28
29		0.21	—	—	—	0.20	—	0.02	—	0.21	—	0.17	29
30		X	—	—	—	0.09	—	—	—	0.90	—	—	30
31		X	—	X	0.23	X	—	0.02	X	0.49	X	0.04	31
Total	1.88	3.98	2.10	2.29	3.73	1.17	0.86	1.57	4.95	6.20	2.79	1.60	33.12
Rain Days.	14	23	20	16	17	14	9	14	14	25	16	17	199

REGISTER OF RAINFALL IN 1917

Kept at Asylum, Denton
in the County of Denton
by Mr. Barker

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Denton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 316 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	0.24	—	0.03	—	0.45	0.10	—	0.17	0.18	1
2	0.11	—	0.03	0.07	—	—	—	0.18	—	0.01	—	0.10	2
3	0.02	0.08	—	—	—	—	—	0.05	—	0.19	—	0.07	3
4	0.06	0.22	0.03	—	—	—	—	0.02	—	0.99	0.01	0.01	4
5	0.20	—	0.12	0.14	—	—	—	0.14	—	0.59	0.14	—	5
6	0.09	—	0.16	—	—	0.01	—	—	—	0.21	0.51	—	6
7	0.74	—	—	—	—	—	—	—	—	0.19	0.16	0.04	7
8	0.06	—	—	0.21	—	—	—	0.14	0.06	0.56	0.08	0.16	8
9	—	—	0.04	0.25	0.07	—	—	0.07	—	0.50	0.69	0.02	9
10	0.18	—	0.76	0.24	0.01	—	—	0.05	—	0.08	—	—	10
11	0.26	—	—	0.07	—	—	—	0.08	—	0.30	0.05	—	11
12	0.04	0.03	—	0.23	0.66	—	—	—	0.05	0.25	—	—	12
13	—	—	—	0.07	—	—	—	0.18	0.07	0.26	0.05	0.10	13
14	—	—	—	0.10	0.16	—	—	—	—	0.18	—	0.03	14
15	0.07	—	—	0.03	0.01	—	0.12	—	—	0.05	—	0.17	15
16	—	0.04	—	0.18	—	—	—	0.20	—	0.03	—	0.35	16
17	0.01	—	0.12	0.37	0.17	—	0.22	1.00	0.05	0.20	—	—	17
18	—	—	0.04	0.13	0.02	—	0.14	0.02	0.25	0.08	—	—	18
19	—	0.35	0.32	—	—	0.11	—	—	0.06	—	—	—	19
20	—	0.03	—	—	0.12	0.89	0.37	0.01	0.20	—	0.43	—	20
21	—	0.01	0.06	—	0.03	0.16	—	0.05	—	0.02	0.02	—	21
22	—	0.06	—	—	0.01	0.02	—	0.29	0.02	0.05	0.01	—	22
23	—	0.04	—	—	0.14	0.14	—	0.12	0.05	0.27	0.01	0.08	23
24	—	0.09	0.07	—	—	0.27	0.19	0.04	—	0.38	0.10	0.05	24
25	—	—	0.06	—	—	0.07	—	—	—	0.06	0.08	—	25
26	—	—	—	—	—	0.14	0.08	0.58	0.15	0.10	0.42	0.02	26
27	—	—	0.01	—	1.34	0.15	0.14	0.62	—	0.01	—	—	27
28	—	—	0.20	—	—	—	0.07	0.84	—	0.33	—	0.04	28
29	—	X	0.04	—	—	—	0.01	0.02	—	0.55	—	0.03	29
30	—	X	0.68	—	—	—	—	0.18	—	0.07	0.04	—	30
31	—	X	0.27	X	0.11	X	—	0.43	X	—	X	—	31
Total	1.84	0.95	3.01	2.33	2.85	1.99	1.34	5.76	1.06	6.51	2.97	1.45	32.06
Rain Days.	12	10	17	14	13	11	9	24	11	27	17	16	181

REGISTER OF RAINFALL IN 1918

Kept at Aylmer, Denbigh
in the County of Denbigh
by Dr. H. R. Mill

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Denbigh
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 316 ft.



IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	0.14	0.04	—	0.03	0.04	0.40	0.06	0.25	—	1
2	0.02	—	—	—	—	—	—	0.05	0.03	—	—	0.14	2
3	—	0.01	—	—	0.37	—	—	0.05	0.17	0.14	—	—	3
4	—	0.03	—	—	—	—	—	0.11	0.33	0.26	0.38	0.02	4
5	—	0.06	0.01	0.07	0.23	—	—	0.10	0.01	0.28	0.01	—	5
6	—	0.44	—	0.18	—	0.09	—	—	0.11	0.38	—	—	6
7	0.07	—	—	0.05	0.16	—	—	—	0.05	0.04	0.22	—	7
8	0.07	0.31	—	—	—	—	0.11	—	0.20	0.21	0.02	0.04	8
9	0.01	0.62	—	0.16	—	0.81	—	—	0.71	0.18	—	0.04	9
10	0.12	0.03	—	0.28	—	—	0.11	—	0.13	0.03	0.13	—	10
11	0.05	—	0.04	—	0.11	—	—	—	0.11	—	—	0.07	11
12	0.08	0.17	—	—	0.14	—	0.11	—	0.11	—	—	—	12
13	—	0.07	—	—	—	0.05	—	—	0.21	0.06	—	—	13
14	0.55	—	—	—	—	0.03	0.14	—	0.20	0.05	—	0.22	14
15	0.25	—	—	—	—	0.07	0.18	—	1.03	0.34	—	0.33	15
16	—	—	—	—	—	0.56	0.26	0.04	0.14	0.11	—	0.61	16
17	0.15	—	—	—	0.09	0.02	0.04	—	0.09	0.09	—	0.35	17
18	0.38	0.03	—	—	—	0.03	—	—	0.13	—	—	0.23	18
19	0.14	—	0.01	0.09	—	0.10	0.28	—	0.12	0.04	—	0.74	19
20	0.19	0.64	—	0.31	0.12	0.05	—	—	0.23	—	—	0.81	20
21	0.17	0.32	—	0.11	—	0.01	—	—	0.32	—	—	0.08	21
22	0.03	—	—	—	0.77	0.02	0.02	—	0.26	—	—	0.44	22
23	0.02	—	—	—	0.97	—	0.40	—	0.15	—	—	—	23
24	—	0.21	—	—	—	0.04	0.07	0.07	0.02	—	0.17	0.31	24
25	—	—	—	—	0.23	—	0.14	0.76	0.07	—	0.01	—	25
26	0.02	—	—	—	—	0.06	0.48	0.13	0.05	0.04	—	—	26
27	—	0.33	0.19	—	—	—	—	0.23	0.20	—	0.25	0.29	27
28	—	0.09	0.29	—	—	—	—	0.02	0.02	—	0.42	0.16	28
29	—	X	0.06	—	—	—	—	—	0.12	—	—	0.07	29
30	—	X	0.02	—	—	—	—	0.06	0.14	—	0.02	0.06	30
31	—	X	0.16	X	—	X	—	0.13	X	—	X	0.02	31
Total	2.32	3.36	0.78	1.39	3.23	1.94	2.37	1.79	5.86	2.31	1.88	5.03	YEAR'S TOTAL 32.26
Rain Days.	17	15	8	9	11	14	14	13	30	16	11	20	178

REGISTER OF RAINFALL IN 1919.

Kept at Asylum, Denbigh
 in the County of Denbigh
 by Mr. J. A. R. M.

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Denbigh
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 0 in.
 " " " " Sea Level 316 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.15	—	0.01	0.01	0.34	—	0.32	—	0.13	0.22	—	0.21	1
2	0.09	—	0.37	—	—	—	0.20	0.06	0.13	0.05	0.01	0.12	2
3	0.01	—	—	—	—	0.40	0.10	—	—	—	0.05	—	3
4	0.03	0.04	0.36	—	—	0.06	0.46	0.01	0.03	—	—	0.33	4
5	0.08	0.14	—	—	—	—	—	—	0.02	0.01	0.02	0.22	5
6	0.01	—	0.21	—	0.11	—	—	—	—	0.02	—	0.30	6
7	0.01	—	0.11	0.03	—	—	—	—	—	—	—	0.04	7
8	0.17	—	0.02	—	—	0.15	—	—	—	—	0.07	—	8
9	1.01	—	0.03	0.05	—	—	—	—	—	—	0.02	—	9
10	—	—	0.15	—	—	0.01	—	—	—	0.21	0.03	0.07	10
11	—	—	2.15	0.05	—	—	0.12	—	—	—	—	0.01	11
12	—	~~0.05~~	0.24	—	—	0.51	—	—	0.01	0.45	0.25	—	12
13	0.09	0.05	—	0.09	—	—	0.19	—	—	0.97	—	0.01	13
14	0.24	—	—	0.26	—	—	0.24	0.04	—	0.65	—	0.04	14
15	0.45	0.01	—	0.35	1.03	—	—	—	—	0.15	—	0.70	15
16	0.10	0.34	0.02	—	—	0.02	—	—	—	—	0.32	—	16
17	0.11	0.43	0.03	—	—	0.02	0.02	0.10	—	—	0.48	—	17
18	—	—	0.70	—	0.01	—	0.03	0.83	0.37	—	0.01	0.20	18
19	—	0.21	0.37	0.02	—	0.07	—	0.23	0.33	—	0.32	0.05	19
20	0.10	0.08	0.19	—	—	0.07	—	—	0.13	—	0.68	0.33	20
21	—	0.16	—	—	—	—	0.31	—	0.22	—	0.01	0.15	21
22	—	0.14	—	—	—	0.02	0.06	0.03	1.03	—	—	1.28	22
23	—	—	—	—	—	0.23	—	0.02	—	1.17	0.10	0.10	23
24	—	—	—	0.08	0.22	0.02	—	0.02	—	0.18	0.23	0.15	24
25	0.07	—	—	0.12	0.01	—	—	0.23	0.08	—	0.35	0.01	25
26	0.09	0.02	0.31	0.10	—	0.17	—	0.35	0.02	—	0.01	0.41	26
27	0.23	0.03	0.15	0.52	—	—	—	0.10	0.18	—	0.03	—	27
28	—	—	0.06	0.07	—	—	—	1.48	0.03	—	—	0.28	28
29	—	~~X~~	0.09	0.25	—	0.06	—	0.33	—	0.04	—	0.22	29
30	0.02	~~X~~	0.23	0.25	—	0.43	—	—	—	—	0.20	0.39	30
31	0.01	~~X~~	0.32	~~X~~	—	~~X~~	0.05	0.05	~~X~~	—	~~X~~	0.24	31
TOTAL	3.07	1.65	6.12	2.25	1.72	2.24	2.10	3.88	2.71	4.12	3.19	5.86	YEAR'S TOTAL
Days with 0.1 in. or more	20	12	21	15	6	15	12	15	14	12	19	24	185

REGISTER OF RAINFALL IN 1920.

Kept at Asylum, Denbigh
 in the County of Denbigh
 by Wm. Barker

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Denbigh
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 0 in.
 " " " " Sea Level 316 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	0.16	0.21	0.20	—	0.19	0.05	0.15	0.17	—	0.12	1
2	0.03	—	—	0.22	0.06	—	0.54	0.02	0.07	0.14	—	0.13	2
3	—	0.18	—	0.15	0.07	0.04	0.85	0.02	0.09	0.57	—	0.07	3
4	—	—	—	—	—	—	0.06	0.22	0.03	0.07	0.01	—	4
5	—	—	0.13	—	0.02	—	0.12	0.11	0.25	0.01	—	—	5
6	—	—	0.35	0.07	—	—	0.01	—	—	0.29	—	0.09	6
7	0.08	0.06	0.04	0.05	—	—	0.22	—	—	—	0.01	—	7
8	0.33	0.01	—	0.37	0.12	—	0.13	0.09	—	—	—	—	8
9	0.17	0.27	—	0.60	—	—	0.09	0.22	0.06	—	—	0.01	9
10	0.46	0.43	—	—	—	—	0.07	—	—	—	—	0.06	10
11	0.26	0.11	0.17	0.19	0.17	0.24	0.01	0.07	—	—	—	—	11
12	0.16	0.01	0.13	0.18	—	1.40	0.06	0.01	—	—	0.09	0.01	12
13	0.17	0.08	0.14	0.04	—	0.16	—	—	—	—	0.12	—	13
14	—	0.02	0.54	0.14	—	0.12	—	—	0.81	0.02	0.49	—	14
15	—	0.13	0.05	0.17	—	—	—	—	—	0.12	0.03	—	15
16	—	—	—	0.04	0.16	0.07	0.24	—	0.14	0.25	0.01	—	16
17	—	—	0.01	0.01	0.29	0.21	—	0.07	0.18	—	—	—	17
18	0.35	—	—	0.03	0.31	0.11	0.37	0.17	0.25	—	—	—	18
19	—	1.40	—	0.12	0.10	0.07	—	0.33	0.02	—	—	—	19
20	0.07	—	—	0.33	—	—	0.07	—	0.31	—	—	0.08	20
21	—	—	—	0.04	—	—	0.54	0.06	—	—	—	0.40	21
22	0.08	—	—	0.04	—	—	0.19	0.35	—	—	—	0.05	22
23	—	—	0.08	0.04	—	—	0.20	—	—	—	—	0.21	23
24	0.06	—	0.43	—	—	—	0.01	0.04	—	—	—	0.26	24
25	0.04	0.15	0.42	0.14	0.19	—	0.84	—	—	—	—	—	25
26	0.09	0.10	0.97	0.44	0.35	0.04	0.10	—	—	—	0.04	0.02	26
27	0.46	0.08	0.87	0.24	0.64	0.15	0.01	—	—	—	0.02	0.08	27
28	0.51	—	0.52	0.02	—	—	—	—	—	—	0.09	0.11	28
29	0.13	—	0.20	0.01	0.69	0.08	0.28	—	—	—	0.05	0.60	29
30	0.11	X	0.41	0.25	0.04	0.07	—	—	0.32	0.01	0.16	0.08	30
31	0.11	X	—	X	0.05	X	—	0.07	X	0.23	X	—	31
TOTAL	3.67	3.03	5.62	4.24	3.46	2.76	5.20	1.90	2.68	1.88	1.12	2.38	YEAR'S TOTAL
Days with "01 in. or more	19	14	18	26	16	13	23	16	13	11	12	17	198
Days with "04 in. or more	18	11	17	22	15	13	19	13	11	8	7	14	168

REG

DENBIGH

Kept at Erbbistock

in the County of Denbigh

by Mrs Hamlyn

ERBISTOCK HOUSE

1911-1912

association AN 1912
in. - ft. 10 in.
Level 310 ft.
2 m. Ruabon
since 2 1/2 m. Direction West

IMPORTANT NOTE.

previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. -	in. -	in. .01	in. -	in. .03	in. -	in. .07	in. .01	in. -	in. -	in. .11	in. .03	1
2	-	-	.02	.01	.09	-	.04	.01	-	.08	-	.23	2
3	-	-	-	-	.53	-	.03	-	.03	-	.15	.01	3
4	-	-	-	.02	.03	-	-	.07	.08	-	.23	.23	4
5	.16	-	.01	-	.06	-	-	.49	-	.16	-	.03	5
6	.10	-	.06	-	-	-	-	.09	.01	-	.13	.40	6
7	-	-	-	-	-	-	-	-	-	-	.42	.01	7
8	.21	-	.10	-	-	-	-	-	-	-	.09	.62	8
9	-	-	-	-	-	-	-	-	-	-	.15	.11	9
10	-	.06	.06	-	-	-	-	-	.01	.01	.02	.28	10
11	.10	-	-	-	-	-	-	-	.08	-	.60	.01	11
12	-	-	.23	-	.02	-	-	-	<u>2.03</u>	.01	.27	-	12
13	-	-	.01	-	-	-	-	-	-	-	.04	.09	13
14	-	.06	.03	-	-	-	-	-	-	-	.01	.37	14
15	-	.02	.01	-	-	.01	.01	-	-	.03	.08	.13	15
16	-	-	.02	-	-	.20	.01	-	-	.04	.12	.07	16
17	-	-	-	.16	.23	.66	-	-	-	-	.29	.17	17
18	-	.20	-	-	-	.15	-	-	-	.05	.06	.36	18
19	-	.02	-	.10	-	.13	.01	-	.06	.35	.21	.33	19
20	-	.01	-	.06	-	.02	-	.95	.01	.05	-	.27	20
21	-	.17	.02	-	-	.07	.06	.74	-	.32	-	.03	21
22	.02	.08	-	-	-	-	-	-	-	.20	.01	.47	22
23	-	.27	.26	-	-	.06	.01	.02	.23	.08	-	.36	23
24	-	.03	.01	-	-	.06	-	.10	-	.30	-	.13	24
25	-	.15	-	-	-	.50	-	.01	.57	.12	-	.07	25
26	-	.22	-	-	.05	-	.21	.02	-	.21	.05	.03	26
27	-	.12	.03	.13	-	-	.01	.71	.16	-	.04	.10	27
28	-	.04	-	.06	-	-	-	.09	.01	-	-	.02	28
29	-	-	-	.02	-	.05	.13	.01	.04	.33	.01	.04	29
30	-	-	.01	-	-	.10	.01	-	-	.26	.01	-	30
31	-	-	.10	-	.04	-	-	-	-	.03	-	-	31
Total	.59	1.45	.99	.56	1.08	2.01	.60	3.32	3.32	2.63	3.10	4.94	TOTAL for year 24.59
No. of Rain Days	5	14	17	8	9	12	12	14	13	18	22	28	172

REGISTER OF RAINFALL

FORM A2.
BRITISH RAINFALL.

Kept at Erlistock House
in the County of Denbighshire
by Mrs Hamlyn Price

Pattern British Association
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 10 ft.
" " " Sea Level 310 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Ruabon
Distance 2 1/4 M Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. —	in. —	in. .01	in. —	in. .03	in. —	in. .07	in. .01	in. —	in. —	in. .11	in. .03	1
2	—	—	.02	.01	.09	—	.04	.01	—	.08	—	.23	2
3	—	—	—	—	.53	—	.03	—	.03	—	.15	.01	3
4	—	—	—	.02	.03	—	—	.07	.08	—	.23	.23	4
5	.16	—	.01	—	.06	—	—	.49	—	.16	—	.03	5
6	.10	—	.06	—	—	—	—	.09	.01	—	.13	.40	6
7	—	—	—	—	—	—	—	—	—	—	.42	.01	7
8	.21	—	.10	—	—	—	—	—	—	—	.09	.62	8
9	—	—	—	—	—	—	—	—	—	—	.15	.11	9
10	—	.06	.06	—	—	—	—	—	.01	.01	.02	.28	10
11	.10	—	—	—	—	—	—	—	.08	—	.60	.01	11
12	—	—	.23	—	.02	—	—	—	<u>2.03</u>	.01	.27	—	12
13	—	—	.01	—	—	—	—	—	—	—	.04	.09	13
14	—	.06	.03	—	—	—	—	—	—	—	.01	.37	14
15	—	.02	.01	—	—	.01	.01	—	—	.03	.08	.13	15
16	—	—	.02	—	—	.20	.01	—	—	.04	.12	.07	16
17	—	—	—	.16	.23	.66	—	—	—	—	.29	.17	17
18	—	.20	—	—	—	.15	—	—	—	.05	.06	.36	18
19	—	.02	—	.10	—	.13	.01	—	.06	.35	.21	.33	19
20	—	.01	—	.06	—	.02	—	.95	.01	.05	—	.27	20
21	—	.17	.02	—	—	.07	.06	.74	—	.32	—	.03	21
22	.02	.08	—	—	—	—	—	—	—	.20	.01	.47	22
23	—	.27	.26	—	—	.06	.01	.02	.23	.08	—	.36	23
24	—	.03	.01	—	—	.06	—	.10	—	.30	—	.13	24
25	—	.15	—	—	—	.50	—	.01	.57	.12	—	.07	25
26	—	.22	—	—	.05	—	.21	.02	—	.21	.05	.03	26
27	—	.12	.03	.13	—	—	.01	.71	.16	—	.04	.10	27
28	—	.04	—	.06	—	—	—	.09	.01	—	—	.02	28
29	—	—	—	.02	—	.05	.13	.01	.04	.33	.01	.04	29
30	—	—	.01	—	—	.10	.01	—	—	.26	.01	—	30
31	—	—	.10	—	.04	—	—	—	—	.03	—	—	31
Total	.59	1.45	.99	.56	1.08	2.01	.60	3.32	3.32	2.63	3.10	4.94	TOTAL for year 24.59
No. of Rain Days	5	14	17	8	9	12	12	14	13	18	22	28	172

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
27th JAN 1913

Kept at Erbslock House
in the County of Denbighshire
by Mrs Hamlyn Price

RAIN GAUGE Pattern British Association
Diameter of top 5 in.
Height of top above Ground 10 ft.
" " " Sea Level 310 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Ruabon
Distance 2½ Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.09	-	.01	.06	.09	.02	-	-	-	.24	1
2	-	.04	.18	.01	-	.23	.02	-	-	-	-	.01	2
3	.07	-	.12	-	.02	.35	-	1.00	.04	-	-	.03	3
4	.16	-	.65	-	.11	.48	-	.29	-	-	.08	-	4
5	.19	.10	-	-	.04	.21	-	.12	.01	-	-	.01	5
6	.31	.05	.02	-	.05	-	-	.41	-	-	-	-	6
7	-	.16	.06	-	.01	.32	-	-	-	-	.01	.03	7
8	.53	.19	.18	.04	.02	.17	-	.15	.04	.01	-	-	8
9	.07	.02	.43	.21	-	.77	-	.10	-	.01	.02	.03	9
10	.22	.01	.01	-	-	.18	-	.05	-	.01	.45	-	10
11	.02	.03	-	-	.01	-	.03	.08	-	-	.03	.19	11
12	.02	.16	.07	-	-	.07	.07	.25	-	-	-	.02	12
13	.03	.01	-	-	-	-	-	.01	-	.08	-	.02	13
14	.08	-	.25	-	-	.12	-	.01	-	-	-	-	14
15	.10	.06	.09	-	.23	.13	-	-	-	-	-	.04	15
16	.82	.02	.16	-	.15	-	-	.02	-	.07	-	-	16
17	.67	.14	.11	-	.02	.10	.02	.28	-	-	.05	.20	17
18	.24	.02	.05	-	-	-	-	.20	-	.01	-	-	18
19	.11	.07	.03	-	.06	.01	.05	.23	-	.02	-	.02	19
20	.04	.01	.33	-	.06	.02	.02	.09	-	.12	.04	.12	20
21	-	.01	.12	-	.70	-	.02	.03	-	.37	-	.06	21
22	.04	.08	-	-	1.03	-	.17	.47	-	-	-	.09	22
23	.02	-	.33	-	-	-	.43	.16	-	-	.11	.01	23
24	.12	-	.02	-	-	.19	.37	.12	-	.02	-	.24	24
25	.01	.02	.03	-	-	.07	-	.09	-	-	.36	.20	25
26	-	.14	.05	-	-	.02	.17	.37	-	1.30	.33	.34	26
27	-	-	.05	-	.01	.37	.49	-	-	.45	.07	.19	27
28	-	.08	.04	.01	-	.05	.21	.18	.05	.15	.14	-	28
29	-	.07	.06	-	-	-	.01	.05	.51	.05	-	.04	29
30	.04	-	.06	-	-	.29	.06	-	-	.37	.09	-	30
31	.01	-	.07	-	.47	-	.32	.07	-	.03	-	.01	31
Total	3.92	1.49	3.66	.27	3.06	4.21	2.55	4.79	.65	3.07	1.78	2.14	TOTAL for year 31.53
No. of Rain Days.	23	22	27	4	17	21	17	26	5	16	13	22	213

DENBIGH.

Reg

GLYNCEIROG C. SCHOOL.

Kept at Glynceirog

in the County of DENBIGH

1920.

24 JUN 1920

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., if possible, and the result entered to the previous day.

Date	Jan. in.	Feb. in.	March in.	April in.	May in.	June in.	July in.	Aug. in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date
1			.11			.00	.45					.50	1
2			.00			.00						.37	2
3			.00		.15	.05	1.35		.35	(.54)			3
4			.00		.00				.05	.94		.08	4
5					.10	.00	.15		.00	.45			5
6			1.16		.05		.00		.00	.14		.08	6
7		(1.50)				.00	.47		.00	.32		.06	7
8			.01		.17	.00	.23		.00			.06	8
9			.00			.00			.00	.03			9
10			.06		.00	.08	.00		.00				10
11			.23		.30					.00			11
12					.00	1.94	.00		.05	.00			12
13			1.35		.00		.00			.00			13
14						.40	.08		.00	.00			14
15			.00		.29	.19	.00		.06	.00	1.00		15
16		.00	.00			.26			.43	.00			16
17		.00	.00		.45	.18	.60			.00			17
18		.01	.00		.34				.27	.66	.11	6.00	18
19		1.31			.08	.31	.00						19
20			.00		.00		.10		.03				20
21						.00	.29						21
22		.10	.00		.00	.00							22
23		.00	.09			.00							23
24		.01	.79	6.50	.00	.00							24
25		.00	.28	.39	.82								25
26		.00		.11	.00	.35							26
27			1.85	.36	.71						.25		27
28				.11		.00							28
29		.08	.26	.19	.71	.00					.34		29
30			.37			.10			(.40)	1.11	.39		30
31					.00								31
Total	(4.50)	3.01 +51	6.56	7.66	4.17	3.86	3.72	4.05	1.24 1.64	3.65 3.25	2.09	7.15 7.09	TOTAL for year 51.66
No. of Rain Days													

Register of Rainfall in 1920

Kept at Glynneath Council School by The Scholars

in the County of DENBIGH

Time of Observation 9 a.m.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., if possible, and the result entered to the previous day.

Date	Jan. in.	Feb. in.	March in.	April in.	May in.	June in.	July in.	Aug. in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date
1			.11			.00	.45					.50	1
2			.00			.00						.37	2
3			.00		.15	.05	1.35		.35	(.54)			3
4			.00		.00				.05	.94		.08	4
5					.10	.00	.15		.00	.45			5
6			1.16		.05		.00		.00	.14		.08	6
7		(1.50)				.00	.47		.00	.32		.06	7
8			.01		.17	.00	.23		.00			.06	8
9			.00			.00			.00	.03			9
10			.06		.00	.08	.00		.00				10
11			.23		.30					.00			11
12					.00	1.94	.00		.05	.00			12
13			1.35		.00		.00	4.05		.00			13
14						.40	.08		.00	.00			14
15			.00		.29	.19	.00		.06	.00	1.00		15
16		.00	.00			.26			.43	.00			16
17		.00	.00		.45	.18	.60			.00			17
18		.01	.00		.34				.27	.66	.11	6.00	18
19		1.31			.08	.31	.00						19
20			.00		.00		.10		.03				20
21						.00	.29						21
22		.10	.00		.00	.00							22
23		.00	.09			.00							23
24		.01	.79	6.50	.00	.00							24
25		.00	.28	.39	.82								25
26		.00		.11	.00	.35							26
27			1.85	.36	.71						.25		27
28				.11		.00							28
29		.08	.26	.19	.71	.00					.34		29
30			.37			.10			(.40)	1.11	.39		30
31					.00								31
Total	(4.50)	3.01 +57	6.56	7.66	4.17	3.86	3.72	4.05	1.24 1.64	3.65 3.25	2.09	7.15 7.09	TOTAL for year 51.66

20...

g 3° 40' 40"

9 a.m.

1 "Planrood"

Rain Gauge 5 in.

above Ground 1 ft. 1 in.

,, Sea Level 700 ft.

t entered to the previous day.

requested to add

it at the end of

Jan. 1, following.

IMPORTANT NOTE

If an Observer prefers the reading at 9 a.m.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	13	27	39	17	-	80	28	17	30	02	29	1
2	-	20	-	30	09	-	1.09	24	-	02	-	39	2
3	-	36	-	09	08	-	98	30	06	70	-	-	3
4	-	-	-	-	-	-	06	78	17	13	03	-	4
5	-	-	25	-	35	-	11	26	45	13	-	02	5
6	-	-	52	12	05	-	-	67	-	17	-	07	6
7	30	-	08	03	-	-	15	67	-	-	07	-	7
8	32	-	05	41	25	-	16	20	-	-	07	06	8
9	67	1.72	04	66	-	-	45	31	11	-	-	-	9
10	67	45	02	-	-	03	30	-	-	-	-	04	10
11	65	-	28	18	24	07	03	11	-	-	10	-	11
12	40	34	21	19	02	74	13	-	-	-	67	-	12
13	22	-	16	36	-	44	-	-	-	-	15	14 (Snow)	13
14	03	-	58	34	-	30	19	-	90	11	1.48	04	14
15	-	40	02	56	-	06	14	-	02	-	09	-	15
16	-	01	14	23	20	06	58	-	20	27	-	-	16
17	19	-	06	-	31	-	67	26	43	-	-	-	17
18	68	24	05	20	57	24	-	70	28	-	-	-	18
19	-	1.17	-	20	35	09	09	24	-	-	-	-	19
20	-	-	-	55	-	-	52	-	93	-	-	28	20
21	11	-	-	05	-	-	09	12	-	-	-	59	21
22	19	-	-	10	-	04	41	57	-	-	-	13	22
23	10	-	08	-	-	-	50	05	-	-	-	33	23
24	11	04	72	67	-	-	05	01	-	-	06	55	24
25	10	12	43	13	1.65	-	1.24	-	-	-	-	-	25
26	46	20	1.15	46	15	08	27	-	-	-	-	05	26
27	22	-	62	35	17	28	-	-	-	-	07	50	27
28	43	-	53	05	-	16	08	-	-	-	11	11	28
29	19	01	16	09	83	11	42	-	-	-	18	90	29
30	-	~~X~~	39	26	14	07	-	-	30	-	46	37	30
31	57	~~X~~	13	~~X~~	05	~~X~~	03	03	~~X~~	60	~~X~~	02	31
TOTAL	6.61	5.39	6.96	6.37	5.67	2.77	8.84	4.46	4.02	2.43	2.77	4.88	YEAR'S TOTAL 61.20
Days with "01 in. or more	20	14	24	25	18	15	25	16	12	9	13	19	210
Days with "04 in. or more	19	12	22	24	17	14	23	14	11	8	9	17	190

REGISTER OF RAINFALL IN 1920

Kept at *Quethen Council School.*in the County of *Denbigh*by *Head Teacher & Top Scholars.*Lat. *53° 8' 18"* Long. *3° 40' 40"*Time of Observation *9 a.m.*Nearest Railway Station *Manrod*Diameter of Funnel of Rain Gauge *5* in.Height of top of Gauge above Ground *1* ft. *1* in." " " " Sea Level *780* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.13	.27	.39	.17	-	.80	.28	.17	.30	.02	.29	1
2	-	.20	-	.30	.09	-	1.09	.24	-	.02	-	.39	2
3	-	.36	-	.09	.08	-	.98	.30	.06	.70	-	-	3
4	-	-	-	-	-	-	.06	.78	.17	.13	.03	-	4
5	-	-	.25	-	.35	-	.11	.26	.45	.13	-	.02	5
6	-	-	.52	.12	.05	-	-	.67	-	.17	-	.07	6
7	.30	-	.08	.03	-	-	.15	.67	-	-	.07	-	7
8	.32	-	.05	.41	.25	-	.16	.20	-	-	.07	.06	8
9	.67	1.72	.04	.66	-	-	.45	.31	.11	-	-	-	9
10	.67	.45	.02	-	-	.03	.30	-	-	-	-	.04	10
11	.65	-	.28	.18	.24	.07	.03	.11	-	-	.10	-	11
12	.40	.34	.21	.19	.02	.74	.13	-	-	-	.67	-	12
13	.22	-	.16	.36	-	.44	-	-	-	-	.15	.14	13
14	.03	-	.58	.34	-	.30	.19	-	.90	.11	1.48	.04	14
15	-	.40	.02	.56	-	.06	.14	-	.02	-	.09	-	15
16	-	.01	.14	.23	.20	.06	.58	-	.20	.27	-	-	16
17	.19	-	.06	-	.31	-	.67	.26	.43	-	-	-	17
18	.68	.24	.05	.20	.57	.24	-	.70	.28	-	-	-	18
19	-	1.17	-	.20	.35	.09	.09	.24	-	-	-	-	19
20	-	-	-	.55	-	-	.52	-	.93	-	-	.28	20
21	.11	-	-	.05	-	-	.09	.12	-	-	-	.59	21
22	.19	-	-	.10	-	.04	.41	.57	-	-	-	.13	22
23	.10	-	.08	-	-	-	.50	.05	-	-	-	.33	23
24	.11	.04	.72	.07	-	-	.05	.01	-	-	.06	.55	24
25	.10	.12	.43	.13	1.65	-	1.24	-	-	-	-	-	25
26	.46	.20	1.15	.46	.15	.08	.27	-	-	-	-	.05	26
27	.22	-	.62	.35	.17	.28	-	-	-	-	.07	.50	27
28	.43	-	.53	.05	-	.16	.08	-	-	-	.11	.11	28
29	.19	.01	.16	.09	.83	.11	.42	-	-	-	.18	.90	29
30	-	~~X~~	.39	.26	.14	.07	-	-	.30	-	.46	.37	30
31	.57	~~X~~	.13	~~X~~	.05	~~X~~	.03	.03	~~X~~	.60	~~X~~	.02	31
TOTAL	6.61	5.39	6.96	6.37	5.67	2.77	8.84	4.46	4.02	2.43	2.77	4.88	YEAR'S TOTAL 61.20
Days with ".01 in. or more	20	14	24	25	18	15	25	16	12	9	13	19	210
Days with ".04 in. or more	19	12	22	24	17	14	23	14	11	8	9	17	190

REGI

DENBIGH.

Kept at *Fachlwyd H.*in the County of *Den*by *Elliott S. Cur*

GYFFYLLIOG.

"FACHLWYD HALL"

1911 - 1920

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

n.
ad 1 ft. in.

level 640 ft.

m
a *Ruthin*

nce. Direction

result entered to the

IMPORTANT NOTE.

previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	0.24	0.01	0.03	-	0.16	0.16	-	0.05	0.26	0.15	1
2	-	-	0.13	0.02	0.09	-	0.11	0.08	-	0.24	0.06	0.16	2
3	-	-	0.02	0.02	0.78	-	0.03	0.03	0.11	0.02	0.12	0.16	3
4	-	-	0.09	-	0.06	-	-	0.81	0.04	0.05	0.35	0.18	4
5	0.31	-	0.04	-	0.02	-	-	0.88	-	0.05	0.12	0.04	5
6	0.35	-	0.15	-	-	-	-	0.17	-	0.03	0.59	0.42	6
7	0.01	-	-	-	-	-	-	-	-	0.01	0.29	0.02	7
8	0.28	-	0.17	-	-	-	-	-	-	-	0.36	0.28	8
9	0.03	-	0.13	-	-	-	-	-	-	-	0.41	0.42	9
10	0.05	0.17	0.06	-	-	-	-	-	0.03	-	0.10	0.72	10
11	0.16	0.09	0.01	-	0.03	-	-	-	0.02	-	0.35	0.32	11
12	-	-	0.35	-	0.03	-	-	-	1.60	0.02	0.27	0.03	12
13	0.06	0.10	0.04	-	-	0.02	-	-	0.03	-	0.11	0.25	13
14	0.01	0.04	0.13	-	-	-	0.04	-	0.05	-	0.05	0.11	14
15	-	0.15	0.08	-	-	0.04	-	-	-	0.03	0.16	0.10	15
16	-	0.28	0.05	0.08	-	0.55	0.01	-	-	0.04	0.21	0.09	16
17	-	0.04	-	0.02	-	0.84	-	-	-	-	0.65	0.21	17
18	-	0.44	-	0.13	-	0.14	-	-	-	0.03	0.01	0.48	18
19	0.02	0.12	-	0.21	-	0.27	0.09	-	0.29	0.03	0.45	0.52	19
20	0.02	0.05	-	0.26	-	0.04	0.03	1.15	0.12	0.05	0.02	0.17	20
21	-	0.53	-	0.06	-	0.04	0.07	0.01	0.03	0.21	0.03	0.08	21
22	-	0.09	-	0.02	-	0.08	-	-	-	0.34	0.02	0.41	22
23	0.02	0.45	0.04	-	-	0.06	0.02	0.03	0.10	0.35	-	0.16	23
24	0.02	0.07	-	0.02	-	1.53	0.03	0.09	-	0.25	-	0.18	24
25	0.02	0.20	-	0.11	-	0.25	-	0.03	0.65	0.15	-	0.12	25
26	-	0.41	-	0.15	-	0.05	-	0.09	0.10	0.30	0.15	0.09	26
27	-	0.19	0.05	0.29	-	-	-	0.53	0.81	0.02	0.11	0.05	27
28	-	0.32	-	0.06	-	0.11	-	0.09	0.02	-	-	0.05	28
29	-	-	-	-	-	0.08	1.24	0.02	0.17	0.67	-	0.09	29
30	-	-	0.02	-	-	0.11	0.08	-	0.08	0.36	0.02	-	30
31	-	-	0.22	-	0.11	-	-	-	-	0.08	-	-	31
Total	1.36	3.67	2.02	1.46	1.15	4.20	1.91	4.17	4.25	3.35	5.27	6.08	TOTAL for year 38.89
No. of Rain Days.	14	18	19	15	7	16	12	15	17	23	25	29	210

REGI

FORM A2.
BRITISH RAINFALL
4 - JAN 1912

Kept at Facklwyd Hall Giffylliog
in the County of Denbigh
by Elliott S. Currey

RAIN GAUGE
Pattern Standard
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 640 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Puthrie
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	0.24	0.01	0.03	-	0.16	0.16	-	0.05	0.26	0.15	1
2	-	-	0.13	0.02	0.09	-	0.11	0.08	-	0.24	0.06	0.18	2
3	-	-	0.02	0.02	0.78	-	0.03	0.03	0.11	0.02	0.12	0.16	3
4	-	-	0.09	-	0.06	-	-	0.81	0.04	0.05	0.35	0.18	4
5	0.31	-	0.04	-	0.02	-	-	0.88	-	0.05	0.12	0.04	5
6	0.35	-	0.15	-	-	-	-	0.17	-	0.03	0.59	0.42	6
7	0.01	-	-	-	-	-	-	-	-	0.01	0.29	0.02	7
8	0.28	-	0.17	-	-	-	-	-	-	-	0.36	0.28	8
9	0.03	-	0.13	-	-	-	-	-	-	-	0.41	0.42	9
10	0.05	0.17	0.06	-	-	-	-	-	0.03	-	0.10	0.72	10
11	0.16	0.09	0.01	-	0.03	-	-	-	0.02	-	0.35	0.32	11
12	-	-	0.35	-	0.03	-	-	-	1.60	0.02	0.27	0.03	12
13	0.06	0.10	0.04	-	-	0.02	-	-	0.03	-	0.11	0.25	13
14	0.01	0.04	0.13	-	-	-	0.04	-	0.05	-	0.05	0.11	14
15	-	0.15	0.08	-	-	0.04	-	-	-	0.03	0.16	0.10	15
16	-	0.28	0.05	0.08	-	0.55	0.01	-	-	0.04	0.21	0.09	16
17	-	0.04	-	0.02	-	0.84	-	-	-	-	0.65	0.21	17
18	-	0.44	-	0.13	-	0.14	-	-	-	0.03	0.01	0.48	18
19	0.02	0.12	-	0.21	-	0.27	0.09	-	0.29	0.03	0.45	0.52	19
20	0.02	0.05	-	0.26	-	0.04	0.03	1.15	0.12	0.05	0.02	0.17	20
21	-	0.53	-	0.06	-	0.04	0.07	0.01	0.03	0.21	0.03	0.08	21
22	-	0.09	-	0.02	-	0.08	-	-	-	0.34	0.02	0.41	22
23	0.02	0.45	0.04	-	-	0.06	0.02	0.03	0.10	0.35	-	0.16	23
24	0.02	0.07	-	0.02	-	1.53	0.03	0.09	-	0.25	-	0.18	24
25	0.02	0.20	-	0.11	-	0.25	-	0.03	0.65	0.15	-	0.12	25
26	-	0.41	-	0.15	-	0.05	-	0.09	0.10	0.30	0.15	0.09	26
27	-	0.19	0.05	0.29	-	-	-	0.53	0.81	0.02	0.11	0.05	27
28	-	0.32	-	0.06	-	0.11	-	0.09	0.02	-	-	0.05	28
29	-	-	-	-	-	0.08	1.24	0.02	0.17	0.67	-	0.09	29
30	-	-	0.02	-	-	0.11	0.08	-	0.08	0.36	0.02	-	30
31	-	-	0.22	-	0.11	-	-	-	-	0.08	-	-	31
Total	1.36	3.67	2.02	1.46	1.15	4.20	1.91	4.17	4.25	3.35	5.27	6.08	TOTAL for year 1911 21.1
No. of Rain Days.	14	18	19	15	18	16	12	15	17	23	25	29	210

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

Kept at *Fachloga Hall Gwyffyllog*
in the County of *Denbigh*
by *Elliot S Curvey*

Pattern *Snowdon*
RAIN GAUGE Diameter of top *5* in.
Height of top above Ground *1* ft. — in.
" " " Sea Level *0* ft.
Time of Observation
Nearest Railway Station { Name *Ruthin*
Distance *4.2* Direction *ENE*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.01	0.21	0.01	0.02	0.07	0.25	0.16	0.06			0.16	1
2		0.08	0.61	0.02	0.02	0.16	0.04					0.07	2
3	0.07		0.10		0.04	0.19		0.76	0.15			0.06	3
4	0.22		1.16	0.04	0.07	0.18		0.61	0.04		0.12	0.11	4
5	0.11	0.02	0.02		0.17	0.08		0.05	0.09		0.06	0.05	5
6	0.23	0.06	0.03		0.09			0.45	0.02		0.02	0.02	6
7	0.02	0.10	0.03		0.04	0.15	0.23	0.02	0.01			0.07	7
8	0.45	0.15	0.17	0.21	0.03	0.16		0.13	0.06			0.03	8
9	0.09	0.05	0.14	0.36		0.63		0.04			0.03	0.11	9
10	0.21	0.02	0.02	0.04		0.49	0.04	0.18			0.77	0.02	10
11	0.09	0.01			0.04		0.12	0.02			0.26	0.66	11
12	0.02	0.15	0.03			0.65	0.06	0.21			0.04	0.21	12
13	0.01					0.66		0.04		0.17	0.06	1.39	13
14	0.04		0.14			0.16		0.11	0.02	0.04		0.12	14
15	0.07	0.05	0.46		0.19	0.20		0.06			0.04	0.21	15
16	0.12	0.13	0.10		0.10	0.03		0.08	0.02	0.31	0.03	0.12	16
17	0.67	0.32	0.02		0.03	0.26		0.17		0.02	0.08	0.52	17
18	0.24	0.02	0.07			0.03		0.02		0.09	0.05	1.07	18
19	0.05	0.14	0.17			0.05	0.02	0.14		0.10	0.02	0.04	19
20	0.01	0.02	0.12		0.09	0.09	0.03	0.16		0.49	0.09	0.09	20
21			0.15		0.53	0.01	0.02	0.19		0.57	0.03	0.06	21
22	0.02	0.12	0.02		0.43	0.01	0.06	0.43		0.03		0.11	22
23	0.02		0.21		0.03	0.12	0.29	0.34			0.24	0.09	23
24	0.10	0.02	0.07			0.23	0.06	0.06		0.16	0.09	0.24	24
25			0.22			0.25		0.03		0.03	0.61	0.41	25
26		0.18	0.15			0.66	0.15	0.72		1.26	0.57	0.14	26
27		0.04	0.07			0.39	0.78			0.32	0.07	0.51	27
28		0.17	0.03	0.02		0.10	0.25	0.11	0.05	0.25	0.49	0.01	28
29		0.08	0.04			0.07	0.19	0.15	0.41	0.21		0.07	29
30	0.06		0.32		0.02	0.32	0.05		0.02	0.47	0.23	0.03	30
31			0.11		0.22		0.01	0.07		0.09		0.16	31
Total	3.03	1.95	4.99	0.70	2.16	5.20	3.45	5.51	0.95	4.61	4.00	5.03	TOTAL for year
No. of Rain Days.	22	22	29	7	18	28	17	28	12	17	22	31	41.58

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
- 3 JAN 1914

Kept at *Lackford Hall Gwyffylion*
in the County of *Denbigh*
by *Elliott S. Currey*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Bretherton*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. _____ in.
" " " " Sea Level *640* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.04	0.12	0.17	0.16	0.25						0.18		1
2	0.02	0.23	0.35	0.07	0.14	0.04					0.20	0.08	2
3	0.09	0.07	0.43		0.63			0.02		0.03	0.02	0.60	3
4	0.31	0.22	0.13		0.19	0.13				0.28	0.10	1.08	4
5	0.46	0.11	0.23		0.15	0.34	0.20	0.15		0.57	0.03	0.02	5
6	0.09	0.17	0.35		0.17	0.10	0.65			0.12	0.04	0.14	6
7	0.03	0.57	0.05		0.19	0.37	0.89			0.27	0.15		7
8		0.20	0.03	0.05	0.80	0.07	0.03	0.07	0.04	0.32	0.25	0.03	8
9		0.15	0.11	0.19	0.19	0.61	0.18	0.15	0.11		0.15	0.16	9
10	0.15	0.02	0.05	0.06	0.24	0.02	0.06	0.35		0.03	0.24	0.02	10
11	0.31	0.03		0.41	0.03	0.12		0.16		0.09	0.29	0.03	11
12				0.01	0.05	0.10		0.02	0.82	0.82	0.48		12
13			0.23	0.03	0.04	0.03	0.04	0.09	0.16	0.02	0.80		13
14	0.11	0.02	0.31	0.21				0.12	0.15	0.17	0.15		14
15	0.31	0.06	0.65	0.65				0.03	0.05		0.31		15
16	0.03		0.15	0.15							0.05	0.05	16
17	0.07		0.06	0.31	0.02		0.09		0.03		0.15		17
18	0.02		0.47	0.29	0.10		0.05				0.10		18
19	0.11		0.13		0.03	0.10			0.04	0.17	0.12		19
20	0.29		0.41	0.08	0.02		0.02		0.01	0.24	0.62		20
21			0.32	0.13	0.11		0.19	0.21		0.04	0.06		21
22	0.33		0.73		0.02	0.28		0.84	0.35	0.04			22
23	0.07		0.04	0.09		0.09		0.09	0.16	0.02	0.10	0.07	23
24	0.26	0.02		0.13		0.05		0.02	0.02	0.02	0.06	0.05	24
25				0.34					0.21	0.05	0.08	0.29	25
26	0.02	0.07		1.00				0.02	0.47	0.02	0.	0.61	26
27	0.08			0.24						0.25	0.02	0.25	27
28	0.27		0.08	0.24					0.01	0.05		0.39	28
29	0.03		0.16	0.42	0.13		0.01			0.20	0.02		29
30	0.48			0.02	0.05					0.21	0.03		30
31	0.10		0.26		0.05					0.05			31
Total	4.08	2.06	5.90	5.28	3.60	2.45	2.41	2.34	2.63	3.26	4.60	3.87	42.48
Rain Days.	25	15	24	23	22	15	12	15	15	23	27	16	232

REGISTER OF RAINFALL IN 1914

Kept at *Fachlwyd Hall Gylfrygiog*
in the County of *Denbigh*
by *Elliott S. Currey*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station _____
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. _____ in.
" " " " Sea Level *640* ft.

FORM A
BRITISH RAINFALL
5 - JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.01	0.05	0.24	-	-	0.03	0.72	0.20	-	0.03	0.02	0.58	1
2	-	0.04	0.05	-	0.02	-	0.74	0.15	-	0.04	0.23	0.65	2
3	0.02	0.02	0.35	0.13	0.34	-	0.03	-	-	-	0.02	1.12	3
4	0.32	-	0.07	0.19	0.31	0.02	0.06	0.03	-	-	0.13	0.49	4
5	0.17	-	0.41	0.31	0.30	0.06	0.21	0.02	-	0.07	0.26	0.13	5
6	0.11	0.08	0.09	0.25	0.09	0.09	-	-	-	-	0.07	0.25	6
7	0.02	0.13	0.20	0.09	0.27	0.39	0.23	0.12	-	-	0.01	0.42	7
8	0.04	0.03	0.01	0.16	0.65	0.29	0.03	0.48	-	-	-	0.20	8
9	0.18	0.13	0.11	0.21	0.09	0.85	-	0.04	0.09	-	0.15	0.02	9
10	0.02	0.17	0.17	0.10	0.04	0.07	-	-	0.12	-	0.17	0.02	10
11	-	0.21	0.28	-	0.12	0.89	0.79	-	0.05	-	0.73	0.49	11
12	-	0.66	0.15	-	0.02	0.05	0.07	-	0.26	-	0.53	0.15	12
13	-	0.21	0.20	-	0.02	-	0.06	-	0.05	0.61	0.39	0.24	13
14	-	0.64	0.06	-	-	-	-	-	0.02	0.12	0.20	0.03	14
15	-	0.09	0.49	0.02	-	-	-	-	0.14	0.02	0.03	0.23	15
16	-	0.12	0.08	-	-	-	0.07	-	0.35	-	-	0.09	16
17	0.10	0.29	0.26	-	-	0.19	0.03	-	0.43	-	-	0.71	17
18	-	0.01	0.20	-	-	-	-	-	0.29	0.02	0.03	0.12	18
19	-	0.04	0.11	-	-	-	0.19	-	0.32	-	0.05	0.20	19
20	-	0.35	0.35	-	-	0.75	0.15	0.17	-	-	-	0.14	20
21	-	0.25	0.03	-	-	0.24	0.02	0.03	-	0.07	0.01	0.09	21
22	-	0.75	0.03	-	0.15	0.10	0.03	0.09	-	-	-	-	22
23	-	0.04	0.07	0.03	0.03	-	0.07	-	-	-	0.02	0.03	23
24	0.08	0.02	-	0.04	-	-	0.37	-	-	0.03	0.15	0.01	24
25	0.25	-	-	-	0.01	-	0.43	0.19	-	0.54	0.04	0.25	25
26	0.04	-	0.02	-	-	-	0.21	0.40	-	0.23	0.19	0.25	26
27	0.09	-	-	-	-	-	0.02	-	-	0.11	0.33	1.08	27
28	0.36	0.14	0.10	-	0.11	-	-	-	-	0.02	0.23	0.55	28
29	0.25	~~X~~	0.14	-	0.05	-	-	-	-	0.08	0.23	0.02	29
30	0.08	~~X~~	0.10	-	-	-	-	-	-	0.03	0.53	0.46	30
31	0.45	~~X~~	0.03	~~X~~	0.06	~~X~~	0.25	-	~~X~~	0.18	~~X~~	0.03	31
Total	2.59	4.47	4.40	1.53	2.68	4.02	4.78	1.92	2.12	2.20	4.75	9.05	44.51
Rain Days.	18	23	28	11	18	14	22	12	11	16	25	30	228

REGISTER OF RAINFALL IN 1915

Kept at Fachlwyd Hall Gylfylliog
in the County of Denbigh
by Elliott S. Currey

Lat. 52° 6' 20" Long. 3° 23' 40" W
Time of Observation 9 a.m.
Nearest Railway Station Buthin
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 64.0 ft.

4284
BRITISH RAINFALL
FORM A.
4 - JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.51	0.16	.04	-	.41	-	-	.15	.19	.15	-	.15	1
2	0.42	0.58	.19	.24	-	-	.04	<u>1.39</u>	.30	.01	-	.02	2
3	0.24	0.19	.02	.07	-	-	.16	-	.03	.02	-	.14	3
4	0.02	0.17	-	-	.16	.04	-	-	-	-	.02	.83	4
5	0.08	0.04	.32	.04	.14	.01	-	.01	-	-	-	.61	5
6	0.36	0.13	.06	.18	-	-	.23	-	-	-	-	.52	6
7	0.30	0.34	-	.12	-	-	.59	.17	-	-	.02	.29	7
8	0.49	0.25	-	.03	-	-	-	.22	-	-	.27	.02	8
9	0.21	0.61	-	.28	-	-	-	.01	-	-	.09	.25	9
10	0.81	0.03	.01	.23	-	-	.02	.24	-	.03	.10	.17	10
11	0.07	-	.09	.05	.05	-	.16	.09	-	-	.41	.20	11
12	0.06	0.02	-	.09	.11	-	-	.05	-	.13	1.21	.18	12
13	0.01	0.25	.01	.02	-	-	-	.01	.03	-	.40	.04	13
14	0.36	0.02	-	.02	.05	-	-	.11	.05	-	.25	.14	14
15	0.89	-	-	-	.06	-	.04	.02	-	-	.47	.20	15
16	0.58	0.24	-	-	.38	-	.64	1.05	-	.01	-	.05	16
17	-	0.75	.09	-	.40	-	.02	-	-	.01	-	.02	17
18	0.05	0.55	.05	-	.02	-	-	-	-	.02	.03	-	18
19	-	0.04	.04	.11	.18	-	.17	-	-	.02	.02	.02	19
20	0.15	0.02	-	.05	-	-	.01	.03	-	-	-	.14	20
21	0.25	0.13	-	-	-	-	.32	-	-	-	-	.09	21
22	0.11	0.17	.06	-	-	.13	.21	-	-	.06	.02	.11	22
23	0.01	0.43	.03	.07	-	.03	.20	-	.07	.80	-	.06	23
24	-	-	.19	.10	-	-	.01	-	.05	.42	.02	.45	24
25	-	-	-	.01	-	.28	.11	-	.02	.02	.12	.19	25
26	-	0.32	-	-	-	-	.06	-	.28	-	-	.52	26
27	-	0.20	-	-	-	-	.36	-	.03	.24	-	.56	27
28	-	0.15	.04	-	-	.26	.06	.25	-	.06	-	.06	28
29	-	-	-	-	.15	.02	.41	.05	.14	.03	.04	.09	29
30	0.30	X	-	.11	-	-	.25	.02	.14	.12	.03	.21	30
31	0.27	X	-	X	-	X	.14	.20	X	.10	X	.57	31
Total	6.55	5.79	1.24	1.82	2.11	0.77	4.21	4.07	1.33	2.25	3.52	7.10	40.76
Rain Days.	23	24	15	18	12	7	22	18	12	18	17	30	216

REGISTER OF RAINFALL IN 1916

Kept at Fachlwyd Hall Gwyffylwg
in the County of Denbigh
by Elliott S. Curvey

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Buthin
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 64.0 ft.

FORM A.
BRITISH RAINFALL
3 JAN 1917
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.72		.19			.19	.47	.02		.03	.10		1
2	.41	.17	.18			.01	.05		1.15	.92	.12		2
3	.03	.19		.07		.01	.13		1.13	.19	.16	.13	3
4	.23	.03	.06	.09	.57	.37	.07		.08	.15	.15	.02	4
5	.02	.22	.04		.19	.21				.65	.26		5
6	.22	.62	.03		.21	.03	.22		.02	.25	.43	.05	6
7	.06	.05	.05	.01	.19	.06	.03			.19	.41	.31	7
8	.06	.09	.10		.08	.03				.04	.23	.06	8
9	.03	.07	.02		.24				.34		.12	.06	9
10	.02	.63	.04	.05	.02	.06	.02		.04	.12	.01	.08	10
11	.05	.32	.05	.15	.06				.06			.05	11
12	.11	.07	.03	.13	.38		.19	.06	.03	.19		.02	12
13	.03	.21	.08	.24	.02		.02	.50	.02	.53		.03	13
14		.11	.04	.09	.14			.35		.20		.05	14
15		.72	.21	.10	.01		.03	.11	.10	.15			15
16		.06	.01	.15			.02	.08		.18			16
17	.09	.13		.71				.01	.46	.33			17
18	.01	.41	.01	.50				.05	.45	.05	.11	.13	18
19	.29	.01	.14	.13				.04	.02	.03	.32		19
20	.28		.41	.10							.05	.15	20
21	.36	.04	.07		.01	.03					.23		21
22	.01			.03		.06				.11	.02	.08	22
23	.07		.06	.03		.13		.15		.21	.22	.31	23
24		.30	.01	.03	1.02			.13		.26	.03	.07	24
25		.09	.26		.25	.16	.02	.53	.02	.04	.58	.01	25
26	.05	.01	.05		.27	.07	.06	.02		.16	.19		26
27		.05	.02		.08			.01	.31	.59	.02	.03	27
28		.12			.22	.02			.02	.59	.02	.27	28
29		.29				.34				.14	.02	.39	29
30		X				.15		.02		.81		.05	30
31		X		X	.11	X	.04	.04	X	.78	X	.04	31
Total	3.15	5.01	2.16	2.61	4.07	1.93	1.37	2.12	4.25	7.89	3.80	2.39	40.75
Rain Days.	21	25	24	17	19	17	14	16	16	27	22	22	240
YEAR'S TOTAL													

REGISTER OF RAINFALL IN 1917

Kept at Fachlwyd Hall Gylfylling
in the County of Denbigh
by Elliott S. Currey

Lat. 53° 6' 3" N Long. 3° 24' W
Time of Observation 9 a.m.
Nearest Railway Station Reuthin
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 640 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	.03	.13	.	.18	.	.39	.19	.	.23	.32	1
2	.13	.	.04	.03	.	.02	.	.18	.	.08	.02	.19	2
3	.08	.09	.	.05	.	.03	.	.05	.	.18	.03	.03	3
4	.06	.10	.09	.	.	.	.	.04	.	.87	.02	.02	4
5	.28	.	.17	.18	.	.	.	.20	.01	.69	.25	.	5
6	.14	.	.56	.01	.	.03	.	.07	.	.16	.61	.02	6
7	1.11	.	.	.01	.	.	.	.03	.	.14	.21	.08	7
8	.13	.	.	.27	.	.	.	.16	.19	.77	.17	.15	8
9	.	.	.03	.27	.21	.	.	.12	.	.76	.75	.07	9
10	.24	.	.65	.36	.03	.	.	.11	.	.16	.	.03	10
11	.34	.02	.02	.09	.	.	.	.18	.02	.39	.04	.03	11
12	.22	.03	.	.29	.68	.	.	.01	.03	.11	.	.	12
13	.02	.	.	.14	.	.04	.	.28	.12	.16	.02	.04	13
14	.04	.	.	.15	.10	.	.	.	.	.18	.03	.14	14
15	.06	.	.	.02	.03	.	.35	.04	.	.07	.	.19	15
16	.02	.03	.	.32	.	.	.	.26	.03	.03	.03	.13	16
17	.02	.	.13	.34	.22	.	.34	1.33	.14	.07	.	.	17
18	.03	.02	.04	.13	.04	.	.22	.05	.22	.10	.	.	18
19	.01	.36	.37	.	.	.21	.	.01	.02	.	.	.	19
20	.	.06	.03	.01	.15	.91	1.03	.04	.13	.	.35	.	20
21	.	.03	.05	.	.03	.11	.	.	.02	.03	.03	.	21
22	.	.04	.03	.	.02	.02	.	.35	.05	.11	.02	.	22
23	.	.11	.	.	.21	.19	.05	.12	.07	.29	.	.11	23
24	.	.	.08	.	.	.15	.02	.16	.	.67	.24	.10	24
25	.	.12	.11	.	.	.03	.50	.02	.01	.15	.17	.	25
26	.	.02	.02	.	.	.	.03	.29	.20	.15	.59	.04	26
27	.	.	.04	.	1.33	.19	.20	.42	.	.	.03	.	27
28	.	.03	.24	.	.	.02	.06	.78	.	.25	.02	.06	28
29	.	.	.09	.	.	.	.02	.09	.	.83	.	.09	29
30	.	X	.49	.	.	.	.	.34	.	.15	.12	.02	30
31	.	X	.17	X	.24	X	.	.41	X	.	X	.	31
Total	2.93	1.06	3.48	2.75	3.29	2.13	2.82	6.53	1.38	7.55	3.98	1.86	39.76
Rain Days.	17	14	22	18	13	14	11	29	16	26	22	20	222
YEAR'S TOTAL													

REGISTER OF RAINFALL IN 1918

Kept at Tackyard Hall Gwyffyllyn,
in the County of Denbigh
by Elliott S. Curvey

Lat. 53° 6' 3" Long. 3° 24' W
Time of Observation 9 a.m. true time
Nearest Railway Station Buthin
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 640 ft.

FORM A.
BRITISH RAINFALL
6.1.19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.03		.15	.05		.03	.02	.12	.04	.34	.01	1
2	.03	.02		.02				.10	.05		.03	.25	2
3		.04			.36			.09	.32	.22		.01	3
4	.02	.04			.01			.01	.65	.27	.60	.07	4
5		.07	.04	.12	.19			.15	.08	.49	.02	.01	5
6	.06	.57		.39	.01	.14				.55		.02	6
7	.07	.03		.10	.15			.01	.14	.18	.27	.02	7
8	.07	.39				.01	.06		.22	.22	.04	.02	8
9	.03	.80		.24		.95			.85	.18	.06	.09	9
10	.13	.09		.16			.14		.38	.06	.17	.01	10
11	.07	.05	.03	.02	.12		.03		.06	.08	.02	.07	11
12	.07	.16	.01	.03	.14		.08		.24			.02	12
13	.05	.07		.01	.02	.03			.24	.04	.01	.09	13
14	.72				.02	.16	.24	.01	.17	.05		.26	14
15	.29					.01	.32		.96	.37		.35	15
16				.03		.18	.23	.05	.33	.21		.48	16
17	.23				.03	.03	.05	.01	.06	.12		.33	17
18	.44	.02	.03			.12	.08		.19	.01		.30	18
19	.11	.02	.02	.07		.02	.30		.17	.06		.63	19
20	.23	.58		.40	.21	.11	.02		.42			1.15	20
21	.20	.67		.15	.47	.07	.01		.41			.05	21
22	.09	.03		.02	1.13	.10	.08		.15			.56	22
23	.09				.77	.03	.29		.22		.02	.25	23
24	.05	.28					.20	.24	.03	.01	²⁴ ²⁵ .25	.22	24
25					.21	.02	.54	.54	.12	.02	.02	.04	25
26	.02				.02		.33	.04	.10	.04	.02	.04	26
27		.29	.36			.04		.26	.27	.02	.24	.32	27
28		.11	.33						.03		.28	.12	28
29			.11						.23			.08	29
30		X	.04					.01	.17	.02	.02	.23	30
31		X	.16	X		X		.11	X	.02	X	.03	31
Total	3.07	4.36	1.13	1.91	3.91	2.02	3.03	1.65	7.38	3.28	2.41	5.93	40.08
Rain Days	21	21	10	15	17	16	18	15	29	23	17	31	233

REGISTER OF RAINFALL IN 1919.

Kept at *Facklough Hall, near Ruffin*
in the County of *Sherbourn*
by *Elcott S. Curry*

Lat. *53° 6' 3"* Long. *3° 21' W*
Time of Observation *9 a.m. true time*
Nearest Railway Station *Rutten*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *-* in.
" " " " Sea Level *640* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following:

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.29		0.03	0.02	0.28		0.30		0.10	0.29		0.49	1
2	0.22		0.30				0.17	0.08	0.07	0.06	0.04	0.10	2
3					0.04	0.41	0.15		0.01		0.07	0.07	3
4	0.02	0.04	0.35			0.03	0.21	0.05	0.02	0.01	0.02	0.32	4
5	0.07	0.15	0.02	0.03						0.02	0.05	0.30	5
6	0.02	0.01	0.35		0.18					0.03	0.02	0.27	6
7	0.02		0.09	0.05								0.03	7
8	0.14		0.02			0.14					0.01		8
9	1.43		0.04	0.09							0.05		9
10	0.06		0.26	0.05		0.03				0.15	0.05	0.09	10
11	0.01		1.91	0.09	0.02	0.02	0.11		0.02	0.02		0.09	11
12	0.03		0.39	0.06		0.57	0.02		0.03	0.73	0.23		12
13	0.22	0.02	0.02	0.13			0.09		0.01	0.81		0.04	13
14	0.30	0.01		0.35			0.21	0.03		0.64	0.02	0.05	14
15	0.42			0.56	0.28					0.13		0.82	15
16	0.12	0.27	0.06			0.05				0.02	0.33	0.02	16
17	0.10	0.48	0.02			0.02	0.03	0.15			0.57		17
18	0.04		0.75		0.03		0.05	0.85	0.34		0.03	0.22	18
19		0.23	0.52	0.02		0.13		0.17	0.30		0.26	0.04	19
20	0.23	0.08	0.15			0.14			0.29		0.32	0.26	20
21	0.06	0.18	0.02		0.01		0.24		0.21		0.02	0.08	21
22	0.01	0.21				0.03	0.06	0.02	1.25		0.03	1.28	22
23		0.03		0.03		0.24		0.01		1.15	0.09	0.12	23
24				0.07	0.22	0.04		0.02	0.02	0.33	0.38	0.14	24
25	0.13	0.02		0.33	0.02			0.63	0.15	0.03	0.25	0.15	25
26	0.07	0.05	0.36	0.10		0.14		0.31	0.02	0.09	0.03	0.34	26
27	0.29	0.03	0.09	0.39		0.01		0.25	0.19		0.04	0.01	27
28			0.06	0.11				1.17	0.02			0.45	28
29	0.04		0.07	0.24		0.06		0.16		0.09		0.28	29
30	0.01	~~X~~	0.11	0.18		0.41				0.02	0.25	0.36	30
31	0.01	~~X~~	0.77	~~X~~		~~X~~	0.03	0.11	~~X~~		~~X~~	0.21	31
TOTAL	4.36	1.81	6.76	2.90	1.58	2.47	1.67	4.01	3.05	4.62	3.16	6.63	43.02
Days with "01 in. or more	26	15	24	19	9	17	13	15	17	18	23	27	223

REGISTER OF RAINFALL IN 1920

Kept at Fachlog Hall Gypsy Moat
in the County of Denbigh
by Elis S. Currey

Lat. 53° 6' 3" N Long. 3° 24' W
Time of Observation 9 a.m.
Nearest Railway Station Bwlthin
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 640 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			0.12	0.30	0.34		0.30	0.09	0.09	0.14	0.03	0.16	1
2	0.02	0.07		0.13	0.05		0.18	0.04	0.04	0.02		0.13	2
3		0.10		0.25	0.13	0.04	0.86	0.05	0.10	0.96		0.08	3
4	0.01			0.03	0.02		0.09	0.28	0.06	0.13			4
5			0.23		0.11		0.14	0.15	0.18	0.04			5
6			0.44	0.09	0.09		0.04			0.27		0.10	6
7	0.05	0.08	0.05	0.05	0.03		0.29					0.03	7
8	0.32	0.04	0.04	0.41	0.26		0.22	0.09					8
9	0.33	0.46		0.59			0.17	0.20	0.05			0.03	9
10	0.63	0.75	0.01	0.01		0.05	0.14					0.09	10
11	0.83	0.06	0.15	0.27	0.29	0.37		0.05					11
12	0.30	0.04	0.21	0.18	0.07	1.09	0.05	0.04	0.01		0.11	0.12	12
13	0.21	0.10	0.28	0.25		0.06					0.20		13
14		0.04	0.71	0.24		0.35	0.05		0.76	0.06	0.71	0.02	14
15		0.22	0.05	0.33		0.02			0.01	0.34	0.02		15
16			0.02	0.18	0.25	0.12	0.44		0.27	0.40	0.02		16
17	0.06		0.03	0.02	0.22	0.20		0.13	0.19	0.02			17
18	0.38	0.04		0.06	0.50	0.16		0.15	0.08				18
19	0.05	1.16		0.22	0.20	0.06		0.39	0.08		0.03		19
20	0.11	0.03		0.39			0.04		0.13			0.03	20
21	0.02			0.03			0.54	0.09				0.25	21
22	0.10			0.08		0.04	0.27	0.30				0.12	22
23	0.03		0.10				0.18	0.02				0.31	23
24	0.08	0.02	0.61	0.05			0.20	0.05				0.36	24
25	0.04	0.11	0.36	0.11	0.48	0.02	0.90					0.04	25
26	0.15	0.11	0.95	0.32	0.02	0.04	0.31				0.05	0.02	26
27	0.28	0.12	0.77	0.28	0.53	0.28	0.03				0.03	0.13	27
28	0.45	0.02	0.55	0.08	0.02	0.03					0.05	0.20	28
29	0.12		0.25	0.11	0.44	0.05	0.24				0.10	0.78	29
30	0.21	~~X~~	0.54	0.18	0.08	0.12			0.31		0.25	0.17	30
31	0.20	~~X~~	0.04	~~X~~	0.02	~~X~~	0.03	0.05	~~X~~	0.37	~~X~~	0.01	31
TOTAL	4.98	3.57	6.51	5.26	4.11	3.10	5.71	2.17	2.36	2.75	1.60	3.18	45.30
Days with "01 in. or more	24	19	22	28	21	18	23	17	15	11	12	21	231
Days with "04 in. or more	20	16	19	24	15	15	21	16	13	10	7	15	195
YEAR'S TOTAL													

REC

DENBIGH

Kept at Hafod llan

HAFOD - LLAN - ISAF

in the County of Den

by J. H. Parkin

1912 - 1920

1913 A/B

14 MAR 1914
FORM A2
BRITISH RAINFALL
in.
round 1 ft. 4 in.
a Level 1200 ft.

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	.02	.02	.58		.02	.18	.10					.05	2
3	.05	.03	.10		.05	.15		.85	.15			.07	3
4	.53	.02	.90	.05	.03	.12		.50	.07		.10	.08	4
5	.22	.03	.12		.10	.03		.02	.05			.15	5
6	.23	.07	.05		.10			.48					6
7	.05	.30	.08		.02	.10	.12	.20	.05			.10	7
8	.62	.13	.17	.20	.03	.15			.10				8
9	.03	.02	.08	.35		.30					.12		9
10	.25	.05				.05	.18	.10			(.83)	.95	10
11	.02		.02								.45	.45	11
12	.03	.38					.10	.02					12
13								.05		.25	.25	.50	13
14	.05		.23			.07		.15	.03			.30	14
15	.25	.02	.15		.10	.43		.05				.27	15
16	.15	.13	.25					.08		.32	.02	.63	16
17	.22	.50	.02			.30		.37			.20		17
18	(.28)	.02	.03			.12	.02			.10	.03	.02	18
19		.15	.15			.08	.03	.33		.20			19
20			.17		.07	.02		.05		.33	.02	.05	20
21	.02		.05		.25			.10		.40		.10	21
22		.23	.03	.10	.35	.03		.85				.18	22
23			.20			.17	.20	.60		.02	.30	.05	23
24		.02	.15			.30	.10	.15			.28	.25	24
25		.15	(.32)			.28	.05				1.15	.60	25
26		.05	.30				.10	.45		1.50			26
27		.23	.18			.50	.95			.23	.20	.50	27
28		.12				.10	.15	.15	.37	.20	.25		28
29						.20	.25	.65		.10		.02	29
30			.25			.22	.10			.60	.07	.05	30
31	.03		.20		.03		.65	.20		.20		.15	31
Total	(3.05)	2.67	(5.25)	70	1.15	3.97	3.35	6.60	.92	4.45	(4.27)	5.87	TOTAL for year 42.25
No. of Rain Days	19	21	26	4	12	23	17	23	9	13	17	26	210

RE

14 MAR 1914
FORM A2
BRITISH RAINFALL

Kept at *Hafod Llanyraf*
in the County of *Denbigh*
by *J. H. Parkin*

Pattern
RAIN GAUGE Diameter of top *5* in.
Height of top above Ground *1* ft. *4* in.
" " " Sea Level *1200* ft.
Time of Observation
Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	.02	.02	.58		.02	.18	.10					.05	2
3	.05	.02	.10		.05	.15		.85	.15			.07	3
4	.53	.02	.90	.05	.03	.12		.50	.07		.10	.08	4
5	.22	.03	.12		.10	.03		.02	.05			.15	5
6	.23	.07	.05		.10			.48					6
7	.05	.30	.08		.02	.10	.12	.20	.05			.10	7
8	.62	.13	.17	.20	.03	.15			.10				8
9	.03	.02	.08	.35		.30					.12		9
10	.25	.05				.05	.18	.10			(.83)	.95	10
11	.02		.02								.45	.45	11
12	.03	.38					.10	.02					12
13								.05		.25	.25	.50	13
14	.05		.23			.07		.15	.03			.30	14
15	.25	.02	.15		.10	.43		.05				.27	15
16	.15	.13	.25					.08		.32	.02	.63	16
17	.22	.50	.02			.30		.37			.20		17
18	(.28)	.02	.03			.12	.02			.10	.03	.02	18
19		.15	.15			.08	.03	.33		.20			19
20			.17		.07	.02		.05		.33	.02	.05	20
21	.02		.05		.25			.10		.40		.10	21
22		.23	.03	.10	.35	.03		.85				.18	22
23			.20			.17	.20	.60		.02	.30	.05	23
24		.02	.15			.30	.10	.15			.28	.25	24
25		.15	(.32)			.28	.05				1.15	.60	25
26		.05	.30				.10	.45		1.50			26
27		.23	.18			.50	.95			.23	.20	.50	27
28		.12				.10	.15	.15	.37	.20	.25		28
29						.20	.25	.65		.10		.02	29
30			.25			.22	.10			.60	.07	.05	30
31	.03		.20		.03		.65	.20		.20		.15	31
Total	(3.05)	2.67	(5.25)	70	1.15	3.97	3.35	6.60	.92	4.45	(4.27)	5.87	TOTAL for year 42.25
No. of Rain Days	19	21	26	4	12	23	17	23	9	13	17	26	210

22

only rain tabs 27-11-15

REGISTER OF RAINFALL IN 1914

490

22 JAN 1915

FORM A
BRITISH RAINFALL

Kept at *Flyod-llan-Isaf*
in the County of *Denbigh*
by *New Gauge*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						.05	.70	.40		.07		.57	1
2					.02		.80	.15		.05	.20	.48	2
3				.05	.40			.02				1.00	3
4				.20	.28		.27				.40	.52	4
5				.25	.40	.07	.08			.05	.35	.10	5
6				.05	.08	.09					.05	.28	6
7				.02	.38	.16	.20	.08			.02	.22	7
8				.23	.88	.53		.80	.10			.28	8
9				.35	.12	1.47			.05		.15		9
10				.05	.02				.10		.13		10
11				.02	.05	.48	2.20		.17		.65	.45	11
12						.02			.43		.47	.22	12
13							.02		.10	.95	.45	.15	13
14									.02	.13	.20		14
15									.13			.28	15
16							.03		.35			.10	16
17						.93	.10		.40			.85	17
18									.17	.02		.12	18
19							.25		.35		.08	.20	19
20						.45						.25	20
21										.13			21
22					.10	.05		.22					22
23				.03			.10						23
24							.30				.12		24
25				.05			.15	.23		.57	.02	.45	25
26							.20	.55		.30	.23	.30	26
27										.25	.34	.80	27
28					.05						.14	.38	28
29										.23	.32		29
30										.05	.63	.50	30
31							(.35)			.22		.02	31
Total				1.30	2.78	4.30	5.75	2.45	2.37	3.02	4.95	8.52	YEAR'S TOTAL
Rain Days.				11	12	11	15	8	12	13	19	23	

REGISTER OF RAINFALL IN 1915

Kept at *Flapod. Llan. Isay*
in the County of *Denbigh*
by *No I*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

4279
468
FORM A.
BRITISH RAINFALL
23 MAR 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	37	32			58			10	20	21		08	1
2	35	68	15	42			13	120	02	02		03	2
3		27	02	18			14					21	3
4		18			13	02						88	4
5	08	22	23	03	11		02	02	01			55	5
6	20	13	05	13			37					40	6
7	52	37	(02)	13			51	36				30	7
8	45	38						14			38		8
9	25	63		48						04	10	61	9
10	53	02		28			02	13		06	04	13	10
11	10		03	05	05		09	07			38	16	11
12	02	03		07	13			05		12	140	31	12
13	05	67			02			05	01	04	45	10	13
14	35	18		02				03	07		20	18	14
15	53				06		01	20	03		20	08	15
16	25	50			42		81	50	04			02	16
17		60			46								17
18	02	37	25				01						18
19		05	10	21	16		19						19
20	30											33	20
21	53	17			05		39					17	21
22	12	26	10			11	16			05		20	22
23		47	02	09		14	15		10	101		04	23
24			03	03					09	106	03	42	24
25						23	18		02		01	20	25
26		28					07		21			59	26
27		17					35		01	35		56	27
28		13	03			12		22		01		07	28
29					05				47		16	10	29
30	33	X		11			12		18	11	15	33	30
31	15	X		X		X	03	33	X	19	X	89	31
Total	550	705	103	223	222	62	375	340	146	226	350	794	4096
Rain Days.	20	23	12	14	12	5	19	14	14	13	12	27	185

REGISTER OF RAINFALL IN 1916

Kept at *Haydon - Harrold*
in the County of *Denbigh*
by *Gauge No. 1*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. _____ in.
" " " " Sea Level *1200* ft.

FORM A
BRITISH RAINFALL
30 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	<i>95</i>	<i>04</i>	<i>25</i>			<i>18</i>	<i>63</i>			<i>04</i>	<i>09</i>	<i>-</i>	1
2	<i>30</i>	<i>21</i>	<i>31</i>			<i>04</i>	<i>03</i>		<i>1.05</i>	<i>92</i>	<i>16</i>	<i>-</i>	2
3		<i>56</i>	<i>04</i>	<i>07</i>		<i>12</i>	<i>08</i>	<i>01</i>	<i>27</i>	<i>27</i>	<i>16</i>	<i>21</i>	3
4	<i>35</i>	<i>05</i>		<i>05</i>	<i>60</i>	<i>44</i>	<i>03</i>		<i>1.38</i> <i>1.09</i>	<i>28</i>	<i>35</i>	<i>-</i>	4
5	<i>02</i>	<i>49</i>	<i>05</i>		<i>16</i>	<i>27</i>				<i>81</i>	<i>11</i>	<i>-</i>	5
6	<i>38</i>	<i>35</i>			<i>20</i>	<i>05</i>	<i>18</i>			<i>28</i>	<i>40</i>	<i>06</i>	6
7	<i>05</i>	<i>02</i>	<i>01</i>		<i>14</i>	<i>10</i>	<i>05</i>			<i>27</i>	<i>28</i>	<i>34</i>	7
8	<i>11</i>	<i>08</i>	<i>04</i>		<i>22</i>					<i>01</i>	<i>32</i>	<i>01</i>	8
9	<i>04</i>	<i>10</i>	<i>02</i>		<i>10</i>		<i>02</i>		<i>06</i>		<i>13</i>	<i>04</i>	9
10	<i>05</i>	<i>55</i>	<i>10</i>	<i>11</i>		<i>06</i>	<i>02</i>			<i>23</i>	<i>02</i>	<i>01</i>	10
11	<i>09</i>	<i>20</i>	<i>03</i>	<i>30</i>	<i>07</i>				<i>09</i>			<i>03</i>	11
12	<i>08</i>	<i>11</i>	<i>17</i>	<i>28</i>	<i>26</i>		<i>45</i>	<i>13</i>	<i>02</i>	<i>21</i>		<i>-</i>	12
13	<i>01</i>	<i>17</i>	<i>06</i>	<i>29</i>				<i>57</i>		<i>68</i>		<i>01</i>	13
14	<i>02</i>	<i>17</i>			<i>20</i>			<i>53</i>		<i>26</i>		<i>-</i>	14
15		<i>85</i>	<i>22</i>	<i>25</i>			<i>08</i>	<i>09</i>	<i>17</i>	<i>26</i>		<i>-</i>	15
16		<i>10</i>		<i>30</i>				<i>15</i>		<i>08</i>		<i>-</i>	16
17	<i>10</i>	<i>25</i>		<i>85</i>				<i>01</i>	<i>37</i>	<i>22</i>		<i>-</i>	17
18		<i>60</i>	<i>04</i>	<i>70</i>				<i>01</i>	<i>58</i>	<i>15</i>	<i>48</i>	<i>11</i>	18
19	<i>35</i>		<i>19</i>	<i>15</i>				<i>10</i>		<i>03</i>	<i>40</i>	<i>01</i>	19
20	<i>24</i>		<i>57</i>								<i>18</i>	<i>29</i>	20
21	<i>48</i>		<i>09</i>			<i>04</i>					<i>12</i>	<i>-</i>	21
22			<i>01</i>	<i>05</i>						<i>12</i>		<i>13</i>	22
23	<i>04</i>		<i>05</i>	<i>10</i>				<i>15</i>		<i>38</i>	<i>40</i>	<i>27</i>	23
24		<i>20</i>	<i>06</i>	<i>02</i>	<i>95</i>			<i>20</i>		<i>13</i>	<i>05</i>	<i>07</i>	24
25	<i>01</i>	<i>03</i>	<i>13</i>		<i>40</i>	<i>28</i>		<i>43</i>		<i>07</i>	<i>55</i>	<i>-</i>	25
26	<i>08</i>	<i>02</i>			<i>22</i>	<i>13</i>	<i>12</i>	<i>12</i>		<i>21</i>	<i>34</i>	<i>-</i>	26
27					<i>23</i>			<i>05</i>	<i>27</i>	<i>39</i>	<i>21</i>	<i>01</i>	27
28		<i>25</i>	<i>08</i>		<i>22</i>	<i>03</i>				<i>56</i>	<i>02</i>	<i>65</i>	28
29		<i>38</i>				<i>31</i>				<i>24</i>		<i>25</i>	29
30		<i>X</i>				<i>20</i>		<i>01</i>		<i>47</i>	<i>X</i>	<i>22</i>	30
31		<i>X</i>		<i>X</i>	<i>03</i>	<i>X</i>	<i>01</i>	<i>11</i>	<i>X</i>	<i>56</i>	<i>X</i>	<i>-</i>	31
Total	<i>3.75</i>	<i>5.78</i>	<i>2.52</i>	<i>3.52</i>	<i>4.00</i>	<i>2.25</i>	<i>1.70</i>	<i>2.67</i>	<i>3.97</i>	<i>8.13</i>	<i>4.77</i>	<i>2.72</i>	YEAR'S TOTAL <i>45.78</i>
Rain Days.	<i>20</i>	<i>23</i>	<i>21</i>	<i>14</i>	<i>15</i>	<i>14</i>	<i>12</i>	<i>16</i>	<i>10</i>	<i>27</i>	<i>20</i>	<i>18</i>	<i>210</i>

REGISTER OF RAINFALL IN 1917

4633
469
FORM A.
BRITISH RAINFALL.

Kept at *Flapod-llan-isaf*
in the County of *Denbigh*
by *Burkhead* *Gauge I*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “*Rules for Rainfall Observers*,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				05		04		20	30		22	39	1
2	13		01					10		05		11	2
3	06	25		03		14		03		33	04	03	3
4			04							89			4
5	46		05	16				01	05	38	42	01	5
6	07		02			01		26		23	40	05	6
7	78									13	28	09	7
8	13			48				24	10	57	28	35	8
9			04		09			21		24	66	01	9
10	20		91	20				15		28			10
11	17			20	01			15		50	09		11
12	15			10	73				07	08		01	12
13	07			24		01		37	18	12		10	13
14	20			16	07					30		02	14
15	01			15			11	19		11		23	15
16				13				51	01	11	06	26	16
17	02		18	44	23		34	128	16	28	01		17
18			15	18	03		33	03	33				18
19		43	36			18		02	01		02		19
20		05	02		15	103	06	01	12	05	43		20
21			07						01	10	04		21
22		10				01		72	11	01	02		22
23		03			08			20		20	04	32	23
24		04	09			43		14		39	26		24
25		07	24				40	18		19	11		25
26							06	51	35	13	60		26
27			03		104	15	24	64		10	10	02	27
28			15				04	89		38	07		28
29			15					04		69			29
30		X	29					52		16	11	22	30
31		X	12	X	27	X	01	45	X		X		31
Total	245	97	292	252	270	200	159	805	180	700	426	224	3850
Rain Days.	13	7	18	15	10	9	9	26	13	27	21	17	185

REGISTER OF RAINFALL IN 1918

Kept at *Hoped. Man. isay*
in the County of *Denbigh*
by _____

No. 1 Gauge

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground *15* ft. _____ in.
" " " " Sea Level *1200* ft.

BRITISH RAINFALL
FORM A.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				25	07		02		29	04	20	03	1
2		06		03				15	13	01	05	40	2
3		09			51				59	32	07	01	3
4	03	02							21	40	78	12	4
5		09	03	14	16			29	13	66			5
6	09	51		42		09		03		37		02	6
7		03		02	16				31	08	32	04	7
8	14	37					30		26	07	07	03	8
9	15	51		14		106			70	13	01	03	9
10	11	15	02	04			25		35	16	20	04	10
11	06	11	02		10		05	01	34			06	11
12	02	28	02		15		03		10			11	12
13	04	02		03		04			44	04		09	13
14	76				01	15	32		35	02		24	14
15	19						35		116	30		31	15
16						08	26	06	17	07		43	16
17	39					40	05	01	29	16		27	17
18	47	02	04			09	05		18			45	18
19	15	02	05	11			41	01	22	08		54	19
20	50	59		28	34	06	08		43			11	20
21	28	60		22		12	08		70			19	21
22	08	05			120	07	10	01	30			50	22
23	21				91	01	21		11		02	02	23
24	13	16					33	74	03		31	22	24
25					23	06	52	36	18		04		25
26	09	08					11	11	15				26
27		27	40			11		28	22		31	89	27
28		20						01	04	01	32	39	28
29			41						44			04	29
30		X						06	19	01	01	20	30
31		X	46	X		X		05	X	02	X	06	31
Total	389	423	145	168	384	234	352	218	901	295	271	584	4364
Rain Days.	19	21	14	11	11	13	18	15	29	19	14	28	210

REGISTER OF RAINFALL IN 1919

Kept at *Glad. Llan-isaf*
in the County of *Denbigh*

by

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

3230
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.33		.06	.03	.34		.26	.03	.29	.21	.03	.15	1
2	.09		.46				.11		.16	.07	.05	.16	2
3	.01				.08	.19	.08				.08	.03	3
4		.08	.31		.04	.03	.12	.08	.10			.36	4
5	.15	.12		.04							.05	.20	5
6			.23		.02				.02			.11	6
7	.08		.13	.01								.03	7
8	.26			.03		.08					.08		8
9	.68		.04	.22							.02		9
10	.09		.29	.02		.03				.04	.12	.23	10
11	.01		.84	.10	.06		.01		.01	.38	.02		11
12			.39	.09	.01	.59			.02	.34	.19		12
13	.32			.21			.28		.01	1.01		.18	13
14	.32			.40			.18	.02		.35		.02	14
15	.36	.01		.31	.25					.27		.47	15
16	.12	.56	.02	.01		.03					.37	.01	16
17	.03	.37	.03			.05	.02	.17			.32		17
18	.04		.88				.10	.78	.47		.02	.14	18
19	.01	.30	.34			.22		.20	.14		.27	.11	19
20	.14	.06	.16			.15			.27		.04	.46	20
21	.02	.33					.27		.01		.01	.14	21
22		.31				.01	.07	.12	1.15		.16	2.04	22
23				.07		.16				1.03		.19	23
24	.01			.08	.15	.04			.02	1.20	.27		24
25	.15			.47		.01		.16	.03		.17		25
26	.07	.13	.09	.26		.07		.26		.04	.03	.56	26
27	.42		.20	.43				.08	.41		.03		27
28	.02		.05	.09				1.45		.06			28
29			.02	.20		.19		.07		.15		.46	29
30	.02	X	.13	.20		.18					.17	.44	30
31		X	.28	X		X	.01	.14	X		X	.15	31
Total	3.75	2.27	5.25	3.27	.95	2.03	1.51	3.56	3.11	5.15	2.50	6.64	39.69
Rain Days	24	10	20	20	8	16	12	13	15	13	21	22	194

REGISTER OF RAINFALL IN 1920

Kept *at Flapod. Clam. isop*
in the County of *Denbighshire*
by *No I*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2		05	13	35	35		54		20	14	01	07	2
3	03	05		25	02		05	16		11		18	3
4		10		02	13		51	02	02	20		04	4
5			04		01		40	67	20	35	01		5
6					13		10	37	42	13			6
7			43	08	02		03					08	7
8	13	12	05	02			17		01		01		8
9	34	01	02	33	11		26	18			01	03	9
10	28	37	02	60			14	27			01	03	10
11	(71)	1.22				02	10					06	11
12	28	01	17	21	18	28		05					12
13	19	06	09	20		+	09	10	05		15	06	13
14	18	24	07	14		1.11	01				38		14
15			78	14		28	03		88	12	70		15
16	01	17		43		04				16	02		16
17			05	24	25	03	32		14	26			17
18			01	19	18	02		03	24				18
19	42			10	30	04		23	22				19
20		1.12		08		11		25					20
21	12	03		24		01	08	02	35			01	21
22	01			01			50	11				27	22
23	11			06		03	36	41				10	23
24	08		06				29	01				32	24
25	02		55	07			42	03				43	25
26	05	08	35	12	10	03	70						26
27	10	24	38	35	07	+	34		02		06	09	27
28	41	01	1.00	14	20	30	01				02		28
29	42	01	34	28	01	04	01					30	29
30	20	02	12	35	35	02	(63)				20	53	30
31	19		49	23	15	05			35		06	32	31
	21		03		01		02	04		39		02	
TOTAL	(4.55)						(6.11)						YEAR'S TOTAL
Days with 01 in. or more	22	18	21	26	18	18	25	17	13	9	13	20	220
Days with 04 in. or more	18	12	17	23	13	11	19	12	10	9	6	16	166

SL
S. 12

F

4299

Kept at *Hayod-y-l*

in the County of *2*

by *gt Pa*

HAFOD

LAN - ISAF

N^o 2.

1911 - 1920

780813

511
26 JAN 1912
BRITISH RAINFALL
FORM A2.

in.
Ground ft. in.
Sea Level ft.

Name
Distance Direction

191224

IMPORTANT NO

previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					1.00			.17		.02	.22	.25	1
2					.275		.05	.08				.30	2
3					1.000		.02	.05	.10	.43	.25	.27	3
4					.375			1.80	.05		.30	.28	4
5										.02	.30		5
6								.62			.63	.32	6
7											.45		7
8				.125							.42	.43	8
9											.75	.60	9
10											.03	.60	10
11											.02	.25	11
12									1.57		.20	.02	12
13								.32			.25	.03	13
14											.30	.25	14
15										.05	.28	.02	15
16						.625					.25	.28	16
17						.550					.47	.20	17
18				.175				.05		.03	.15	.85	18
19				.550	.275	.15			.43		.43	.85	19
20				.400	.025	.07	.95	.10	.12			.10	20
21				.050		.08					.20	.02	21
22				.025	.225	.02				.75	.05	.18	22
23					.075		.03			.37		.50	23
24								.15	.30			.35	24
25				.275	1.875	.18	.62	.28				.12	25
26				.100	.050				.18	.10	.05		26
27				.550		.07	.77	.95		.10	.05		27
28				.050	.100		.07					.03	28
29					.025	.93	.03	(50)	.90		.15		29
30					.150				.37	.05	.02		30
31					.60	.03			.13				31
Total	1.45	3.70	1.75	2.30	2.35	3.975	1.42	5.12	3.97	3.95	6.20	7.37	TOTAL for year
No. of Rain Days			10	5	11	10	16	8	14	23	28		

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL
26 JAN 1912

Kept at *Glad-y-clan-Isaf*
in the County of *Denbigh*
by *J. H. Parkin*

Pattern
RAIN Gauge Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.
Time of Observation
Nearest Railway Station { Name
Distance Direction

1912 24

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					1.00			17		02	22	25	1
2					275		05	08				30	2
3					1.000		02	05	10	43	25	27	3
4					375			1.80	05		30	28	4
5										02	30		5
6								62			63	32	6
7											45		7
8				125							42	43	8
9											75	60	9
10											03	60	10
11											02	25	11
12									1.57		20	02	12
13								32			25	03	13
14											30	25	14
15										05	25	02	15
16						625					25	28	16
17						550					47	20	17
18				175				05		03	15	85	18
19				550		275	15		43		43	85	19
20				400		025	07	95	10	12		10	20
21				050			08				20	02	21
22				025		225	02			75	05	18	22
23						075		03		37		50	23
24								15	30		36		24
25				275		1.875		18	62	28		12	25
26				100		050				18	10	05	26
27				550			07	77	95		10	05	27
28				050		100		07				03	28
29						025	93	03	(50)	90		15	29
30						150				37	05	02	30
31					60		03			13			31
Total	1.45	3.70	1.75	2.30	2.35	3.975	1.42	5.12	3.97	3.95	6.20	7.37	TOTAL for year
No. of Rain Days			10	5	11	10	16	8	14	23	28		445

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
25 JAN 1913

Kept at Llandudno
in the County of Denbigh
by J. H. Parkin

RAIN GAUGE { Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.47			.07	.25	.20	.10			.35	1
2	.02	.02	.58		.02	.18	.10	—				.05	2
3	.05	.03	.10		.05	.15	—	.85	.15			.07	3
4	.53	.02	.90	.05	.03	.12	—	.80	.07		.10	.08	4
5	.22	.03	.12		.10	.03	—	.02	.05			.15	5
6	.23	.07	.05		.10	—	—	.48					6
7	.05	.30	.08		.02	.10	.12	.20	.05			.10	7
8	.62	.13	.17	.20	.03	.15	—	—	.10				8
9	.03	.02	.08	.35		.30	—	—			.12		9
10	.25	.05				.05	—	.10			(.83)	.95	10
11	.02	.38	.02			—	.18	—			.10	.95	11
12	.03					—	—	.02			.45	.45	12
13						—	.10	.05		.25	.25	.50	13
14	.05		.23			.07	—	.15	.03			.30	14
15	.25	.02	.15		.10	.43	—	.05				.27	15
16	.15	.13	.25			—	—	.08		.32	.02	.40	16
17	.22	.50	.02			.30	—	.37			.20	.20	17
18	.22	.02	.03			.12	.02	—		.10	.03	.02	18
19	(.28)	.15	.15			.08	.03	.33		.20			19
20			.17		.07	.02	—	.05		.33	.02	.05	20
21	.02		.05		.25	—	—	.10		.40		.10	21
22		.23	.03	.10	.35	.03	—	.25				.18	22
23			.20			.17	.20	.10		.02	.30	.05	23
24		.02	.15			.30	.10	.15			.28	.25	24
25		.15	(.32)			.28	.05	—			1.15	.60	25
26		.05	.30			—	.10	.45		1.50			26
27		.23	.18			.50	.45	—		.23	.20	.50	27
28		.12				.10	.15	.15	.37	.20	.25		28
29						.20	.25	.65		.10		.02	29
30			.25			.22	(.65)	—		.60	.07	.05	30
31	.03		.20		.03		(.10)	.20		.20		.15	31
Total	(3.05)	2.67	(5.25)	.70	1.15	3.97	3.35	6.60	.92	4.45	(4.27)	5.87	TOTAL for year 42.20
No. of Rain Days.	18	21	26	4	12				8	13	16	25	42.25
W. 8,000, X. '11.	14					23	17	23	9		17	26	

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL.

Kept at *Hafod Haf Isaf*
in the County of *Denbighshire*
by *Birkenhead Corporation*

Pattern
RAIN GAUGE Diameter of top *5* in.
Height of top above Ground *1* ft. *2* in.
" " " Sea Level *1200* ft.
Time of Observation
Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	<i>.10</i>	<i>.15</i>	<i>.70</i>	<i>.10</i>	<i>.20</i>	<i>.10</i>					<i>.28</i>	<i>.15</i>	2
3	<i>.15</i>	<i>.07</i>	<i>.32</i>		<i>.55</i>				<i>.02</i>			<i>.55</i>	3
4	<i>.30</i>	<i>.23</i>	<i>.20</i>		<i>.32</i>	<i>.02</i>				<i>.13</i>	<i>.05</i>	<i>.37</i>	4
5	<i>.25</i>	<i>.05</i>	<i>.08</i>			<i>.58</i>	<i>.25</i>			<i>.90</i>	<i>.02</i>	<i>.03</i>	5
6	<i>.30</i>	<i>.15</i>	<i>.40</i>		<i>.08</i>	<i>.02</i>	<i>.25</i>			<i>.07</i>		<i>.17</i>	6
7	<i>.10</i>	<i>.87</i>	<i>.02</i>		<i>.35</i>	<i>.30</i>	<i>.25</i>			<i>.38</i>	<i>.08</i>		7
8		<i>.38</i>			<i>.20</i>		<i>.20</i>	<i>.10</i>	<i>.03</i>	<i>.90</i>	<i>.02</i>	<i>.05</i>	8
9		<i>.15</i>	<i>.10</i>	<i>.20</i>	<i>.10</i>	<i>.88</i>	<i>.25</i>		<i>.10</i>		<i>.08</i>	<i>.15</i>	9
10			<i>.05</i>	<i>.02</i>	<i>.05</i>	<i>.02</i>		<i>.40</i>			<i>.07</i>		10
11	<i>.37</i>			<i>.55</i>	<i>.05</i>	<i>.08</i>	<i>.02</i>			<i>.05</i>	<i>.25</i>	<i>.05</i>	11
12				<i>.05</i>	<i>.05</i>	<i>.20</i>			<i>1.20</i>		<i>1.08</i>		12
13			<i>.45</i>					<i>.10</i>	<i>.22</i>	<i>.05</i>	<i>.70</i>		13
14	<i>.13</i>		<i>.35</i>	<i>.35</i>				<i>.10</i>		<i>.30</i>	<i>.35</i>		14
15	<i>.10</i>		<i>(.68)</i>	<i>.72</i>			<i>.03</i>				<i>.30</i>	<i>.05</i>	15
16	<i>.10</i>		<i>.02</i>	<i>.28</i>				<i>.20</i>			<i>.17</i>		16
17	<i>.15</i>		<i>.20</i>	<i>.18</i>							<i>.38</i>		17
18	<i>.05</i>		<i>.40</i>	<i>.25</i>	<i>.15</i>		<i>.05</i>				<i>.10</i>		18
19	<i>.15</i>		<i>.13</i>			<i>.05</i>			<i>.03</i>	<i>.25</i>	<i>.07</i>		19
20	<i>.15</i>		<i>.32</i>	<i>.05</i>		<i>.05</i>			<i>.05</i>	<i>.15</i>	<i>.53</i>		20
21			<i>.10</i>	<i>.20</i>	<i>.25</i>	<i>.10</i>	<i>.25</i>	<i>.30</i>		<i>.05</i>			21
22	<i>.50</i>		<i>.73</i>			<i>.25</i>		<i>.20</i>	<i>.35</i>				22
23	<i>.20</i>					<i>.10</i>		<i>.80</i>	<i>.18</i>		<i>.15</i>	<i>.03</i>	23
24	<i>.20</i>			<i>.02</i>				<i>.10</i>		<i>.02</i>	<i>.05</i>	<i>.02</i>	24
25		<i>.02</i>		<i>.40</i>		<i>.15</i>			<i>.20</i>		<i>.02</i>	<i>.48</i>	25
26				<i>1.17</i>					<i>.32</i>			<i>.45</i>	26
27	<i>.15</i>			<i>.73</i>						<i>.48</i>		<i>.25</i>	27
28	<i>.10</i>		<i>.10</i>	<i>.05</i>						<i>.45</i>		<i>.45</i>	28
29			<i>.50</i>	<i>.13</i>	<i>.05</i>					<i>.35</i>	<i>.10</i>		29
30	<i>.55</i>		<i>.03</i>							<i>.20</i>	<i>.03</i>		30
31	<i>.20</i>				<i>.02</i>					<i>.05</i>			31
Total	<i>4.30</i>	<i>2.32</i>	<i>(6.00)</i>	<i>5.60</i>	<i>2.47</i>	<i>2.90</i>	<i>1.55</i>	<i>2.30</i>	<i>2.70</i>	<i>4.75</i>	<i>5.00</i>	<i>3.25</i>	TOTAL for year <i>43.14</i>
No. of Rain Days	<i>23</i>	<i>10</i>	<i>22</i>	<i>19</i>	<i>16</i>	<i>15</i>	<i>9</i>	<i>9</i>	<i>11</i>	<i>18</i>	<i>23</i>	<i>15</i>	<i>190</i>

REGISTER OF RAINFALL IN 1913

Kept at *Liford - Llan - Bay*
in the County of *Donegal*
by *Birkenhead Corporation*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level *1200* ft.

BRITISH RAINFALL
FORM A.
8- JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.00	0.25	0.12	0.15	0.05	0.00	0.00	0.00	0.00	0.02	0.12	0.00	1
2	0.10	0.15	0.70	0.10	0.20	0.10	0.00	0.00	0.00	0.00	0.28	0.15	2
3	0.15	0.07	0.32	0.00	0.55	0.00	0.00	0.00	0.02	0.00	0.00	0.55	3
4	0.30	0.23	0.20	0.00	0.02	0.02	0.00	0.00	0.00	0.13	0.05	0.37	4
5	0.25	0.05	0.08	0.00	0.32	0.58	0.25	0.00	0.00	0.90	0.02	0.03	5
6	0.30	0.15	0.40	0.00	0.08	0.02	0.25	0.00	0.00	0.07	0.00	0.17	6
7	0.10	0.87	0.02	0.00	0.35	0.30	0.25	0.00	0.00	0.33	0.08	0.00	7
8	0.00	0.38	0.00	0.00	0.20	0.00	0.20	0.10	0.03	0.90	0.02	0.05	8
9	0.00	0.15	0.10	0.20	0.10	0.88	0.25	0.00	0.10	0.00	0.08	0.15	9
10	0.02	0.00	0.05	0.02	0.05	0.02	0.00	0.40	0.00	0.00	0.07	0.00	10
11	0.37	0.00	0.00	0.55	0.06	0.08	0.02	0.00	0.00	0.05	0.25	0.05	11
12	0.22	0.00	0.00	0.05	0.05	0.20	0.00	0.00	1.20	0.00	1.08	0.00	12
13	0.00	0.00	0.45	0.00	0.00	0.00	0.00	0.10	0.22	0.05	0.70	0.00	13
14	0.13	0.00	0.35	0.35	0.00	0.00	0.00	0.10	0.00	0.30	0.35	0.00	14
15	0.10	0.00	0.68	0.72	0.00	0.00	0.03	0.00	0.00	0.00	0.30	0.05	15
16	0.10	0.00	0.02	0.28	0.00	0.00	0.00	0.20	0.00	0.00	0.17	0.00	16
17	0.15	0.00	0.20	0.18	0.00	0.00	0.00	0.00	0.00	0.00	0.38	0.00	17
18	0.05	0.00	0.40	0.25	0.15	0.00	0.05	0.00	0.00	0.00	0.10	0.00	18
19	0.15	0.00	0.13	0.00	0.00	0.05	0.00	0.00	0.03	0.25	0.07	0.00	19
20	0.15	0.00	0.32	0.05	0.00	0.05	0.00	0.00	0.05	0.15	0.53	0.00	20
21	0.00	0.00	0.10	0.20	0.25	0.10	0.25	0.30	0.00	0.05	0.00	0.00	21
22	0.50	0.00	0.73	0.00	0.00	0.25	0.00	0.20	0.35	0.00	0.00	0.00	22
23	0.20	0.00	0.00	0.00	0.00	0.10	0.00	0.80	0.18	0.00	0.15	0.03	23
24	0.20	0.00	0.00	0.02	0.00	0.00	0.00	0.10	0.00	0.02	0.05	0.02	24
25	0.00	0.02	0.00	0.40	0.00	0.15	0.00	0.00	0.20	0.00	0.02	0.48	25
26	0.00	0.00	0.00	1.17	0.00	0.00	0.00	0.00	0.32	0.00	0.00	0.45	26
27	0.15	0.00	0.00	0.73	0.00	0.00	0.00	0.00	0.00	0.48	0.00	0.25	27
28	0.10	0.00	0.10	0.05	0.00	0.00	0.00	0.00	0.00	0.45	0.00	0.45	28
29	0.00		0.50	0.13	0.05	0.00	0.00	0.00	0.00	0.35	0.10	0.00	29
30	0.55		0.23	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.03	0.00	30
31	0.20		0.00		0.02		0.00	0.00		0.05		0.00	31
Total	4.30	2.32	6.00	5.60	2.47	2.90	1.55	2.30	2.70	4.75	5.00	3.25	43.14
Rain Days.	23	10	22	19	16	15	9	9	11	18	23	15	189

490
22 JAN 1915
FORM A.
BRITISH RAINFALL

Kept at *Flafod-llan-isaf*
in the County of *Denbigh*
by *Gauge moved April*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.05	17			.05	62	.45		.07		.47	1
2	.12	.05			.02		.73	.15		.05	.20	.63	2
3			.30	.05	.40							1.17	3
4	.50		.20	.20	.28		.30				.40	.43	4
5	.08		.55	.25	.40	.04	.07			.05	.30	.15	5
6	.27	.12	.05	.05	.08	.08					.10	.32	6
7	.03	.23	.25	.02	.38	.15	.18	.12				.23	7
8	.10			.23	.88	.58		.53	.10			.20	8
9	.42	.07	.08	.35	.12	1.47			.02		.11		9
10		.30	.10	.05	.02				.10		.29		10
11		.18	.32	.02	.05	.55	2.32		.20		.50	.30	11
12		.60	.13			.03			.43		.52	.22	12
13		.06	.25				.03		.10	.93	.45	.13	13
14		1.14	.07						.02	.12	.18		14
15		.02	.40						.13			.30	15
16			.10				.07		.40			.07	16
17	.08	.43	.18			.97	.08		.40			.88	17
18			.50						.17	.03		.12	18
19			.07				.20		.30		.05	.18	19
20		.47	.55			.43						.35	20
21		.25	.03							.12			21
22		.48	.15		.10	.15		.25					22
23			.03				.05						23
24	.30						.30				.12		24
25	.35		.05				.20	.27		.60	.03	.52	25
26	.10						.20	.45		.30	.25	.28	26
27	.15									.29	.35	1.05	27
28	.37	.05	.02		.05						.15	.40	28
29	.43		.08							.34	.35		29
30	.20		.20							.04	.60	.62	30
31	.70		.05				.37			.16		.05	31
Total	4.20	4.50	4.80	(1.30)	(2.78)	4.50	5.72	2.22	2.37	3.10	4.95	9.07	49.51
Rain Days.	16	16	24	11	12	11	15	7	12	13	18	20	(178)

REGISTER OF RAINFALL IN 1915

Kept at Flapod. Llan. Isaf
in the County of Denbigh
by J. H. Parkin No 2

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
23 MAR 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.37	.27			.56			.10	.20	.20		.08	1
2	.31	.58	.13	.40			.12	1.22	.01	.02		.03	2
3		.15	.02	.17			.13					.20	3
4		.20			.16	.02						.89	4
5	.02	.17	.17	.03	.13		(.86) .30	.03				.52	5
6	.21	.13	.08	.12			.39		.01			.36	6
7	.49	.35	.02	.13			.56	.35				.34	7
8	.45	.30						.15			.38		8
9	.32	.35		.50						.04	.10	.58	9
10	.53	.02		.28			.02	.10		.07	.04	.15	10
11	.07		.03	.05	.04		.09	.07			.38	.17	11
12	.03	.03		.05	.20			.03		.10	1.55	.33	12
13	.05	.65			.01			.05	.01	.03	.37	.07	13
14	(.35) .60	.15		.02				.02	.07	.01	.18	.18	14
15					.07		.01	.18	.03		.20	.10	15
16	.25	.42			.48		.76	.50	.03			.02	16
17		.58			.50								17
18	.02	.35	.17				.01						18
19		.02	.08	.16	.15		.27						19
20	.29											.26	20
21	.54	.18			.10		.43					.17	21
22	.10	.22	.07			.11	.12			.03		.17	22
23		.25	.03	.04		.14	.18		.13	.80		.03	23
24			.03	.10					.06	.27	.03	.40	24
25					.23	.12		.02			.01	.22	25
26		.23					.05		.18			.72	26
27		.15					.33		.02	.37		.46	27
28		.10	.02			.11		.20		.01		.10	28
29					.05				.47			.05	29
30	.27	X		.12			.15		.16	.15	.39 .08	.30	30
31	.13	X		X		X	.05	.35	X	.22	X	.44	31
Total	5.40	5.85	.85	2.17	2.45	.61	3.85	3.35	1.40	2.32	3.63	7.34	39.22
Rain Days.	20	23	12	14	12	5	19	14	14	14	12	27	186
YEAR'S TOTAL													

REGISTER OF RAINFALL IN 1916

Kept at Hafod-llan-isaf
in the County of Denbigh
by Gauge No 2

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 1200 ft.

FORM A.
BRITISH RAINFALL.
30 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	87	03	20			20	63			04	10		1
2	35	20	25			05	02		1.05	91	17		2
3		42	05	07		10	12	02	45	23	15	20	3
4	20	05		05	54	41	03		1.54 1.09	39	38		4
5	02	45	04		18	24				85	15		5
6	28	30	04		18	06	17			25	33	06	6
7	05	02	01		16	11	05			28	31	34	7
8	13	09	05		19					01	34	02	8
9	01	09	06		15		02		07		13	05	9
10	09	50	08	11		03	01			17	03	01	10
11	08	25	02	19	04	02	02		04			03	11
12	07	13	05	35	26		43	13	05	17			12
13	01	12	07	27				59		70		01	13
14	04	12			20			61		28			14
15		68	28	19			07	06	15	27			15
16		13		27				19		08			16
17	08	14		82				01	40	22			17
18		1.00	04	61				02	60	16	36	07	18
19	22		19	07				12		02	21	01	19
20	20		52			02					07	24	20
21	42		05			08					17		21
22			04	05						05		11	22
23	02		04	05		03		14		40	27	22	23
24		38	04	10	90			18		15	02	06	24
25			11		45	20		39		07	63		25
26	06	02			30	16	17	12		20	28		26
27		03			21			01	26	55	20	01	27
28		27	01		20	03				50	03	64	28
29		35				31				12		22	29
30		X			01	20		06		73		20	30
31		X		X	08	X	05	05	X	55	X		31
Total	3.20	5.77	2.24	3.20	4.05	2.25	1.79	2.70	4.16	8.35	4.33	2.50	44.54
Rain Days.	19	23	22	14	16	17	13	16	10	27	20	18	215

REGISTER OF RAINFALL IN 1917

4034
4409
FORM A.
BRITISH RAINFALL.

Kept at *Hayod. Man. way* No. *II*

in the County of *Denbigh*

by *Burkhead Corporation* Gauge *II*

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				0.8		0.4		20	30		22	50	1
2	09		01					06		05		16	2
3	05	15		03		13		04		25	05	03	3
4			13							(90)			4
5	48		16	12				02	05	40	38	01	5
6	08		25			02		32		10	40	03	6
7	80									24	30	08	7
8	04			49				16	10	50	23	35	8
9			06		10			27		21	64	01	9
10	18		87	18				16		24			10
11	18			23	01			15		40	09		11
12	15			05	82				10	16		01	12
13	05			25		01		39	19	09		08	13
14	07			09	07					18		02	14
15	01			16			11	18		07		18	15
16				12				50	02	01	05	20	16
17	04		22	48	25		34	1.32	24		01		17
18			10	28	02		35	03	32	54			18
19		51	32			20		02	03		02		19
20		04			19	1.00	06	01	19	02	41		20
21			11						01	08	05		21
22		05				01		67	09	02	03		22
23		07			11			16		02	01	34	23
24		03	12			44		20		57	31		24
25		07	23				50	14		14	11		25
26							02	55	36	15	54		26
27			05		1.06	17	30	86		08	09	02	27
28			05				01	94		37	05		28
29			22					05		70			29
30		X	23					54		11	13	36	30
31		X	18	X	19	X	01	48	X		X	02	31
Total	2.22	92	3.31	2.56	2.82	2.02	1.70	8.42	2.00	6.60	4.12	2.40	39.09
Rain Days.	13	7	17	15	10	9	9	26	13	27	21	17	184
YEAR'S TOTAL													

REGISTER OF RAINFALL IN 1918

Kept at *Hafod-llan-isaf*
in the County of *Denbigh*
by *No 2 Gauge*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *2* in.
" " " " Sea Level *1200* ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				25	08		02		27	09	27	03	1
2		04		03				14	11	01	04	34	2
3		08			60				64	26	06	01	3
4	03	02							26	41	64	09	4
5		11	06	17	21			31	17	58			5
6	08	50		45		11		02		28		04	6
7		05		04	17				27	12	25	04	7
8	27	46					36		23	08	07	01	8
9	10	51		19		1.01			75	14	01	09	9
10	02	13	02	03			24		36	09	19	03	10
11	07	10	01		12		03	01	34			12	11
12	02	30	02		16		02		09			03	12
13	06	03		03		04			41	02		04	13
14	65				01	17	25		40	04		40	14
15	18						40		1.18	26		30	15
16						07	24	07	14	10		51	16
17	36					40	04	01	33	24		31	17
18	49	02	05			09	05		16			41	18
19	13	02	04	15			45	01	25	03		71	19
20	37	45		26	29	08	06		42			18	20
21	23	56		13		08	07		60			17	21
22	07	02			1.27	09	08		27			46	22
23	14				88	01	20		15		02	05	23
24	07	16					26	83	05		34	19	24
25					11	05	63	36	20		03		25
26	04	01					15	16	21				26
27		34	36			09		36	17		30	92	27
28		17						01	02	01	30	35	28
29			43						40			04	29
30		X						05	20	01	01	21	30
31		X		X		X		03	X	03	X	06	31
Total	3.40	4.08	1.40	1.73	3.90	2.29	3.58	2.37	9.05	2.80	2.53	6.14	43.27
Rain Days.	19	21	19	11	11	13	18	14	29	19	14	28	206

REGISTER OF RAINFALL IN 1919

3831
FORM A.
BRITISH RAINFALL

Kept at *Lafod. llan-isaf*
in the County of *Denbigh*
by *No 2 Gauge*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	25		05	03	34		46	03	30	28	02	30	1
2	11		33				09		14	08	05	16	2
3	01				08	23	10				07	03	3
4		10	36		04	03	14	08	10			37	4
5	13	16		03							03	23	5
6			31		04				01			26	6
7	17		16	01								03	7
8	23			02		14					08		8
9	68		15	22							03		9
10	06		47	03		04				04	10	21	10
11	01		98	10	10		10		01	35	04		11
12			26	11	01	51			07	50	16		12
13	31			21			31		01	103		14	13
14	34			40			08	02		37		02	14
15	35	01		52	25					34		54	15
16	12	56	05	01		06					42	01	16
17	02	19	04			06	04	21			60		17
18	03		89				07	81	56		10	14	18
19	03	38	38			18		19	18		30	12	19
20	14	05	23			17			34		05	43	20
21	04	38					26		01		01	13	21
22		32				01	07	08	142		14	192	22
23				03		24				99		17	23
24	01			12	26	03			02	95	30		24
25	14			54		01		35	18		20		25
26	10	12	26	20		10		31		04	03	75	26
27	40		18	50				07	42		02		27
28	01		15	04				110		03			28
29			09	24		11		36		20		63	29
30	02	X	16	21		35					29	53	30
31		X	45	X		X	01	11	X		X	03	31
Total	3.71	2.27	6.45	3.57	1.12	2.27	1.73	3.72	3.77	5.20	3.04	7.15	43.50
Rain Days	24	10	20	20	8	16	12	13	15	13	21	25	197

REGISTER OF RAINFALL IN 1920

Kept at Hazel-Claw-isap
in the County of Denbighshire
by No. 2

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2		05	13	48	39		53		19	17	03	15	2
3	03	13		21	01		05	20		14		19	3
4		11		02	16		53	03	02	21		02	4
5			04		01		44	55	22	39	01		5
6					13		10	45	37	15			6
7			66	12	07		02					06	7
8	11	11	06	04			23		01		01		8
9	38	01	04	44	11		26	22		01	04		9
10	46	64	02	66			17	40		01	03		10
11	92	155				02	10				08		11
12	32	01	19	35	33	36		05					12
13	18	13	06	22		14	10	05		14	03		13
14	20	20	25	19		127	01			44			14
15			80	32		25	04		92	22	74		15
16	06	20		34		05				08	03		16
17			11	22	24	06	45		16	23			17
18			01	18	28	05		04	30				18
19	59			19	37	04		26	23				19
20		95		14		12		23					20
21	13	23		42		01	08	03	37			12	21
22	01			01			53	11				37	22
23	08			02		04	57	48				13	23
24	08		03				35	01				33	24
25	09		53	10			38	02				45	25
26	11	13	27	16	20	03	90						26
27	10	23	65	47	15	30			02		08	10	27
28	40	02	85	67	33	40	09				06		28
29	50	01	50	38	01	05	02					32	29
30	13	02	17	25	28	06	57				19	88	30
31	19		63	20	20	04			49		27	17	31
	23		20		01		04	07		68		02	
TOTAL	5.25	4.73	6.20	6.80	3.28	2.85	6.92	3.25	3.35	2.27	2.02	3.49	YEAR'S TOTAL
Days with .01 in. or more	22	18	21	26	18	18	25	17	13	9	13	20	220
Days with .04 in. or more	19	13	18	23	14	15	22	13	10	9	7	16	178

REGIS

Kept at Cerrig-y-Druidion
in the County of Denbigh
by _____

4300.

HAFOD LLAN - ISAF

No 3.

1916-20

FORM A.
BRITISH RAINFALL.
11 JUN 1917

ge _____ in.
round _____ ft. _____ in.
sea Level _____ ft.
e result entered to the
al rule, he is earnestly
in the space provided

IMPORTANT NOTE
previous day. If an Observer
requested to add the reading
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1										.04	.09		1
2									.04	.95	.18		2
3									.23	.25	.13	.15	3
4									.38	.28	.39		4
5										.79	.11		5
6										.23	.36	.06	6
7										.21	.31	.33	7
8										.02	.32	.01	8
9									.08		.09	.04	9
10										.20	.02	.01	10
11									.03			.02	11
12									.03	.08			12
13										.55		.01	13
14										.17			14
15									.12	.23			15
16										.08			16
17									.32	.17			17
18									.57	.18	.35	.07	18
19										.04	.15	.01	19
20											.16	.23	20
21											.16		21
22										.06		.16	22
23										.42	.21	.13	23
24										.15	.02	.05	24
25										.08	.55		25
26										.17	.27		26
27									.23	.59	.28	.01	27
28										.51	.01	.60	28
29										.13		.23	29
30		X								.49		.10	30
31		X		X		X			X	.49	X		31
Total									3.80	7.56	4.16	2.22	YEAR'S TOTAL
Rain Days.									10	27	20	18	

REGIS

Kept at *Cerrigy Drindion Hafod-blauiaf No 3*
in the County of *Denbigh*
by _____

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL.
11 JUN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “*Rules for Rainfall Observers*,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1										.04	.09		1
2									1.04	.95	.18		2
3									~~.23~~	.25	.13	.15	3
4									1.38	.28	.39		4
5									~~.05~~	.79	.11		5
6										.23	.36	.06	6
7										.21	.31	.33	7
8										.02	.32	.01	8
9									.08		.09	.04	9
10										.20	.02	.01	10
11									.03			.02	11
12									.03	.08			12
13										.55		.01	13
14										.17			14
15									.12	.23			15
16										.08			16
17									.32	.17			17
18									.57	.18	.35	.07	18
19										.04	.15	.01	19
20											.16	.23	20
21											.16		21
22										.06		.16	22
23										.42	.21	.13	23
24										.15	.02	.05	24
25										.08	.55		25
26										.17	.27		26
27									.23	.59	.28	.01	27
28										.51	.01	.60	28
29										.13		.23	29
30		X								.49		.10	30
31		X		X		X			X	.49	X		31
Total									3.80	7.56	4.16	2.22	YEAR'S TOTAL
Rain Days.									10	27	20	18	

REGISTER OF RAINFALL IN 1917

Kept at Flapod-llan-isaf No III
in the County of Denbigh
by B. Roberts & Co. Ltd. Gauge III

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				06		04	-	20	25		22	38	1
2	07		01					08		05		05	2
3	04	15		03		09		04		32	04	04	3
4			05							73			4
5	40		08	09				01	05	40	29	01	5
6	09		05			01		30		20	40	02	6
7	33			} 29						10	30	08	7
8	02						17	08	46	20	30		8
9			02		10			32		19	57	02	9
10	25		90	09				14		27			10
11	17			17	01			07		38	12		11
12	10			02	84				07	15		01	12
13	04			22		01		37	15	20		05	13
14	09			06	05					16		02	14
15	01			12			11	20		10		17	15
16				13				52	01	01	04	19	16
17	01		19	42	25		35	129	25	} 43	01		17
18			08	12	03		24	03	23				
19		45	04			15		01	01		01		19
20		03	21		19	100	06	01	13	02	34		20
21			05						01	01	03		21
22		05				01		74	09	01	01		22
23		07			10			15		11	02	26	23
24		03	07			42		17		34	13		24
25		06	23				44	20		14	19		25
26	01						05	58	31	07	36		26
27			01		103	17	23	76		05	06	02	27
28			09				02	84		36	01		28
29			08					05		66			29
30		X	17					55		14	08	} 24	30
31		X	10	X	16	X	02	45	X		X		02
Total	163	84	243	182	276	190	152	825	164	606	343	188	3416?
Rain Days.	14	7	18	15	10	9	9	26	13	27	21	17	186

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

Kept at *Ffynod-llan-isaf*
in the County of *Denbigh*
by *No 3 Gauge*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				25	08		02		28	04	32	01	1
2		04		03				15	10	01	02	36	2
3		09			63				64	23	} 82		3
4	02	01							26	48		11	4
5		11	05	15	17			32	17	56			5
6	07	37		41		10		02		30		03	6
7		02		02	17				29	06	31	04	7
8	06	40					36		20	09	08	01	8
9	13	40		19		1.00			76	10		07	9
10	10	05	01	04			24		35	10	19	04	10
11	06	11	01		21		02		35			09	11
12	01	33	02		04		02		08			02	12
13	01	01		05		04			42	02		18	13
14	58				02	14	29		38	01		26	14
15	11						40		1.18	26		28	15
16						06	23	03	16	08		48	16
17	35					41	05	01	30	22		37	17
18	52	02	03			08	06		17			35	18
19	14	01	05	08			44		22	02		57	19
20	38	55		25	29	07	06		40			14	20
21	26	41		27		06	07		68			20	21
22	09	01				(1.19) 69	09		29			43	22
23	01					(.88) 88		21	14		02	04	23
24	12	13					27	87	03		31	14	24
25					20	05	61	36	16		03		25
26	05	04					13	10	18				26
27		19	37			08		36	14		28	} 91	27
28		02							01		30	30	28
29			} 42						41			06	29
30		X						04	19	01	01	18	30
31		X		X		X		03	X	03	X	07	31
Total	3.07	3.32	1.38	1.74	(3.88)	2.18	3.56	2.29	8.94	2.62	2.69	5.74	(44.41)
Rain Days.	19	21	16	11	11	12	18	11	29	18	13	28	202 1918

REGISTER OF RAINFALL IN 1919

Kept at *Ffynod-llan-isaf*
in the County of *Denbigh*
by *No 3. Gauge*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	28		05	03	30		46	03	30	29	02	33	1
2	10		31				09		16	07	05	15	2
3	01				10	22	10				07	02	3
4		09	38		04	02	15	05	10			30	4
5	13	13		04					01		04	22	5
6			26		02				01			25	6
7	16		16	01								03	7
8	26			02		08					07		8
9	57		18	22							06		9
10	06		49	02		03				04	07	26	10
11	01		74	10	10		02		01	32	04		11
12			49	10	01	45			02	42	13		12
13	35			21			25		01	98		13	13
14	33			37			13	02		38		01	14
15	37	01		44	23					29		53	15
16	10	46	06	01		02					47	01	16
17	02	27	04			05	10	17			58		17
18	03		94				12	84	53		03	13	18
19	02	37	37			19		19	13		29	11	19
20	13	07	26			16			27		03	41	20
21	03	40					26		01		01	13	21
22		26				01	04	06	1.34		15	1.72	22
23				05		07				1.00		16	23
24				08	21	12			02	96	27		24
25	12			51		01		31	18		19		25
26	05	10	21	17		08		30		03	03	77	26
27	27		11	29				08	41		04		27
28	02		05	04				1.23		04			28
29			02	24		09		04		18		66	29
30	03	X	08	19		32					36	47	30
31		X	27	X		X	01	16	X		X	18	31
Total	3.45	2.16	5.47	3.14	1.01	1.92	1.73	3.48	3.51	5.00	3.00	6.98	40.85
Rain Days	23	10	20	20	8	16	12	13	16	13	21	22	194
												25	197

REGISTER OF RAINFALL IN 1920

Kept at Flapod - Llanissan
in the County of Denbighshire
by No. 3

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		04	12	47	38		53	19	17	02	16		1
2	03	06		22	02		06	18		15		20	2
3		10		03	16		51	03	02	20		01	3
4			18		01		42	59	22	44	01		4
5					13		12	43	32	17			5
6			45	07	05		03					06	6
7	08	10	03	04			20		01		01		7
8	24	01	02	45	11		24	19			01	04	8
9	42	64	02	63			15	26			01	02	9
10	83	1.60				02	12					07	10
11	30	01	21	35	33	35		04					11
12	11	01	07	26			11	10	04		13	03	12
13	14	18	28	19		1.28	01				39		13
14			32	34		25	03		92	13	75		14
15	01	19		36		07				17	02		15
16			05	33	23	05	39		18	35			16
17			01	13	31	06		04	38				17
18	51			11	38	04		26	18				18
19		1.13		25		13		26					19
20	23	05		34		01	08	02	34			13	20
21	01			01			50	10				33	21
22	07			02		02	57	41				14	22
23	08		02				31	01				31	23
24	09		56	09			40	01				42	24
25	15	13	46	16	14	03	95						25
26	10	23	67	50	13	35			01		02	08	26
27	41	01	1.15	45	22	39	02				03		27
28	23	01	48	29	10	05	02					32	28
29	19	02	18	06	24	05	46				19	78	29
30	19		66	19	21	05			49		24	28	30
31	21		06		01		02	05		58		02	31
TOTAL	4.63	4.52	6.00	6.34	3.16	2.85	6.60	2.98	3.30	2.36	1.83	3.40	47.97
Days with "01 in. or more	22	18	21	26	18	18	25	17	13	9	13	19	219
Days with "04 in. or more	19	12	16	23	15	14	19	13	10	9	5	15	171

RECORD

DENBIGH.

ANIZATION.

Kept at.....

in the County of.....

by.....

JOHNSTOWN

1920

3 W.
9 a.m.
Johnstown
1 Gauge 5 in.
ve Ground 2 ft 6 in.
Sea Level 400 ft.
entered to the previous day.

IMPORTANT NOTE.—Rain should be measured at 9 a.m.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	10	03	-	36	-	01	(.35) 95	68	-	1
2	-	-	-	04	12	-	43	-	06	04	-	-	2
3	-	-	-	05	01	-	40	-	02	07	-	09	3
4	-	-	-	-	03	-	30	04	-	1.35	-	03	4
5	(.50)	-	-	-	07	-	01	18	-	22	-	-	5
6	-	-	15	-	-	-	12	48	03	75	-	-	6
7	-	-	24	-	-	-	03	-	-	-	-	04	7
8	-	-	02	12	-	-	17	-	-	-	-	-	8
9	17	-	01	52	-	-	06	06	-	-	-	-	9
10	30	20	-	-	-	-	30	02	01	-	-	03	10
11	19	15	-	35	-	08	-	-	-	-	-	04	11
12	25	10	09	75	07	04	03	03	-	-	-	-	12
13	18	-	95	27	-	1.03	-	-	-	-	-	03	13
14	04	-	-	05	-	50	05	-	-	-	-	-	14
15	-	03	80	-	-	09	-	-	48	20	-	-	15
16	-	05	05	-	09	11	08	-	07	24	-	-	16
17	-	-	-	-	45	05	18	-	12	17	-	-	17
18	07	-	-	-	54	-	03	-	03	03	-	-	18
19	03	15	-	-	09	-	-	01	-	-	-	-	19
20	-	1.23	-	-	-	-	-	67	-	-	-	-	20
21	04	-	-	-	-	-	04	45	-	-	-	03	21
22	-	-	-	2.35	-	-	45	-	-	-	-	08	22
23	-	-	-	-	-	-	1.05	05	-	-	-	-	23
24	03	-	45	-	-	-	-	-	-	-	-	-	24
25	-	-	17	-	-	-	40	02	-	-	04	-	25
26	-	02	82	-	-	-	52	-	-	-	-	-	26
27	15	-	11	-	95	10	15	-	-	-	-	03	27
28	(.50)	-	1.04	03	07	-	02	-	-	-	-	36	28
29	27	-	11	12	03	03	-	-	-	-	-	93	29
30	09	X	05	01	-	-	09	-	(.60)	-	-	07	30
31	12	X	07	X	-	X	-	-	X	09	X	-	31
TOTAL	1.93	1.93	5.13	4.76	2.55	2.03	5.27	2.01	.83 1.43	4.11 3.51	67	1.76	32.98
Days with 0.1 in. or more	14	13	16	(26)	13	9	23	11	9	10	10	10	10

REGISTER OF RAINFALL IN 1920.

Kept at Johnstown
in the County of Denbigh
by Ernest Jones

DENBIGH
Lat. 53° N. Long. 3° W.
Time of Observation 9 a.m.
Nearest Railway Station Johnstown
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	10	03	-	36	-	01	(.35) 95	68	-	1
2	-	-	-	04	12	-	43	-	06	04	-	-	2
3	-	-	-	05	01	-	40	-	02	07	-	09	3
4	(50)	-	-	-	03	-	30	04	-	135	-	03	4
5	-	-	-	-	07	-	01	18	-	22	-	-	5
6	-	-	15	-	-	-	12	48	03	75	-	-	6
7	-	-	24	-	-	-	03	-	-	-	-	04	7
8	-	-	02	12	-	-	17	-	-	-	-	-	8
9	17	-	01	52	-	-	06	06	-	-	-	-	9
10	30	20	-	-	-	-	30	02	01	-	-	03	10
11	19	15	-	35	-	08	-	-	-	-	-	04	11
12	25	10	09	75	07	04	03	03	-	-	-	-	12
13	18	-	95	27	-	103	-	-	-	-	-	03	13
14	04	-	-	05	-	50	05	-	-	-	-	-	14
15	-	03	80	-	-	09	-	-	48	20	-	-	15
16	-	05	05	-	09	11	08	-	07	24	-	-	16
17	-	-	-	-	45	05	18	-	12	17	-	-	17
18	07	-	-	-	54	-	03	-	03	03	-	-	18
19	03	15	-	-	09	-	-	01	-	-	-	-	19
20	-	123	-	-	-	-	-	67	-	-	-	-	20
21	04	-	-	-	-	-	04	45	-	-	-	03	21
22	-	-	-	-	-	-	45	-	-	-	-	08	22
23	-	-	-	-	-	-	105	05	-	-	-	-	23
24	03	-	45	-	-	-	-	-	-	-	-	-	24
25	-	-	17	-	-	-	40	02	-	-	04	-	25
26	-	02	82	-	-	-	52	-	-	-	-	-	26
27	15	-	11	-	95	10	15	-	-	-	-	03	27
28	(50)	-	104	03	07	-	02	-	-	-	-	36	28
29	27	-	11	12	03	03	-	-	-	-	-	93	29
30	09	X	05	01	-	-	09	-	(60)	-	-	07	30
31	12	X	07	X	-	X	-	-	X	09	X	-	31
TOTAL	193 (2.93)	193	513	476	255	203	527	201	83 1.43	411 3.51	67	176	5298 (23.98)
Days with "01 in. or more	14	8	16	(26)	13	9	23	11	9	7	2	10	7

FORM A2.
BRITISH RAINFALL
25 JAN 1912

RE
Kept at *Glascoed*
in the County of *DENBIGHSHIRE*
by *Leonard G*

LLANEFYDD
GLASCOED RES
DENBIGHSHIRE

5 in.
Ground 1 ft. - in.
Sea Level 360 ft.
Name *Stasaph*
Distance Direction
the result entered to the
usual rule, he is earnestly

1911 - 1920

IMPORTANT NOTE
previous day. If an Observer
requested to add the reading on the 1st January of the following year in the space provided
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2			.10		.01		.05	.11			.45	.06	2
3			.04		.07		.14			.30	.30	.10	3
4					.51				.12		.08	.12	4
5			.17		.04			.94	.01		.30	.12	5
6	.11		.04		.04			.32				.04	6
7	.26		.03					.04	.04		.11	.49	7
8	.02										.23		8
9	.26		.20								.07	.34	9
10	.01		.03								.21	.20	10
11	.02	.07			.05						.02	.72	11
12	.14										.25	.25	12
13						.01			1.90		.26		13
14	.01	.04			.41						.05	.15	14
15		.03	.07		.02						.01	.08	15
16	.01	.03			.02	.01					.20	.04	16
17		.15		.02		.32					.07	.05	17
18						.48					.17	.06	18
19		.23		.08		.07				.03	.04	.24	19
20		.03		.24			.01		.25		.24	.50	20
21		.05		.11			.04	.74	.15			.15	21
22		.17		.01				.01	.06	.12		.02	22
23		.10				.05				.18		.27	23
24		.27				.12			.07	.08		.09	24
25		.02		.02		2.30	.02	.07		.38		.28	25
26		.05		.15		.14			.89	.50		.10	26
27		.24		.04		2.30	.01			.20	.12	.04	27
28		.10		.14		.14		.29	.71		.01	.05	28
29		.40		.01		.01			.08	.01		.04	29
30				.08		.07	.64	.29	.18	.34		.09	30
31						.13	.02			.30			31
			.22							.16			
Total	.84	2.00	.84	.90	1.17	3.71	.93	2.81	4.46	2.60	3.19	4.69	TOTAL for year
No. of Rain Days	9	16	9	11	9	12	8	9	12	12	20	27	154

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL
25 JAN 1912

Kept at Glascoed Reservoir
in the County of Denbigh
by Leonard G. Hall. A.M.I.C.E.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 360 ft.
Time of Observation 9 AM
Nearest Railway Station { Name Stasaph
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2			.10		.01		.05	.11			.45	.06	2
3			.04		.07		.14			.30	.30	.10	3
4					.51				.12		.08	.12	4
5			.17		.04			.94	.01		.30	.12	5
6	.11		.04		.04			.32				.04	6
7	.26		.03					.04	.04		.11	.49	7
8	.02										.23		8
9	.26		.20								.07	.34	9
10	.01		.03								.21	.20	10
11	.02	.07			.05						.02	.72	11
12	.14										.25	.25	12
13						.01			1.90		.26		13
14	.01	.04			.41						.05	.15	14
15		.03	.01		.02						.01	.08	15
16	.01	.03			.02	.01					.20	.04	16
17		.15		.02		.32					.07	.05	17
18						.48					.17	.06	18
19		.23		.08		.07				.03	.04	.24	19
20		.03		.24			.01		.25		.24	.50	20
21		.05		.11			.04	.74	.15			.15	21
22		.17		.01				.01	.06	.12		.02	22
23		.10				.05		~~.04~~		.18		.27	23
24		.27				.12			.07	.08		.09	24
25		.02		.02		2.30	.02	.07		.38		.28	25
26		.05		.15		.14			.89	.50		.10	26
27		.24		.04		~~2.30~~	.01			.20	.12	.04	27
28		.10		.14		~~.14~~		.29	.71		.01	.05	28
29		.40		.01		.01			.08	.01		.04	29
30				.08		.07	.64	.29	.18	.34		.09	30
31						.13	.02			.30			31
			.22							.16			
Total	.84	2.00	.84	.90	1.17	3.71	.93	2.81	4.46	2.60	3.19	4.69	TOTAL for year 28.14
No. of Rain Days	9	16	9	11	9	12	8	9	12	12	20	27	154

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
1 FEB 1913

Kept at

Glascoed Reservoir

in the County of

Denbigh 2

by

Leonard G. Hall. A.M.I.C.E.

RAIN GAUGE { Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 360 ft.
Time of Observation 8 AM
Nearest Railway Station { Name Stasaph
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.05			.05		.21	.12			.06	1
2			.29	.02	.02	.20	.05					.06	2
3	.25		.05	.03	.06	.17		.63	.10				3
4	.26		.83		.07	.10		.95	.05		.14	.04	4
5	.16	.02	.02		.08	.07		.03	.14		.11		5
6	.40	.02			.06			.62					6
7		.07	.02		.06	.15	.10		.10				7
8	.27		.12	.07		.13		.08	.23				8
9	.10		.04	.30		.50					.07	.16	9
10	.06					.26	.05	.28			.64		10
11	.02						.07				.09	.54	11
12		.14	.02			.02	.02						12
13						.07		.31		.13	.02	.24	13
14	.07	.02	.10			.07		.17				.09	14
15	.10	.02	.42			.07		.08			.04	.14	15
16	.06		.02		.10						.05		16
17	.50	.37				.32		.17		.38	.10	.26	17
18	.08	.02	.03			.07		.03		.14	.07		18
19		.02	.29			.03		.31		.18	.03		19
20	.07		.08		.14			.30		.29	.05		20
21			.11	.03	.54		.08	.24		.43	.05	.07	21
22		.07			.43		.02	.56					22
23			.25				.16	.45		.01	.19	.07	23
24			.05					.12		.07	.24	.30	24
25			.06			.27					.68	.10	25
26		.14	.09			.10	.14	.46		.83	.20	.37	26
27			.20			.17	1.34			.24	.07	.26	27
28		.08		.05	.07	.32	.20	.07		.15	.40		28
29		.02					.15	.10	.35	.19		.04	29
30			.16	.02			.03			.20	.14		30
31			.10		.20		2.68	.07				.06	31
Total	2.28	.95	3.40	.50	1.74	2.96	5.09	6.24	1.09	3.18	3.26	2.80	TOTAL for year 33.49
No. of Rain Days.	14	13	23	7.6	12	20.	14	22.	7	13.	20.	17	182.

REGISTER OF RAINFALL IN 1913

Kept at Glascock Reservoir
in the County of Dunbigh
by Leonard G. Hall. I.M.S.C.E.

Lat. _____ Long. _____
Time of Observation 8 am.
Nearest Railway Station Shasaph.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 360. ft.

FORM A.
BRITISH RAINFALL
19 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.18	.06	.06							.14		1
2		.04	.08		.05						.60		2
3	.02	.05	.38		.50							.42	3
4	.32	.05	.03		.14	.02	.02			.15	.01	.66	4
5	.26	.06	.13		.05	.38	.23			.13	.01	.04	5
6	.03	.10	.28		.03	.23	.57			.06	.04	.11	6
7		.37	.03		.12	.36	.15			.07		.02	7
8		.18	.07	.10	.34	.10	.01		.01	.43	.06		8
9		.07	.08	.15	.26	.29	.15	.37			.03	.20	9
10	.04		.02	.47	.20	.02	.01	.22			.07		10
11	.59				.01	.12	.02	.24	.09	.01	.06	.02	11
12			.02			.08		.01	1.22		.40		12
13	.05		.16	.07	.03		.07	.11	.15		.42		13
14			.25	.09						.17	.02		14
15	.10		.30	.36				.05		.01	.10	.10	15
16			.02	.05							.04		16
17	.07		.01	.11	.02		.13		.07		.08		17
18			.28	.12	.35	.01	.09				.08		18
19			.01			.26	.02			.33	.04		19
20			.20	.01	.01		.01			.09	.26		20
21			.11	.01	.08		.28	.02		.19	.06		21
22	.28		.67			.22		.74	.56				22
23	.03		.10		.01	.10		.13	.23	.08	.01	.25	23
24	.22					.05		.02			.08	.03	24
25				.14					.12			.18	25
26		.01		.54					.46	.03		.61	26
27		.01		.13						.27		.10	27
28	.14		.04	.10						.02		.15	28
29			.07	.53	.12					.26	.04		29
30	.41		.03							.02	.08		30
31	.05		.07							.01			31
Total	2.57	1.12	3.50	3.07	2.32	2.24	1.76	1.91	2.85	2.33	2.23	2.89	28.73
Rain Days.	16	11	26	17	17	14	14	10	9	18	23	14	189

REGISTER OF RAINFALL IN 1914

Kept at Glascow Reservoir
in the County of Deebugh
by Leonard G. Hall Esq.

Lat. _____ Long. _____
Time of Observation 8 am
Nearest Railway Station D. Asaph
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 360 ft.

BRITISH RAINFALL
FORM A.
14 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.15	.10			.08	.83	.18	.05			.57	1
2		03	07					02			.13	.33	2
3	03		13	07	15		.46					.97	3
4	27		20	12	19		04				08	.45	4
5	10		10	10	03		01			.10	30	06	5
6	05	06	08	05	06	.10		01		x	03	10	6
7	02	04	20	03	37	29	07	11				.40	7
8	12	01		03	41	25		x				.11	8
9	45	15	18	08	06	91		23	.05		.19	02	9
10	05	11	15	05	06	08			.28		02	.24	10
11		10	13	02	02	33	1.19		.13		82	02	11
12		25	19		01	20	.03		25		20	02	12
13		20	09		02					.42	24	12	13
14		43	01						01			02	14
15		23	30						06		05	15	15
16		04	02				.01		45		04	05	16
17		12	14				06		.55			.35	17
18		01	25						.18	.03		.25	18
19		03	01				07					.15	19
20		20	15			42						.12	20
21		06	02			03	50	.30		.02		.11	21
22		33		02	16	06		11					22
23					03						.04		23
24	05				01		.20				.09		24
25	09						04	.07		.13	.01	10	25
26							14	.03		.12	.07	32	26
27	05							.03		.08	.42	.91	27
28	15	09			06		.01			.02	.21	.52	28
29	05		04		02			.01			.13		29
30	02	X	04					03			.30	.34	30
31		X		X	05	X	.18		X	.06	X	01	31
Total	1.50	2.64	2.54	.57	1.71	2.75	3.84	1.13	1.96	.98	3.37	6.81	29.80
Rain Days.	14	20	22	10	17	11	16	12	9	9	19	27	186

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1915

Kept at *Glascoed Reservoir*

in the County of *Denbigh*

by *Leonard Hall a.m.s.c.t.*

Lat. _____ Long. _____
Time of Observation *8 a.m.*
Nearest Railway Station *St Asaph*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *—* in.
" " " " Sea Level *360* ft.

FORM A.
BRITISH RAINFALL
11 FEB 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.24	.04	.12		.38			.05	.45	.18		.05	1
2	.09	(.49)	.12	.14			.01	1.20				.02	2
3	.04	.08	.01				.35	.02	.01			.20	3
4	.01	.06				.02						.84	4
5		.05	.14		.13							.24	5
6	.13	.19	.02	.14			.14	.08				.53	6
7	.39	.20		.01			.54	.14				.05	7
8	.18	.19						.80					8
9	.05	.18		.35						.01	.35	.36	9
10	.51	.02		.24				.80		.02	.05	.04	10
11	.02		.02	.01	.28		.10	.01			.01	.18	11
12	.09			.21	.15			.06		.03	.45	.01	12
13		.21					.02				1.12	.02	13
14	.05			.01	.02				.03		.33	.12	14
15								.08	.01		.22	.14	15
16		.09			.29		.52	.80			.26	.05	16
17	.19	.61	.14		.41		.01	.03					17
18	.03	.58	.07										18
19	.02		.01	.14	.05		.05						19
20	.10			.02			.05					.24	20
21	.20						.10					.18	21
22	.03	.08	.02			.16	.02				.01	.08	22
23				.01		.28	.02			.41	.01	.04	23
24			.10	.10						.24		.35	24
25						.29			.05		.05	.20	25
26		.26					.15		.35			.30	26
27		.16					.18		(.03)			.48	27
28		.12				.19		.25				.01	28
29					.02	.45	.01	.03	.20			.05	29
30	.08	X							.03		.10	.08	30
31	.06	X		X		X	.04	.70	X	.02	X	.52	31
Total	2.51	3.61	.80	1.47	1.73	1.39	2.34	5.08	1.16	1.24	2.95	6.50	29.78
Rain Days.	20	18	11	12	9	6	17	15	9	7	12	24	163

REGISTER OF RAINFALL IN 1916

Kept at Glascod Reservoir
 in the County of Denbigh
 by Leonard G. Hall. A.M.I.C.E.

Lat. _____ Long. _____
 Time of Observation 8 am
 Nearest Railway Station St. Asaph
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. _____ in.
 " " " " Sea Level 360 ft.

FORM A.
 BRITISH RAINFALL.
 19 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.31	.x	.10			.03	.21		.x		.06		1
2	.02	.13	.20				.15		1.00	.88	.02		2
3		.15		.14			.29		1.58	.18	.12	.11	3
4	.09	.03	.06	.02	.50	.28			.11	.06	.18		4
5		.40			.25	.12				.08	.05		5
6	.16	.52			.32	.04	.25			.17	.21	.03	6
7		.04			.30	.09	.03			.04	.15	.31	7
8	.04		.09		.10					.07	.20	.02	8
9	.01	.09			.27				.02		.05		9
10		.58		.15	.04		.06			.04	.01		10
11		.09	.05	.13	.06				.02			.01	11
12	.05	.05	.02	.01	.28		.20	.01	.03	.11		.01	12
13		.23	.04	.35	.02		.01	.23	.03	.10		.04	13
14		.06		.03	.07			.08		.12			14
15		.05	.21	.11	.04			.25	.04	.06			15
16		.15		.15			.03	.45		.25			16
17		.07		.64				.03	.68	.38			17
18		.21		.36					.38	.02	.14		18
19	.11		.10	.20				.08			.25		19
20	.08		.30	.06							.01	.16	20
21	.06		.03								.05		21
22						.07				.03		.08	22
23	.07		.04			.04		.10		.16	.11	.20	23
24		.28		.03	.92	.05		.06		(14)	.02	.16	24
25	.09	.03	.15		.30	.25		.36			.42	.07	25
26			.02		.11	.05				.02	.09		26
27					.04				.15	.42	.07		27
28		.19			.08	.04				.42	.07	.30	28
29		.18				.27				.10		.18	29
30		X				.20				.68		.07	30
31		X		X		X			X	.18	X	.07	31
Total	1.09	3.53	1.41	2.38	3.70	1.53	1.23	1.65	4.04	4.65	2.16	1.64	29.01
Rain Days.	12	20	14	14	17	13	9	10	11	24	20	16	180

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1917

Kept at Glascoed Reservoir
in the County of Denbigh
by Leonard G. Hall, A.M.I.C.E.

Lat. _____ Long. _____
Time of Observation 8 am
Nearest Railway Station St Asaph
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 360 ft.

FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.10		.08		.46	.16		.20	.16	1
2	.14					.03		.17		.05	.03	.05	2
3	.02			.02		.01		.11		.20	.01	.07	3
4	.08	.29	.02							.67		.03	4
5	.12		.12	.05				.07		.94	.07		5
6	.02		.20							.16	.60	.01	6
7	.41									.25	.22	.06	7
8				.10				.12		.98	.13	.25	8
9			.02	.04	.09			.18	.05	.30	.59	.02	9
10	.25		.60	.15				.06		.02			10
11	.09			.04				.06		.35	.05		11
12				.25	.69				.05	.28	.01	.01	12
13	.05			.07				.15	.13	.15	.04	.12	13
14				.08						.18	.02	.04	14
15				.01	.10		.06			.13		.11	15
16	.12			.08			.06	.11		.01	.01	.10	16
17			.20	.30	.10		.17	.94	.07	.26			17
18			.07	.22			.30		.22	.10			18
19		.68	.30		.05	.03		.02	.01			.01	19
20	.02	.16			.21	.79	.01	.10	.13		.63		20
21		.09	.08		.04	.15		.02		.01	.06		21
22		.04				.01		.15	.09	.06	.07		22
23		.13			.08	.37	.03	.03	.01	.22		.10	23
24		.05	.02			.10	.16	.08		.25	.17	.02	24
25		.13	.10				.01			.08	.09		25
26						.04		1.12	.23	.10	.45	.01	26
27					1.35	.13	.14	.75		.20	.02	.01	27
28			.09				.04	.83		.35		.03	28
29								.04		.60			29
30		X	.08					.15		.08	.08	.04	30
31		X	.04	X	.10	X		.40	X	.02	X	.01	31
Total	1.32	1.57	1.94	1.51	2.81	1.74	.98	6.12	1.15	7.00	3.55	1.26	30.95
Rain Days.	11	8	14	14	10	11	10	23	11	28	21	21	182

REGISTER OF RAINFALL IN 1918

Kept at Glascoed Reservoir
in the County of Denbigh

by Leonard G. Hall. A.M.I.C.E.

Lat. _____ Long. _____
Time of Observation 8 am
Nearest Railway Station St Asaph
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 36.0 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01			.16	.04		.03		.60	.03	.28		1
2								.04			.01	.09	2
3		.02			.41			.06	.12	.16		.09	3
4		.07							.23	.32	.32	.01	4
5		.08	.06	.11	.25				.07	.45	.05	.02	5
6		.62		.21		.13		.14	.20	.50			6
7	.02			.04	.17			.02	.08	.15	.16		7
8	.06	.09					.13		.45	.34	.01	.01	8
9	.02	1.00		.15		.47	.01		.64	.35	.03	.06	9
10	.13	.18		.36			.12		.12	.08	.12	.08	10
11	.10	.13	.03		.13		.50		.04	.06		.10	11
12	.01	.17		.03	.14		.21		.07	.10			12
13	.02	.11		.02	.15				.19				13
14	.58	.01				.10		.04	.30	.03		.23	14
15	.32					.06	.18		1.20	.32		.56	15
16						.22	.26	.04	.12	.11		.37	16
17	.15					.02	.62		.01	.22		.26	17
18	.36	.03				.13	.06	.08	.12	.02		.24	18
19	.15	.04	.05	.08			.08		.13	.07		.47	19
20	.26	.62		.10	.60	.07	.21		.25			.58	20
21	.13	.32		.05	*	.06	.02		.41			.15	21
22	.02				1.80	.03	.07		.14			.35	22
23	.02				1.36	.02	.13		.13				23
24		.23						.17	.03		.16	.22	24
25					.28	.04	.02	.58	.09	.08	.06		25
26						.18	.11	.12	.07	.05	.06		26
27	.02	.18	.24			.12		.11	.40		.26	.58	27
28		.03	.26					.03	.02		.60		28
29			.03					.21			.01	.08	29
30		X	.15					.36	.12	.02		.14	30
31		X	.33	X		X		.11	X	.03	X	.03	31
Total	2.38	3.93	1.15	1.31	5.27	1.44	2.44	1.89	6.61	3.57	2.12	5.10	37.81
Rain Days	18	18	8	11	11	13	17	14	29	21	14	23	197

REGISTER OF RAINFALL IN 1919.

Kept at Glacied Reservoir
in the County of Denbigh
by Leonard G. Hall, M.C.

Lat. _____ Long. _____
Time of Observation 8 am
Nearest Railway Station St Asaph
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.20				.36		.20		.20	.23		.11	1
2	.12		.65	.02			.06	.03	.14	.06	.01	.20	2
3						.40	.12				.03	.06	3
4	.06	.10	.45			.06	.42	.15	.06		.04	.15	4
5	.14	.15	.04						.15			.16	5
6	.12	.01	.40		.11					.02		.21	6
7	.15		.14	.12									7
8	1.00		.12								.06		8
9	.06		.03	.10		.25							9
10	.12		.18	.04						.33		.04	10
11			2.48	.06	.02		.11			.03		.08	11
12			.06			.53				.23	.42		12
13	.10			.06			.12			.85		.03	13
14	.29	.05		.11			.22			.45		.06	14
15	.39	.02		.20	1.45					.09		.36	15
16	.16	.03	.03	.02		.04				.09	.30		16
17	.11	.24				.03	.02	.13			.35		17
18	.06	.30	.14					.92	.31		.01	.32	18
19		.14	.34			.03	.01	.21	.22		.25	.09	19
20	.11	.15	.80		.02	.05			.06		.24	.68	20
21	.09	.13	.06		.02		.35		.29		.06	.34	21
22	.02	.16				.01	.03		.89			1.42	22
23						.22		.08		1.16	.05	.04	23
24				.04	.20	.03		.04	.04	.19	.24	.30	24
25				.08	.03	.01		.24	.12		.42	.05	25
26	.31	.03	.35	.12		.14		.92			.01	.35	26
27	.14		.06	.30		.03		.12		.02	.06		27
28	.04		.05	.02		.03		1.59	.35			.33	28
29	.05		.02	.14		.02		.22	.01	.02		.28	29
30	.01	~~X~~	.11	.35		.51		.03		.03	.25	.36	30
31	.01	~~X~~	.60	~~X~~		~~X~~	.10	.14	~~X~~		~~X~~	.26	31
TOTAL	3.89	1.54	8.04	1.81	2.21	2.44	1.46	4.85	2.84	3.80	2.83	6.61	YEAR'S TOTAL 42.41
Days with "01 in. or more	24	13	21	16	8	14	12	14	13	15	14	24	194

REGISTER OF RAINFALL IN 1920.

Kept at Glascoed Reservoir
in the County of Denbigh
by Leonard G. Hall, A.M.I.C.E.

Lat. _____ Long. _____
Time of Observation 8 am.
Nearest Railway Station St. Asaph
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.01	.17	.05	.15		.20	.07	.12	.23	.02	.11	1
2			.01	.25	.08		.40	.15	.15	.15		.08	2
3	.03	.18		.19	.06	.04	1.20	.02	.19	.17		.03	3
4	.01			.01	.02		.09	.20	.08	.15	.01		4
5			.07		.05		.11	.10	.35	.03			5
6			.50	.06	.88		.06			.30		.10	6
7		.11	.06	.03	.06		.38				.02	.01	7
8	.20		.02	.32	.08		.03	.03			.01	.01	8
9	.22	.24		.63			.10	.17	.06		.01	.03	9
10	.35	.75		.01			.08					.06	10
11	.30	.08	.13	.11	.19	.35	.03	.12					11
12	.16	.05	.13	.17	.02	1.23	.07				.04	.07	12
13	.20	.22	.09	.07		.05					.05		13
14	.01	.05	.35	.08		.15	.02		.62	.03	.38		14
15		.21	.04	.27					.08	.01	.04		15
16	.03		.02	.17	.18	.05	.36		.07	.20	.02		16
17			.01	.02	.21	.27	.10	.16	.16	.02			17
18	.48			.08	.19	.18	.17	.61	.95				18
19	.05	1.06		.08	.21	.09		.36	.01				19
20	.08	.02		.26			.08		.21	.01		.04	20
21	.01			.10			.50	.07	.03			.27	21
22	.12			.12		.02	.15	.75				.06	22
23	.01		.10	.05			.85	.05				.21	23
24	.07		.56	.06			.03	.02					24
25	.03	.17	.26	.15	.95	.01	1.25	.01				.01	25
26	.12	.06	1.06	.33	.15	.05	.01				.04		26
27	.40	.10	.48	.34	.10	.24	.05				.08	.08	27
28	.28	.04	.45	.02		.03	.05				.24	.24	28
29	.11		.20	.12	.60		.40				.09	.69	29
30	.15	~~X~~	.48	.47	.05	.08			.26		.13	.03	30
31	.14	~~X~~	.02	~~X~~	.04	~~X~~	.06	.05	~~X~~	.24	~~X~~	.10	31
TOTAL	3.56	3.35	5.21	4.62	3.39	2.84	6.83	2.44	3.34	1.54	1.28	2.23	YEAR'S TOTAL
Days with .01 in. or more	24	26	22	29	29	25	27	17	25	22	15	15	50
Days with .04 in. or more	17	14	17	24	17	12	22	13	13	7	9	13	178

Kept at

Plas

in the County of

by

IMPORTANT NO

previous day. If an

requested to add the re

for it at the end of this paragraph.

the selection and placing of rain gauges,

Organization are given in "Rules for Rainfall Observers,"

Dr. H. R. MILL, 62, Camden Square, London, N.W.

LLANEFYDD
PLAS UCHAF RES
DENBIGHSHIRE

1911 - 1920

5 in.

Ground 1 ft. in.

Sea Level 485 ft.

Name

St. Asaph

Distance

Direction

the result entered to the
versal rule, he is earnestly

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2			.10		.07	.11	.11			.37	.59	.05	2
3			.08			.16					.30	.05	3
4			.08		.41	.07			.10		.06	.09	4
5			.14		.06			.59			.27	.06	5
6	.05		.03		.03			.26				.05	6
7	.27		.07					.05		.02	.14	.25	7
8											.15		8
9	.24		.15								.05	.29	9
10			.09								.31	.38	10
11	.03	.10	.11		.03						.07	.46	11
12	.24										.17	.13	12
13			.25						1.45		.25		13
14					.56				.01		.07	.07	14
15							.02					.03	15
16											.15	.02	16
17		.16	.03			.11	.07				.04	.06	17
18						.31					.21	.09	18
19		.40		.02		.05				.02	.06	.21	19
20		.03		.16					.18	.03	.36	.34	20
21		.03		.11			.02	.59	.15			.18	21
22		.16				.03		.02	.03	.11		.02	22
23		.02		.07		.03				.22		.31	23
24		.41				.12			.07	.10		.08	24
25	.02	.07		.07		2.60		.03		.35		.21	25
26		.08		.21		.20			.73	.19		.04	26
27		.06		.02		.05				.25	.12	.05	27
28		.16	.06					.25	.80			.02	28
29		.32		.19		.02			.08	.02		.12	29
30				.08		.03	.70	.02	.18	.20			30
31					.15				.02	.21			31
			.37		.25					.04			
Total	.85	1.94	1.45	.81	1.35	3.70	1.03	1.92	3.77	2.13	3.28	3.66	TOTAL for year 25.89
No. of Rain Days	6.	13	12	9	7	12	7	9	12	14.	18	26	145

REPORT OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL
25 JAN 1912

Kept at Plas Achaif Reservoir
in the County of Denbigh
by Leonard G. Hall. A.M.S.C.E.

Pattern
RAIN Diameter of top 5 in.
GAUGE Height of top above Ground 1 ft. in.
" " Sea Level 485 ft.
Time of Observation 8 am
Nearest Railway Station { Name St. Asaph
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.10		.07	~~.11~~	.11	.11			.59	.05	1
2			.08			~~.16~~	.16			.37	.30	.05	2
3			~~.11~~		.41	~~.07~~	.07		.10		.06	.09	3
4			.14		.06			.59			.27	.06	4
5	.05		.03		.03			.26				.05	5
6	.27		.07					.05		.02	.14	.25	6
7											.15		7
8	.24		.15								.05	.29	8
9			.09								.31	.38	9
10	.03	.10	.11		.03						.07	.46	10
11	.24										.17	.13	11
12			.25						1.45		.25		12
13					.56				.07		.07	.07	13
14							.02					.03	14
15											.15	.02	15
16		.16	.03			.11	.07				.07	.06	16
17						.31					.21	.09	17
18		.40		.02		.05				.02	.06	.21	18
19		.03		.16					.18	.03	.36	.34	19
20		.03		.11			.02	.59	.15			.18	20
21		.16				.03		.02	.03	.11		.02	21
22		.02		.07		.03				.22		.31	22
23		.41				.12			.07	.10		.08	23
24	.02	.07		.07		2.60		.03		.35		.21	24
25		.08		.21		.20			.73	.19		.07	25
26		.06		.02		.05				.25	.12	.05	26
27		.16	.06					.25	.80			.02	27
28		.32		.19		.02			.08	.02		.12	28
29				.08		.03	.70	.02	.18	.20			29
30						.15			.02	.21			30
31			.37		.25					.07			31
Total	.85	1.94	1.45	.81	1.35	3.70	1.03	1.92	3.77	2.13	3.28	3.66	TOTAL for year 25.89
No. of Rain Days	6.	13	12	9	7	12	7.	9	12	14.	18	26	145

REGISTER OF RAINFALL IN 1912

Kept at Plas Nchaf Reservoir
in the County of Denbigh
by Leonard G Hall. A.M.I.C.E.

Lat. _____ Long. _____
Time of Observation 8 AM
Nearest Railway Station St Asaph
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 485 ft.

FORM A.
BRITISH RAINFALL
1 FEB 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.06			.05	.12	.08	.20			.16	1
2		.02	.26		.05	.21	.04					.06	2
3	.21				.05	.02		.82	.09			.05	3
4	.26		.68		.04	.18		.49			.09	.01	4
5	.08	.01			.04	.07		.03	.04		.06		5
6	.30		.01		.03			.49	.01				6
7		.17			.01	.19	.07		.05				7
8	.11	.04	.12	.07		.16		.15	.10				8
9			.04	.21		.38						.14	9
10	.02					.97	.04	.30			.48		10
11	.03				.05		.02				.02	.50	11
12		.17					.03	.07				.10	12
13		.05						.19		.12		.21	13
14			.06			.04		.13				.06	14
15	.04	.01	.26		.06	.17		.15			.04	.12	15
16	.06	.01	.02		.02	~~.02~~				.19	.02		16
17	.22	.36				.30		.24			.09	.25	17
18	.11		.04			.04				.17			18
19		.06	.20			.04		.25		.21			19
20			.01		.06			.24		.33	.06		20
21			.09	.05	.36	~~.10~~	.10	.27				.08	21
22		.02			.34	.05		.35					22
23			.17			.75	.15	.87			.25		23
24			.03			.01		.12				.15	24
25			.07			.25					.64	.21	25
26		.16	.11			.06	.10	.56		.45	.35	.09	26
27			.24			x .09	1.02			.34	.06	.28	27
28		.09				~~.13~~	.21	.04		.10	.40		28
29						~~.17~~	.17	.11	.39	.20		.03	29
30			.16	.02		.03	.03			.21	.06		30
31			.11		.16	~~2.05~~	2.05	.06		.04		.05	31
Total	1.44	1.17	2.74	.35	1.27	3.45	4.15	6.01	.88	2.36	2.62	2.55	28.99
Rain Days.	11	13	20	4	13	22	14	22	7	11	14	18	169

REGISTER OF RAINFALL IN 1913

Kept at Llan Ache Reservoir
in the County of Denbigh
by Leonard S. Hall. A.M. 168.

Lat. _____ Long. _____
Time of Observation 8 am
Nearest Railway Station stasaph
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 485 ft.

FORM A.
BRITISH RAINFALL.
19 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.10	.10	.10							.13		1
2		.13	.08	.06	.06						.05		2
3		.04	.35		.54							.09	3
4	.26	.07	.04		.10		.07			.11		.89	4
5	.40	.06	.15		.03	.25	.19			.37		.09	5
6	.07	.07	.26		.07	.17	.20			.03	.08	.03	6
7		.31	.05		.15	.36	.25			.25	.07	.04	7
8		.14	.07		.19	.04	.07	.48	.07	.38			8
9		.05	.10	.20	.18	.21	.14		.06			.26	9
10	.07		.07	.03	.04	.03	.10	.23			.07		10
11	.06			.40	.07	.11	.02	.26		.08	.07	.02	11
12					.06	.08		.02	1.10		.50		12
13			.24	.02	.02		.11	.11	.20		.30		13
14	.02		.26	.07				.08		.20	.05		14
15	.09		.40	.37				.05			.07	.04	15
16			.03	.05							.05	.02	16
17				.07	.07		.10				.06		17
18			.29	.21	.20		.08				.14		18
19	.07					.25	.05		.05	.29	.02		19
20			.18		.07				.07	.05	.20		20
21			.12	.04	.11		.34	.07		.23	.07		21
22	.22		.84			.21		.79	.30				22
23	.04		.06			.08		.13	.06		.05	.22	23
24	.22			.04		.07					.06	.03	24
25				.14					.12	.06		.14	25
26		.07		.50					.50			.59	26
27				.11						.27		.10	27
28	.06		.04	.07								.11	28
29			.11	.46						.12			29
30	.30		.07		.09					.02	.04		30
31	.03		.06							.07	.08		31
Total	1.81	1.04	3.79	2.94	1.81	1.88	1.60	2.16	2.47	2.47	1.98	2.67	26.62
Rain Days.	15	10	23	18	17	12	13	10	10	15	20	15	178

REGISTER OF RAINFALL IN 1914

Kept at Las Uchaf Reservoir
in the County of Denbigh
by Leonard G. Hall AMICE

Lat. _____ Long. _____
Time of Observation 8 am
Nearest Railway Station St Asaph
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 485 ft.

BRITISH RAINFALL
FORM A.
14 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.07	.08			.07	.45	.11		.05		.53	1
2		.01	.01				.63	.11		.02	.09	.26	2
3	.10		.20	.05	.09		.02					.80	3
4	.26		.15	.07	.20	~~.01~~	.01				.17	.35	4
5	.08		.16	.13	.13					.13	.44	.05	5
6	.01	.04	.02	.04	.10	.07					.04	.07	6
7	.04	.01	.14	.15	.37	.18	.05	.04				.49	7
8	.15			.05	.52	.26	~~.12~~	.12				.12	8
9	.35	.11	.13	.09	.06	.77			.12		.17	—	9
10	.06	.05	.24	.06		.04			.25			.12	10
11		.09	.09		.09	.70	1.24		.27		.63	.15	11
12		.35	.13		.02	.11	.03		.33		.20	.05	12
13		.06	.05							.69		.12	13
14		.32	.02					.01	.07	.10			14
15		.13	.41					.04	1	.08	.09		15
16		.02	.01					.47			.04		16
17		.16	.13				.06	T. 10	1.10			.32	17
18			.17						.24	.08		.31	18
19		.02					.07		.27			.19	19
20		.18	.23			.36	.15					.08	20
21		.05	.01			.03		.04				.07	21
22		.38			.14	.09		.03					22
23					.03		.05				.04		23
24	.03			.04			.28				.12		24
25	.07						.17			.25	.04	.18	25
26							.41	.04		.27	.13	.12	26
27	.08						~~.41~~			.19	.29	.75	27
28	.13	.13								.04	.16	.50	28
29	.08		.05					.01		.04	.10	.07	29
30		X	.05					.02		.02	.22	.13	30
31	.20	X	~~.03~~	X	.03	X	.15		X	.07	X	.02	31
Total	1.64	2.18	2.48	.68	1.72	2.68	3.77	.52	3.10	1.92	3.02	5.92	29.63
Rain Days.	14	18	21	9	12	11	14	9	10	13	17	26	175
YEAR'S TOTAL													

Copy

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
MAY 1915

Kept at Plas-Uchaf Reservoir
in the County of Denbigh
by _____

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.08				.45	.11					1
2			.01				.63	.11					2
3			.20	.05	.09		.02						3
4			.15	.07	.20		.01						4
5			.16	.13	.13								5
6			.02	.04	.10								6
7			.14	.15	.31		.05	.04					7
8			-	.05	.52		~~12~~	.12					8
9			.13	.09	.06								9
10			.24	.06									10
11			.09		.09		1.24						11
12			.13		.02		.03						12
13			.05										13
14			.02										14
15			.41										15
16			.01										16
17			.13				.06						17
18			.17										18
19							.07						19
20			.23				.15						20
21			.01					.04					21
22					.14			.03					22
23					.03		.05						23
24				.04			.28						24
25							.17						25
26							.41	.04					26
27													27
28													28
29			.05					.01					29
30		X	.05					.02					30
31		X	~~.08~~	X	.03	X	.15		X		X		31
Total													YEAR'S TOTAL
			2.48	1.69	1.72		3.47	.52					
Rain			~~adds to~~	~~adds to~~	~~adds to~~		~~adds to~~	~~adds to~~					
Days.			25+	.68	1.69		289	40					

REGISTER OF RAINFALL IN 1915

Kept at Plas Mchaf Reservoir
in the County of Denbigh
by Leonard G Hall A.M.I.C.E.

Lat. _____ Long. _____
Time of Observation 8 a.m.
Nearest Railway Station St Asaph
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 485 ft.

4290
FORM A.
BRITISH RAINFALL
11 FEB 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.20	.01	.10		.37			.18	.46	.09		.02	1
2	.11	.45	.06	.18	.12		.08	1.02	.04			.01	2
3	.01	.03	.02	.13			.20		.01			.14	3
4		.05				.02						.75	4
5		.07	.15		.25		.04					.10	5
6	.16	.21	.06	.13			.10	.08				.36	6
7	.41	.22		.02			.86	.05				.08	7
8	.26	.16					.57						8
9	.10	.16		.56							.45	.08	9
10	.38		.01	.36				.13			.10	.03	10
11				.03	.06		.06	.02		.02	.05	.16	11
12	.06			.16	.35			.01		.04	.33	.04	12
13		.11					.05				1.05	.05	13
14	.05				.03				.05		.56	.07	14
15	.63							.23	.04		.24	.07	15
16	.10	.06			.14		.66	.67			.25	.03	16
17		.50	.16		.75		.01						17
18	.03	.41	.09								.10	.10	18
19		.01	.01	.11			.06						19
20	.10			.11								.13	20
21	.17						.06					.17	21
22	.04	.30	.04			.16	.05					.07	22
23		.24	.05	.05		.29	.05			.77		.03	23
24			.16	.12						.26		.34	24
25						.26			.03		.07	.19	25
26		.15					.07		.32			.17	26
27		.15					.36		.09			.16	27
28		.10						.37				.01	28
29					.12	.20	.03	.05	.24			.08	29
30	.10	X				.21		.04	.09	.04	.10	.16	30
31	.21	X		X		X	.05	.37	X		X		31
Total	3.12	3.42	.91	1.96	2.19	1.14	2.79	3.79	1.37	1.22	3.20	3.49	18.60
Rain Days.	18	19	12	12	9	6	17	14	10	6	10	26	159

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916

Kept at Plas Nchaf Reservoir
in the County of Denbigh
by Leonard L. Hall. A. M. I. C. E.

Lat. _____ Long. _____
Time of Observation 8 am
Nearest Railway Station Stasaph
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 485 ft.

FORM A.
BRITISH RAINFALL
19 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.22		.27			.10	.14				.06		1
2	.16	.15	.20				.03		.85	.46	.04		2
3	.02	.08		.09		.05	.22		1.95	.13	.08	.16	3
4	.13	.04		.01	.60	.26			.21	.05	.07		4
5		.20			.17	.16				.15	.03		5
6	.15	.57			.15	.01	.06			.16	.11		6
7		.08			.24	.18	.16			.14	.03	.24	7
8	.06		.24		.24	.03				.01	.30		8
9	.01	.12			.26						.07		9
10		.41		.14	.03		.11		.06	.07			10
11	.08	.20	.10	.24	.05	.07			.01			.04	11
12	.06	.08		.06	.30		.27		.04	.17			12
13		.17	.06	.40	.01		.02	.29	.06	.06			13
14		.12			.12			.09		.01			14
15		.16	.27	.06	.05		.06	.31		.18			15
16		.08		.15			.07	1.03		.18			16
17	.01	.08		.48				.30	.75	.35			17
18		.29		.49				.03	.50	.04	.21		18
19	.14		.10	.19				.13			.49		19
20	.08		.65	.09							.01	.10	20
21	.05		.12								.26		21
22						.02							22
23	.06		.12			.05		.14		.14	.04	.04	23
24		.28		.03	.62			.04		.04		.27	24
25		.05	.15		.45	.11		.29			.50	.04	25
26	.09		.10			.08				.01	.10		26
27									.16	.43	.01		27
28		.06			.20					.30	.01	.11	28
29		.28				.29				.04		.25	29
30		X				.10				.59			30
31		X		X		X		.01	X	.14	X	.03	31
Total	1.32	3.50	2.38	2.43	3.49	1.51	1.14	2.66	4.59	3.85	2.42	1.28	YEAR'S TOTAL 30.57
Rain Days.	15	20	12	13	15	14	10	11	10	23	18	10	171

REGISTER OF RAINFALL IN 1917

Kept at Plas Uchaf Reservoir
in the County of Denbigh
by Leonard G. Hall, A.M.I.C.E.

Lat. _____ Long. _____
Time of Observation 8am
Nearest Railway Station St Asaph
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 485 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.40		.06		.60	.38		.18	.14	1
2	.05							.25		.06	.02	.10	2
3	.01	.15								.11	.01	.06	3
4	.06	.10	.03	.02						.93			4
5	.20		.10	.13				.15		.80	.05		5
6	.15		.24							.08	.34		6
7	.16									.34	.15		7
8				.24				.10	.10	.74	.10	.32	8
9				.18				.10		.18	.80		9
10	.26		.40	.29						.15			10
11	.14			.03				.12		.20	.05		11
12	.09			.32	.58				.01	.25			12
13				.11				.13	.10	.20	.07	.08	13
14				.09	.05			.01		.16		.07	14
15					.03		.06			.07		.04	15
16				.20				.09		.01		.16	16
17			.15	.38	.08		.08	.85	.08	.21			17
18			.08	.20			.18	.03	.20	.06			18
19		.58	.28			.05							19
20		.07			.15	.85	.05	.10			.80		20
21		.06	.02			.16			.03		.01		21
22		.03				.01		.09	.05	.05	.03		22
23		.13			.04	.21				.29		.17	23
24			.07			.21	.20			.25	.09	.06	24
25		.20	.05				.01			.10	.03		25
26								.40	.21	.11	.36		26
27			.04		1.08	.16	.13	.70		.04			27
28			.15					1.10		.30		.07	28
29								.05		.29			29
30		X	.50					.24		.17	.04		30
31		X	.30	X	.04	X		.06	X		X		31
Total	1.12	1.32	2.41	2.59	2.05	1.71	.71	5.17	1.16	6.15	3.13	1.27	28.79
Rain Days.	9	8	14	13	8	8	7	19	9	26	17	11	149

92d 4168

25

REGISTER OF RAINFALL IN 1918

Kept at Plas Mochaf Reservoir
in the County of Denbigh
by Leonard G. Hall, A.M.I.C.E.

Lat. _____ Long. _____
Time of Observation 8 am
Nearest Railway Station St Asaph
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 485 ft.

FORM A.
BRITISH RAINFALL.
22.1 10
Jan. 1. following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				~~.19~~ .19	~~.05~~ .05		.02		.80		.08		1
2	~~.45~~							.12	.05		.07	.05	2
3					.31				.08	.11			3
4									.27	.13	.14		4
5		.03		.05	.19			.11	.02	.35			5
6		.57		.22		.12		.02	.24	.29			6
7				.09	.18				.03	.11	.10		7
8	.12	.07					.17		.57	.09			8
9		.71		.12		1.00			.47	.37	.04	.03	9
10	.15	.09		.32			.06		.08	.03	.08		10
11	.06	.06	.04		.05		.06		.09			.06	11
12		.14		.02	.14		.19		.15				12
13		.06		.04	.10	.03			.23	.03			13
14	.25					.16	.13		.10	.01		.20	14
15	.40					.03	.21		.80	.13		.48	15
16						.30	.67	.06	.11	.06		.98	16
17	.07					.02	.09					.20	17
18	.27	.07				.03	.03		.11	.17		.31	18
19	.03	.03	.04	.08		.19			.12	.08		.55	19
20	.19	.56		.26	.30	.07			.13			.56	20
21	.07	.25		.11		.03			.31			.02	21
22					1.24				.13			.42	22
23	.05				1.10	.02	.30		.22				23
24		.27						.04	.02		.16	.32	24
25					.04	.05	.75	.04					25
26	.02				.26		.29	.10	.06		.01	.03	26
27		.45	.15			.08		.11	.22	.06	.24	.33	27
28			.42					.03			.60	.26	28
29			.02						.37			.08	29
30		X	.05					.17	.16			.10	30
31		X	.21	X		X		.18	X	.02	X		31
Total	1.58	3.30	.93	1.50	3.92	1.93	2.46	1.69	5.98	1.98	1.46	4.98	31.71
Rain Days.	12	14	7	11	11	13	14	11	28	16	10	18	165

REGISTER OF RAINFALL IN 1919.

Kept at *Clas Mchaf Reservoir*in the County of *Denbigh*by *Leonard G. Hall A.M.C.E.*

Lat. _____ Long. _____

Time of Observation *8 am*Nearest Railway Station *St Asaph*Diameter of Funnel of Rain Gauge *5* in.Height of top of Gauge above Ground *1* ft. _____ in." " " " Sea Level *485* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12				.42		.25		.09	.20		.07	1
2	.05		.50	.03			.05	.04	.14	.12		.23	2
3						.30	.03				.06	.04	3
4	.05	.02	.20				.47	.12			.06	.10	4
5	.05	.12							.15			.29	5
6			.33		.07							.29	6
7			.15	.06									7
8	.10		.03			.15					.08		8
9	.45		.01	.06							.02		9
10			.16	.04						.32	.03	.03	10
11			1.00	.05	.02		.15			.03		.07	11
12			.28	.02		.40				.27	.25		12
13	.09	.04		.04			.16			1.03		.04	13
14	.24			.35			.42			.41		.02	14
15	.27	.06		.30	.49					.11		.40	15
16	.12	.16	.05	.04		.02				.05	.35		16
17	.13	.36				.01	.02	.09			.24		17
18	.02		~~53~~ ~~53~~					.46	.30			.22	18
19		.09	.28			.04		.30	.45		.15	.10	19
20	.12	.08	.28			.10			.04		.28	.50	20
21		.10	.03				.33		.14		.05	.20	21
22		.23					.05		1.02			1.20	22
23						.33				.94	.03	.12	23
24				.09	.15	.03				.53	.20	.12	24
25	.15			.05	.05	.05		.15	.10	.03	.50	.12	25
26	.10	.05	.26	.16		.11		.53				.25	26
27	.25		.03	.30		.03		.05			.11		27
28	.03		.06	.05				1.50	.52			.21	28
29	.02		.05	.22								.29	29
30			.05	.32		.45					.05	.28	30
31			.53				.10	.05				.32	31
TOTAL	2.66	1.51	4.81	2.18	1.50	2.02	2.03	3.49	2.95	4.04	24.6	5.51	YEAR'S TOTAL 35.19
Days with 0.1 in. or more	18	11	20	14	6	13	11	10	10	12	16	24	168

REGISTER OF RAINFALL IN 1920.

Kept at Llan Mehaf Reservoir
in the County of Denbigh
by L. G. Hall. A.M.I.C.E.

Lat. _____ Long. _____
Time of Observation 8 am
Nearest Railway Station St. Asaph
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 485 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.23	.19	.08		.17	.06	.14	.24		.08	1
2				.25	.07		.28	.18	.07	.05		.08	2
3		.18		.23	.04	.02	1.27	.02	.10	.16		.05	3
4				.02			.09	.17	.04	.09			4
5			.06		.03		.12	.13	.38	.02			5
6			.38	.04			.05			.22		.09	6
7	.04		.04	.05	.11		.34				.01		7
8	.28	.11	.01	.33	.09		.02	.04			.01	.02	8
9	.17	.19		.61			.09	.26	.06		.02	.02	9
10	.25	.58					.12					.06	10
11	.32	.09	.11	.15	.13	.35	.02	.13					11
12	.28	.05	.09	.08	.02	1.21	.03		.01		.16	.09	12
13	.02	.11	.07	.03		.04					.09		13
14		.02	.52	.03		.15	.02		.61	.05	.33		14
15		.13	.01	.14			.01		.01	.03	.04		15
16			.02	.17	.13	.04	.33		.05	.19	.02		16
17			.02	.02	.15	.19		.14	.17	.01			17
18	.47			.03	.23	.23	.39	.68	.28				18
19	.02	1.14		.06	.15	.05		.44	.02				19
20	.06	.07		.28			.08	.02	.76	.01		.03	20
21				.02			.52	.02				.25	21
22	.11			.03		.02	.15	.74				.06	22
23			.09	.02			.38	.03				.08	23
24	.05	.02	.48	.01			.03					.21	24
25	.04	.13	.18	.12	.60		1.14						25
26	.11	.09	.84	.29	.10	.03	.32				.02		26
27	.30	.11	.37	.32	.06	.22	.06				.10	.03	27
28	.35	.01	.42	.02		.02	.01				.21	.15	28
29	.07		.17	.13	.54		.51				.16	.51	29
30	.09	~~X~~	.56	.26	.04	.06			.22		.15	.02	30
31	(1.2)	~~X~~	.01	~~X~~	.02	~~X~~	.05	.08	~~X~~	.13	~~X~~	.09	31
TOTAL	3.15	3.03	4.68	3.93	2.59	2.63	6.60	3.14	2.92	1.20	1.32	1.92	37.07
Days with "01 in. or more	219	216	221	128	312	414	427	416	315	412	313	370	217
Days with "04 in. or more	17	13	16	18	15	10	20	12	12	8	8	13	162
YEARS TOTAL													37.07

RE
Hafodunos
in the County of Den
by H. B. Jones

DENBIGH.
HLANGERNIEW
HAFODUNOS.

1911 - 1920

FORM A2.
BRITISH RAINFALL.
26 JAN 1912
in.
round ft. in.
Sea Level ft.
me.
stance Direction

IMPORTANT NOTE. Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
See C

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. 14	in.	in. 06	in. 03	in.	in. 68	in. 16	in. 14	in.	in. 11	in. 12	in. 08	1
2	02		16		27		06			04	68	21	2
3			06		66		24			52	48	18	3
4			15		07		02		12	02	28	32	4
5					03			1.66			21	36	5
6	68		03					14			82	06	6
7	04		08							03	26	64	7
8			12								18	08	8
9	26		14								42	28	9
10		11	08		18						18	1.04	10
11	41	04	20								06	62	11
12	26		12		68				82		52	12	12
13			07						27		02	11	13
14	04	08	04			09			02		26	07	14
15		08	03								23	09	15
16		45				02					18	02	16
17		11				63					33	12	17
18		18		11		10					27	87	18
19		48		43		05			42	02	32	10	19
20				06		41	02		22	26	20	86	20
21		18		32		30	12	47	09	20	05	02	21
22		37		04		82			03	25	06	15	22
23		78		16		2.11					02	36	23
24		09		03	02	33		12	62	46		33	24
25	06	30		14		02			53	32		04	25
26		25		02		01		04	83	36		19	26
27	01	15		16		02	06		20	12	29	02	27
28		41	14	15		03		24	16	10	06	05	28
29				06					22		02	03	29
30								02		1.46		15	30
31													31
Total	1.92	4.06	1.74	1.71	1.91	5.62	1.39	2.83	4.55	4.35	6.52	7.59	TOTAL for year
No. of Rain Days	1.78	4.12	1.71	1.68	2.59	5.10	1.37	2.69	4.66	4.36	6.48	7.55	44.09
	109	1617	16	13	78	15	8	87	1415	16	26	3120	180

82
10400
Hafodunos
RE

Kept at
in the County of
by

RAIN GAUGE
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.
Time of Observation
Nearest Railway Station { Name
Distance Direction

FORM A2.
BRITISH RAINFALL
26 JAN 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

See C

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. 14	in.	in. 06	in. 03	in.	in. 68	in. 16	in. 14	in.	in. 11	in. 12	in. 08	1
2	02		16		27		06			04	68	21	2
3			06		66		24			52	48	18	3
4			15		07		02		12	02	28	32	4
5					03			1.66			21	36	5
6	68		03					14			82	06	6
7	04		08							03	26	64	7
8			12								18	08	8
9	26		14								42	28	9
10		11	08		18						18	1.04	10
11	41	04	20								06	62	11
12	26		12		68				82		52	12	12
13			07						27		02	11	13
14	04	08	04			09			02		26	07	14
15		08	03								23	09	15
16		45				02					18	02	16
17		11				63					33	12	17
18		18		11		10					27	87	18
19		48		43		05			42	02	32	10	19
20				06		41	02		22	26	20	86	20
21		18		32		30	12	47	09	20	05	02	21
22		37		04		82			03	25	06	15	22
23		78		16		2.11					02	36	23
24		09		03	02	33		12	62	46		33	24
25	06	30		14		02			53	32		04	25
26		25		02		01		04	83	36		19	26
27	01	15		16		02	06		20	12	29	02	27
28		41	14	15		03		24	16	10	06	05	28
29				06					22		02	03	29
30								02		1.46		15	30
31		06	26		68	16	74		11	88	08	02	31
Total	1.92	4.06	1.74	1.71	1.91	5.62	1.89	2.83	4.55	4.35	6.52	7.59	44.19
No. of Rain Days	1.48	4.12	1.71	1.68	2.59	5.10	1.37	2.69	4.66	4.36	6.48	7.55	44.09
	109	1617	16	13	78	15	8	87	1415	16	26	317	180

REGISTER OF RAINFALL IN 1913

Kept at *Hafodunos, Llangerneir*
 in the County of *Denbigh* *2*
 by *Col. Thomas Gee.*

Lat. *53° 10'* Long. *3° 42'*
 Time of Observation *9 am*
 Nearest Railway Station *Sherryle*
 Diameter of Rain Gauge *8* in. *zero gauge*
 Height of top of Gauge above Ground *3* ft. *-* in.
 " " " " Sea Level *512* ft.

FORM A.
 BRITISH RAINFALL.
 1 MAY 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.23	.25	.20	.80	-	-	-	-	.12	-	.06	1
2	-	.12	.50	-	-	-	-	-	.05	-	-	.10	2
3	-	.08	.55	-	.20	.04	.08	-	-	-	.40	.67	3
4	-	.09	.35	-	.20	<i>0.04</i>	-	-	-	.08	-	-	4
5	.14	.15	.25	-	.10	.16	.17	<i>1</i>	-	.40	.05	-	5
6	.43	.20	.35	-	.17	.60	.21	-	.25	.20	.06	.53	6
7	.30	.66	.05	.22	-	<i>0.04</i>	.35	-	-	-	.19	.14	7
8	.12	.47	.04	-	.29	-	-	.20	-	.20	.10	.06	8
9	-	-	.16	-	.24	.30	.09	.15	-	.65	.10	-	9
10	.03	.05	.10	-	.05	.90	.04	.45	-	-	-	.09	10
11	-	-	-	.08	.04	.23	-	-	<i>1.50</i>	-	.04	.10	11
12	.14	-	.31	-	-	-	-	.40	.23	-	.16	-	12
13	-	-	.37	.50	.11	.17	.09	-	-	-	.90	-	13
14	.80	-	.47	-	.35	-	-	.10	-	.28	.37	-	14
15	-	-	.03	1.00	.05	-	-	.05	-	-	.30	-	15
16	.03	-	-	.23	-	.40	.17	-	-	-	.17	-	16
17	.17	-	.64	-	-	.10	.05	-	.22	-	-	-	17
18	-	-	-	.27	-	-	.10	-	-	-	.16	-	18
19	.11	-	-	.25	-	.10	-	-	-	.35	.27	-	19
20	-	-	.38	-	-	.06	-	-	.05	.12	.23	-	20
21	.19	-	.40	-	-	-	.38	.30	.20	.21	.50	-	21
22	.03	-	.50	-	-	.10	.02	.85	.17	.10	.10	-	22
23	.37	-	-	-	-	-	-	.20	-	-	.06	.15	23
24	.28	-	-	.45	.10	-	-	-	.43	.20	.04	-	24
25	.27	-	-	.68	-	-	-	.05	-	.34	.13	.22	25
26	.05	.15	-	.22	.20	-	-	-	.24	.47	.14	.83	26
27	.03	.05	.10	.28	-	-	-	-	-	.10	-	.15	27
28	.12	-	-	.28	-	-	-	-	.02	-	.03	-	28
29	.35	-	-	-	-	-	-	-	-	-	-	.40	29
30	.40	-	.20	.09	-	-	-	-	-	.28	-	-	30
31	-	-	-	-	-	-	-	-	-	-	-	.07	31
Total	4.40	2.25	6.00	4.75	2.90	3.16	1.75	2.75	3.36	4.10	4.50	3.57	43.49
Rain Days.	21	11	20	14	14	12	12	10	11	16	22	13	176

in the County of *Lancashire*
Pemberton 2
by *Col Thomas Gee*

Time of Observation *9 a.m.*
Nearest Railway Station *Aberdeen*
Diameter of Rain Gauge *8* in. *Zero Gauge*
Height of top of Gauge above Ground *3* ft. in.
Sea Level *512* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1												.06	1
2	.04	.23	.25	.20	.80					.12		.16	2
3		.35	.75						.05			.83	3
4		.43	1.30		1.00	.04	.08				.40		4
5		.52	.65		.20					.20			5
6	.18	.67	.90		.30	.20	.25			.60	.45		6
7	.61	.87	2.25		.47	.80	.46		.30	.80	.51	1.36	7
8	.91	1.53	.30	.42			.81				.70	.50	8
9	1.03	2.00	.34		.76			.20		1.00	.80	.56	9
10			.50		2.00	1.10	.90	.35		.65	.90		10
11	.06	.05	.60		.05	2.00	.94	.80				.65	11
12				.50	.09	.23			1.80		.94	.75	12
13	.20		.91					1.20	2.03		1.00		13
14			3.28	1.00	.20	.40	1.03				2.00		14
15	2.31		.75		.55			.30		.93	.37		15
16			.78	2.40	.60			.35			.67		16
17	.03			.23		.80	.20				.84		17
18	.20		4.42			.90	.25		.25				18
19				.50			.35				3.00		19
20	.31			.75		3.00				2.28	.27		20
21			.80			.06			.30	.40	.50		21
22	.50		5.20				.73	.65	.50	.61	4.00		22
23	.53		.70			.16	.75	2.50	.67	.71	.10		23
24	.90							.70			.16	.90	24
25	3.18			3.20	.70				3.10	.91	.20		25
26	.45			.88				.75		3.25	.33	2.12	26
27	.50	.20		4.10	.90				.34	.72	.47	.95	27
28	.53	.25	.80	.38						.82		3.10	28
29	.65			.66					.36		.50		29
30	4.00											.35	30
31	.40		6.00	.75						4.10			31
Total	4.40	2.25	6.00	4.75	2.90	3.16	1.75	2.75	3.36	4.10	4.50	3.57	YEARS TOTAL 43.49
Rain Days.	21	11	20	14	14	12	12	10	11	16	22	13	176

Dates uncertain

Exe of cont. with 27.11.15

REGISTER OF RAINFALL IN 1914

FORM A2.
BRITISH RAINFALL.

Kept at Hafodunos

in the County of Denbigh

by Col. G. E.

Pattern St. John's Gauge
RAIN Gauge Diameter of top 5 in.
Height of top above Ground 2 ft. 6 1915
" " " Sea Level 600 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Aberystwyth
Distance 11 m. Direction North

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2		.20	.10	.5			.20	.40		.14		.10	2
3	.20	.30	.25			.6	.60	.10			.14	.70	3
4	.30	.40		.4	.15	.40						.60	4
5	.20	.10	.16	.25	.20		.40				.30	.170	5
6	.10		.25	.20	.24	.21	.20				.25	.60	6
7	.7	.3	.5	.9	.28	.31		.6			.3	.3	7
8	.3	.6	.25	.8	.50	.14		.12			.8	.30	8
9	.30	.5		.18		.20		.105	.14	.10	.18	.70	9
10		.18	.25	.25	1.00		.80	.8	.5		.70	.32	10
11	.10	.33	.14	.10				.14	.30		.14	.62	11
12	.51	.40	.26		.15				.20		.40		12
13		.32	.20		.10				.10	.30	.20	.12	13
14		.50	.18				.67		.7		.18	.15	14
x 15	+	1.00	.6				1.80		.10		.24	.75	15
16		.90	.55			.90			.10			.20	16
17		.70	.18						.140			.130	17
18		.0	.50						.30	.5		.28	18
19			.12	.10		1.00			.30	.3		.50	19
20			.67			.33				.20		.18	20
21		.60	.3	.10	.18				.44		.7		21
22			.3	.5									22
23	.40	.80						.30					23
24	.50	.5		.10		.20	.16	.16			.24	.70	24
25	.20							.5		.35		.45	25
26	.25					.40	.30			.43		.118	26
27	.30				.5					.65	.98	.33	27
28							.40			.6	.30	.33	28
29	.26		.15							.10	.70	.171	29
30	.41		.50				.14			.10			30
31	.19												31
Total	4.32	6.12	4.88	1.39	2.80	3.80	5.37	3.16	3.50	251	5.03	13.25	TOTAL for year
No. of Rain Days.	17	18	21	11	9	11	10	12	12	12	17	24	5623

REGISTER OF RAINFALL IN 1915

Kept at *Llangerniew, Hafodunos*
in the County of *Denbigh*
by *Thomas Lee L. Col*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Llanrwst*
Diameter of Funnel of Rain Gauge *5* in. *chis*
Height of top of Gauge above Ground *2* ft. *6* in.
" " " " Sea Level *512* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.



Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.16	.10						.10				1
2	.70	.25			.55				.95	.22		.5	2
3	.35	.78	.14	.10			.20	.53	.16			.10	3
4		.10		.30			.22		.18			.25	4
5		.8	.5	.36	.22		.5	.5	.3			1.20	5
6	.9	.21	.18				.5					.60	6
7	.30	.40	.18				.26					.62	7
8	.75	.60		.5	.10		.40	.20	.5	.10	.5	.40	8
9	.38	.40						.61			.83	.25	9
10	.30	.50										.45	10
11	.65	.4							.25			.35	11
12	.6			.60	.10		.16	.25			.50	.10	12
13	.10			.34	.33			.28			.85	.40	13
14		.14	.10	.8			.5	.12	.50		.43	.15	14
15	.30	.15		.14				.16			.36	.30	15
16	.80			.8							.24	.20	16
17		.40			.35		.70	.58					17
18	.9	.75										.20	18
19	.7	.90			.47		.10				.20		19
20		.3		.20	.16		.20					.25	20
21	.18							.5					21
22	.35			.20		.22	.15					.40	22
23	.18				.16	.60	.18			.7		.25	23
24		.70		.6			.25			.63		.40	24
25			.48			.25	.5			.22		.70	25
26		.70											26
27						.8	.15				.21	.40	27
28		.13					.18			.40		.10	28
29						.20	.3	.35			.20		29
30		X				.10	.15	.5				.40	30
31	.28	X		X		X	.8	.40	X	.26	X	1.00	31
Total	5.93	7.42	1.23	2.51	2.44	1.45	4.09	3.63	2.22	1.90	3.87	9.52	46.23
Rain Days.	18	20	7	12	9	6	20	13	8	7	11	25	156

REGISTER OF RAINFALL IN 1916

FORM A2.
BRITISH RAINFALL.

Kept at *Hafodunos*
in the County of *Denbighshire*
by *Col. Thomas Gee*

Pattern *W. G. Gauge*
RAIN GAUGE Diameter of top *5* in.
Height of top above Ground *2* ft. *6* in.
" " " Sea Level *512* ft.
Time of Observation *9. a.m.*
Nearest Railway Station { Name *Abergele*
Distance *11 miles* Direction *N. E.*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	<i>1.20</i>	<i>in.</i>	<i>1.00</i>	<i>in.</i>	<i>in.</i>	<i>.50</i>	<i>.21</i>	<i>in.</i>	<i>in.</i>	<i>in.</i>	<i>.20</i>	<i>in.</i>	1
2		<i>.10</i>	<i>.10</i>				<i>.42</i>		<i>.20</i>		<i>.10</i>		2
3	<i>1.00</i>	<i>.30</i>	<i>.30</i>	<i>.20</i>		<i>.20</i>	<i>.10</i>		<i>1.00</i>		<i>.30</i>		3
4	<i>.40</i>	<i>.75</i>				<i>.35</i>	<i>.60</i>		<i>1.40</i>	<i>.19</i>	<i>.25</i>	<i>.30</i>	4
5	<i>.7</i>	<i>.10</i>			<i>.50</i>				<i>.10</i>	<i>.31</i>	<i>.23</i>		5
6	<i>.45</i>	<i>.70</i>			<i>.50</i>	<i>.20</i>				<i>1.03</i>	<i>.80</i>		6
7	<i>.21</i>	<i>.40</i>			<i>.15</i>	<i>.5</i>					<i>.25</i>		7
8	<i>.5</i>	<i>.10</i>			<i>.35</i>		<i>.33</i>			<i>.46</i>	<i>.16</i>	<i>.40</i>	8
9	<i>.10</i>	<i>.5</i>			<i>.25</i>	<i>.10</i>		<i>.50</i>		<i>.30</i>	<i>.10</i>		9
10	<i>.45</i>	<i>.10</i>				<i>.20</i>		<i>.20</i>		<i>.5</i>			10
11	<i>.8</i>	<i>.60</i>		<i>.15</i>					<i>.5</i>				11
12			<i>.45</i>	<i>.25</i>			<i>.55</i>			<i>.46</i>			12
13	<i>.3</i>	<i>.45</i>		<i>.10</i>	<i>.10</i>				<i>.10</i>	<i>.40</i>			13
14		<i>.30</i>		<i>.35</i>	<i>.20</i>			<i>.45</i>		<i>.36</i>			14
15		<i>.25</i>		<i>.28</i>	<i>.25</i>	<i>.10</i>	<i>.6</i>			<i>.20</i>		<i>.50</i>	15
16		<i>.40</i>	<i>.40</i>			<i>.10</i>		<i>.40</i>		<i>.10</i>			16
17		<i>.10</i>		<i>.35</i>			<i>.4</i>	<i>.5</i>	<i>.50</i>				17
18		<i>.10</i>		<i>.65</i>				<i>12</i>	<i>.10</i>				18
19	<i>.15</i>	<i>.34</i>		<i>.90</i>									19
20	<i>.6</i>		<i>.60</i>			<i>.5</i>			<i>.75</i>			<i>.56</i>	20
21	<i>.50</i>		<i>.40</i>			<i>.10</i>			~~<i>.10</i>~~		<i>.30</i>		21
22	<i>.80</i>					<i>.5</i>			<i>.45</i>	<i>.20</i>	<i>.50</i>	<i>.40</i>	22
23				<i>.30</i>				<i>.15</i>		<i>.5</i>	<i>.15</i>		23
24		<i>.30</i>		<i>.50</i>				<i>.10</i>		<i>.40</i>	<i>.35</i>		24
25	<i>.20</i>		<i>.20</i>		<i>.90</i>			<i>.25</i>		<i>.10</i>	<i>.50</i>		25
26					<i>.23</i>					<i>.5</i>	<i>.10</i>	<i>.10</i>	26
27	<i>.10</i>		<i>.10</i>		<i>.65</i>					<i>.10</i>	<i>.60</i>	<i>.60</i>	27
28	<i>.12</i>	<i>.25</i>								<i>.83</i>	<i>.30</i>	<i>.25</i>	28
29	<i>.10</i>		<i>.20</i>							<i>.65</i>	<i>.24</i>	<i>.15</i>	29
30						<i>.35</i>				<i>.30</i>	<i>.5</i>		30
31										<i>1.65</i>			31
Total	<i>5.67</i>	<i>5.59</i>	<i>3.75</i>	<i>4.03</i>	<i>4.08</i>	<i>2.35</i>	<i>2.31</i>	<i>2.22</i>	<i>4.65</i>	<i>8.19</i>	<i>5.48</i>	<i>3.26</i>	TOTAL for year
No. of Rain Days	<i>19</i>	<i>19</i>	<i>10</i>	<i>11</i>	<i>11</i>	<i>12</i>	<i>8</i>	<i>9</i>	<i>10</i>	<i>21</i>	<i>19</i>	<i>9</i>	<i>51.68</i>

REGISTER OF RAINFALL IN 1917

Kept at Hafodunos
in the County of Denbighshire
by Col Thomas Gee

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Abergele
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 512 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
.15

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.40		.10			.65			.22	1
2			.10			.10		.22	.22			.28	2
3	.9			.38				.10		.10	.25		3
4	.4			.10				.5		1.20			4
5			.20	.6	.65	.12		.3		.65			5
6								.5			.70		6
7		.25	.25							.60	.50	.32	7
8				.16	.20			.25	.5	.40	.30		8
9	.16			.33				.30		.18	.10		9
10	.12			.15	.10				.5	.93	.63		10
11			.94	.60				.3		.28			11
12				.5				.16		.35	.10		12
13										.75		.25	13
14				.10					.6	.45	.30		14
15				.20				.20	.30	.60	.5		15
16		.10					.25	.10		.20		.22	16
17		.16		.45				.5		.30			17
18	.60		.40	.50			.18	.45	.28	.10			18
19	.36						.40	1.20	.35	.40			19
20	.16							.16	.22	.20		.45	20
21						1.16		.3		.10	.95		21
22				.5			.5	.14		.12			22
23						.18		.40		.10			23
24			.40			.50	.5	.20		.30	.25		24
25			.20	.25		.26		.15		.50	.5	.28	25
26			.10			.5		.6		.18	.40		26
27	.34						.10	.40	.35	.10		.20	27
28	.28	.25			1.35	.18	.26	.55		.10			28
29	.81		.25					1.35		.10			29
30	.40	X		.40				.6		1.00			30
31		X	.50	X		X		.30	X	.30	X	.22	31
Total	3.36	.76	3.34	3.33	2.75	2.65	1.29	6.99	2.53	10.59	4.58	2.24	44.81
Rain Days	11	4	10	14	6	9	7	26	10	28	13	9	147

3.73

WD. ^{and}

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL
21.1.19

Kept at Llangennech Hafodnewydd
Llangennech
in the County of Denbighshire
by Col Thomas Gee

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Abergele
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 512 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
1/6

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.14			.30					.50	.35			1
2			.20	.25					.30	.30			2
3		.8	.30	.30					.16	.4	.6		3
4				.10	.25					.45	.4		4
5	.5	.22							.10	.80	.16	.50	5
6		.18						.5	.5	1.80	.10	.10	6
7		.94		.40	.60		.16	.18		.60			7
8		.45		.14				.25	.20	.10			8
9	.20				.20	.90			.60	.10			9
10	.22	1.30		.22		.21			.50	.34		.6	10
11									.75	.40		.4	11
12	.12	.30		.6	.10	.10			.20	.15		.15	12
13	.15	.40		.3			.40	.10	.8	.16	.50	.8	13
14			.10						.5	.25	.23	.50	14
15	1.20	.5	.6			.21	.70		.40	.20	.40		15
16		.4			.21		.25	.3	.75	.11	.10		16
17						.40	.60		.80	.20	.5	.12	17
18	.75			.10		.21	.10	.50	1.75			1.06	18
19	.50				.5			.40	.30	.25		.50	19
20	.17		.20				.16	.28				.40	20
21	.80	.65	.5	.60	.50	.16	.40		.40		.36	.33	21
22	.30	.75				.15	.6		.10		.10	.10	22
23	.22				1.16		.40		.35		.8	.33	23
24		.28					.20	.16	1.10	.20	.16	.10	24
25	.12						.16		.20	.10		.16	25
26	.15	.2				.20	.20		.5	.5		.33	26
27							.80	.10	.30			.16	27
28		.40	.50						.21		.50	.60	28
29			.59					.25	.36		.6	.34	29
30		X	.10						.40			.40	30
31		X		X		X			X		X	.10	31
Total	5.11	6.05	2.10	2.50	3.02	2.59	4.59	2.30	10.96	6.95	2.90	6.46	YEAR'S TOTAL 55.54
Rain Days.	14	15	19	16	7	10	14	12	27	26	15	23	177

REGISTER OF RAINFALL IN 1919.

Kept at Hafodunos
in the County of Denbighshire
by _____

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Klasurwest
Diameter of Funnel of Rain Gauge 5 inches
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 512 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
140

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.16											.40	1
2	.25		.50		.3		.18		.50			.20	2
3	.45		.40		.25		.10	.4	.10			.11	3
4	.20				.16	.68	.40	.10		.8	.20	.10	4
5	.10	.10	.26			.97				.16	.16	109	5
6	.4	.50				.25				.40	.4	.30	6
7	.16	.40		.19		.16					.8		7
8	.33	.7		.28									8
9	.50			.14								.6	9
10	.95		.20	.10			.25					.10	10
11	.8		.56				.30					.12	11
12			.50								.48	.6	12
13	.36		.80							.80	.20	.8	13
14	.20									1.60	.60	.40	14
15				.50	.45				.16	.50		.20	15
16	.16			.68	.16					.35		.20	16
17	.12			.8					.8		.21		17
18			.90			.3		.40	.40		.40	.30	18
19		.75	.50			.45		.90				.28	19
20		.50	.40						.15			1.14	20
21		.44			.18	.28			.10		.60	105	21
22					.28							.60	22
23	.16			.14						1.00		.80	23
24	.10			.28					1.20	.75		.11	24
25	.6	.5		.4			.18		.10		.60		25
26	.20	.3		.6			.10	.40	.16		1.08	.20	26
27								.20	.40		.40	.36	27
28			.16		.10	.18		.80	.25		.16	.35	28
29			.30		.4	.7	.16			.20	.48	.48	29
30		X						1.00				.40	30
31		X		X		X		.20	X		X	.36	31
TOTAL	4.58	2.84	5.28	2.49	1.65	3.07	1.67	4.04	3.60	5.84	5.69	9.85	YEAR'S TOTAL
Days with ".01 in. or more	19	9	12	11	9	9	8	9	12	10	15	27	50.60

REGISTER OF RAINFALL IN 1920.

Kept at Hafodunos, Abergele.
in the County of Denbigh
by Col Thomas Gee

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Abergele
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following:
(10)

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.10		.18				.6	.8	.20			1
2		.16		.10		.16		.18	.20			.80	2
3		.40		.5	.60	.25	.10	.29	.18			.90	3
4		.56	.16	.4	.54	.10	.25	.16	.26			.50	4
5		.16	.25		.16	.6	.8					.10	5
6			.50		.10	.20	.6		.27		.10	.16	6
7	.10	.12				.21	.10		6		.40		7
8	.8			.6			.4	.10			.20		8
9	.60			.4			3	.28			.16		9
10	.35	.600	.10					.16		.10			10
11	.70	.80	.6		.18		.50			.8			11
12	.25		.4				.20			.6		.8	12
13	.40	.40			.20	.15	.16				1.00	.10	13
14	.20	.18	.50		.40	.17	.10	.29	.16		.50	.12	14
15	.8	.20	.70		.16	.30		.80	.4		.24	.5	15
16			.28	.30	.10			.41				.4	16
17	.10			.20	.5	.50	.18		.41			3	17
18	.45			.10		.75	.20		.20	.16			18
19	.8						.6	1.09	.48	.12			19
20		1.05		.20				.20		.7	.8		20
21	.10	.20		.10	.15	.8		.16	.10	.3	.12		21
22	.10	6			.12	.6		.28	.40		.7		22
23			.40		.8	.10	.50	1.00	.25		.6		23
24			.71	1.00	.4			.10	.50	.86	.5		24
25		.16	.82				1.25	.6	1.29			.80	25
26	.35	.25	1.00	.16	1.08	1.00	.18		.20			.60	26
27	.40		.50	.40	.30	.50						.50	27
28	.25		.12		.35	.20		.18			.60	.10	28
29			.6		.12	.6		.4	.6		.12	.50	29
30	.41											1.25	30
31												.10	31
TOTAL	~~5.44~~ 5.10	~~5.80~~ 5.70	~~6.20~~ 6.38	~~2.93~~ 2.75	4.73	4.85	~~3.99~~ 4.05	~~5.84~~ 5.86	~~5.12~~ 5.24	~~1.68~~ 1.48	3.70	~~6.63~~ 6.73	YEAR'S TOTAL 56.47
Days with "01 in. or more	7	15	17	13	18	18	17	19	18	7	14	18	1956
Days with "04 in. or more	18	15	17	13	18	18	17	19	18	7	14	18	1956

Kept at PLAS
in the County of
by Cornel C.

LLANGYNHAFAL
PLAS DRAW.
DENBIGHSHIRE

IMPORTANT
previous day. If a
requested to add the
for it at the end of
the selection and
Organization are given
Dr. H. R. MILL, 62, Camden Square, London, N.W.

1911 - 1920

9.11
top 5 in.
above Ground 1 ft.
Sea Level 419 ft.
Name RHEWL. LYNWIR
Distance 2 Direction SSW
and the result entered to the
universal rule, he is earnestly
year in the space provided
urement of rain,
British Rainfall
on application to
Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	0.04	0.01	-	-	0.13	0.24	-	0.01	0.14	0.04	1
2	-	-	0.05	0.02	0.03	-	0.10	0.02	-	0.37	0.01	0.07	2
3	-	-	-	0.02	0.45	-	-	-	0.14	0.01	0.06	0.05	3
4	-	-	0.06	-	0.01	-	-	0.53	0.03	-	0.20	0.09	4
5	0.08	-	-	0.01	0.01	-	-	0.51	-	0.02	0.03	0.05	5
6	0.21	-	0.07	-	-	-	-	0.09	-	0.03	0.27	0.20	6
7	0.01	-	-	-	-	-	-	-	-	-	0.4	0.01	7
8	0.27	-	0.24	-	-	-	-	-	-	-	0.15	0.26	8
9	0.07	-	0.04	-	-	-	-	-	-	-	0.14	0.12	9
10	-	0.06	0.06	-	-	-	-	-	0.07	-	0.06	0.36	10
11	0.20	-	-	-	0.24	-	-	-	0.01	-	0.28	0.04	11
12	-	-	0.34	-	0.01	-	-	-	1.52	0.01	0.14	0.01	12
13	0.01	0.01	0.01	-	0.16	-	-	-	0.01	-	0.04	0.22	13
14	0.01	0.01	0.09	-	0.01	-	0.06	-	0.03	-	0.01	0.03	14
15	-	0.04	0.02	-	0.11	0.01	-	-	-	0.03	0.06	0.04	15
16	-	0.03	0.03	0.06	-	0.11	0.01	-	-	0.02	0.09	0.05	16
17	-	-	0.01	-	-	0.52	-	-	-	-	0.28	0.05	17
18	-	0.26	-	0.11	-	0.08	-	0.03	-	0.01	0.01	0.10	18
19	0.01	0.02	-	0.00	-	0.29	0.03	-	0.13	0.02	0.35	0.37	19
20	-	0.04	-	0.00	-	0.01	0.01	1.06	0.06	0.02	-	0.15	20
21	-	0.20	-	0.01	-	0.01	0.06	0.01	-	0.17	-	0.03	21
22	-	0.04	-	-	-	0.02	-	-	-	0.52	0.04	0.02	22
23	-	0.21	0.02	-	-	0.00	0.02	0.03	0.12	0.13	0.01	0.13	23
24	-	0.02	0.02	-	-	2.05	0.01	0.07	0.01	0.10	-	0.11	24
25	-	0.11	0.01	0.05	-	0.32	-	0.03	0.40	0.16	-	0.05	25
26	-	0.13	-	0.04	-	0.05	-	0.03	0.01	0.12	0.10	0.05	26
27	-	0.00	0.12	0.05	-	-	-	0.61	0.08	-	0.04	0.09	27
28	-	0.17	0.01	0.01	-	-	-	0.03	0.04	-	-	0.01	28
29	-	-	-	0.03	-	0.03	0.38	0.01	0.11	0.33	-	0.04	29
30	-	-	0.01	-	-	0.12	0.16	-	-	0.24	0.01	-	30
31	-	-	0.33	-	0.01	-	-	-	-	0.01	-	-	31
Total	0.51	1.43	1.50	0.50	1.04	3.52	0.97	3.60	3.93	2.41	2.79	3.66	TOTAL for year 26.62
No. of Rain Days	9	16	20	14	10	14	11	15	16	20	24	29	198

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.

Kept at PLAS DRAW Llangynhafal
in the County of Denbigh
by Colonel C. J. Beamhead C.B.

RAIN GAUGE { Pattern Symon's Standard
Diameter of top 5 in.
Height of top above Ground 1 ft. 1911
" " " Sea Level 419 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name RHEWL. LYNWIR
Distance 2 Direction SSW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	0.04	0.01	-	-	0.13	0.24	-	0.01	0.14	0.04	1
2	-	-	0.05	0.02	0.03	-	0.10	0.02	-	0.37	0.01	0.07	2
3	-	-	-	0.02	0.45	-	-	-	0.14	0.01	0.06	0.05	3
4	-	-	0.06	-	0.01	-	-	0.53	0.03	-	0.20	0.09	4
5	0.08	-	-	0.01	0.01	-	-	0.51	-	0.02	0.03	0.05	5
6	0.21	-	0.07	-	-	-	-	0.09	-	0.03	0.24	0.20	6
7	0.01	-	-	-	-	-	-	-	-	-	0.04	0.01	7
8	0.27	-	0.24	-	-	-	-	-	-	-	0.15	0.26	8
9	0.07	-	0.04	-	-	-	-	-	-	-	0.14	0.12	9
10	-	0.06	0.06	-	-	-	-	-	0.07	-	0.04	0.36	10
11	0.20	-	-	-	0.24	-	-	-	0.01	-	0.28	0.04	11
12	-	-	0.34	-	0.01	-	-	-	1.82	0.01	0.14	0.01	12
13	0.01	0.01	0.01	-	0.16	-	-	-	0.01	-	0.04	0.22	13
14	0.01	0.01	0.09	-	0.01	-	0.06	-	0.03	-	0.01	0.03	14
15	-	0.04	0.02	-	0.11	0.01	-	-	-	0.03	0.06	0.04	15
16	-	0.03	0.03	0.06	-	0.11	0.01	-	-	0.02	0.09	0.05	16
17	-	-	0.01	-	-	0.52	-	-	-	-	0.28	0.05	17
18	-	0.26	-	0.11	-	0.08	-	0.03	-	0.01	0.01	0.18	18
19	0.01	0.02	-	0.08	-	0.29	0.03	-	0.13	0.02	0.35	0.37	19
20	-	0.04	-	0.08	-	0.01	0.01	1.06	0.06	0.02	-	0.15	20
21	-	0.20	-	0.01	-	0.01	0.06	0.01	-	0.17	-	0.03	21
22	-	0.04	-	-	-	0.02	-	-	-	0.52	0.04	0.02	22
23	-	0.21	0.02	-	-	0.08	0.02	0.03	0.12	0.13	0.01	0.13	23
24	-	0.02	0.02	-	-	2.05	0.01	0.07	0.01	0.18	-	0.11	24
25	-	0.11	0.01	0.05	-	0.32	-	0.03	0.48	0.16	-	0.05	25
26	-	0.13	-	0.04	-	0.05	-	0.03	0.01	0.12	0.18	0.05	26
27	-	0.08	0.12	0.05	-	-	-	0.61	0.08	-	0.04	0.09	27
28	-	0.17	0.01	0.01	-	-	-	0.03	0.04	-	-	0.01	28
29	-	-	-	0.03	-	0.03	0.38	0.01	0.11	0.33	-	0.04	29
30	-	-	0.01	-	-	0.12	0.16	-	-	0.24	0.01	-	30
31	-	-	0.33	-	0.01	-	-	-	-	0.01	-	-	31
Total	0.81	1.43	1.58	0.58	1.04	3.82	0.97	3.60	3.93	2.41	2.79	3.66	26.62
No. of Rain Days	9	16	20	14	10	14	11	15	16	20	24	29	198

REGISTER OF RAINFALL IN 1912

Kept at Plot Dräger Langzindhof
in the County of Dunbligh
by Col. C. J. Bromhead

Lat. 53° 4' Long. 31° 7'
Time of Observation 9 A.M.
Nearest Railway Station RHEWL
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 419 ft.

BRITISH RAINFALL FORM A.
2
JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.05	.07	—	.02	.02	.15	.08	.14	—	—	.04	1
2	—	.15	.31	.01	.02	.26	.03	—	.01	—	—	.06	2
3	.12	—	.01	—	.02	.26	—	.73	.08	—	.01	.05	3
4	.17	—	.69	.01	.03	.21	—	.38	.02	—	.07	.03	4
5	.10	—	.01	—	.07	.16	—	.06	.13	—	.03	.02	5
6	.43	.10	.02	—	.02	—	—	.14	.16	—	.01	—	6
7	.01	.06	.01	—	—	.13	.12	.09	.04	—	—	.06	7
8	.35	.12	.11	.05	.01	.12	—	.05	.18	—	—	.02	8
9	.05	.02	.11	.24	—	.79	—	.02	—	—	—	.04	9
10	.10	—	.01	.01	—	.39	.04	.26	—	.01	.59	—	10
11	.04	.03	—	—	.03	—	.06	.05	—	.01	.09	.38	11
12	—	.80	.04	—	—	.15	.03	.24	—	.01	.01	.08	12
13	.01	.01	—	—	—	.01	—	.11	—	.11	.03	.09	13
14	.03	.01	.11	—	—	.03	—	.15	.05	.03	—	.02	14
15	.11	.04	.42	—	.12	.10	—	.05	—	—	.08	.09	15
16	.18	.10	.05	—	.07	—	—	.02	.02	.26	.03	.01	16
17	.73	.26	.05	—	.01	.22	.01	.23	—	.01	.10	.17	17
18	.36	.01	—	—	—	.01	—	.07	—	.05	.03	.02	18
19	.01	.07	.04	—	—	—	—	.13	—	.05	.01	.04	19
20	.02	—	.16	—	.22	.01	.04	.12	—	.36	.08	.02	20
21	.01	—	.06	—	.48	—	.01	.21	—	.34	.06	.06	21
22	.02	.04	.01	—	.56	.01	.01	.60	—	.01	.01	.08	22
23	.01	—	.16	—	.01	.05	.14	.42	—	.01	.12	.04	23
24	.06	—	.03	—	—	.13	.03	.09	—	.09	.06	.20	24
25	.01	—	.07	—	—	.11	—	—	—	.01	.56	.46	25
26	—	.09	.05	—	—	.11	.11	.50	—	1.00	.37	.08	26
27	—	.01	.07	—	—	.14	.65	.01	—	.26	.12	.24	27
28	—	.04	—	.05	—	.13	.15	.06	.09	.23	.38	—	28
29	.01	.03	.08	—	.04	.26	.05	.05	.44	.06	—	.04	29
30	.03	—	.09	—	—	.45	.01	—	—	.36	.40	.01	30
31	—	—	.19	—	.37	—	.92	.09	—	.03	—	.05	31
Total	2.97	2.09	3.03	.37	2.10	4.31	2.56	4.91	1.86	3.29	3.24	2.50	32.73
Rain Days.	24	20	27	6	17	25	18	28	12	21	23	28	249

Rain 0.94 above average for twelve years

REGISTER OF RAINFALL IN 1913

Kept at *Plas Ddau Llanygarnhafal*
in the County of *Denbighshire*
by *Col. C. J. Bromhead C.B.*

Lat. *53.9* Long. *3.17*
Time of Observation *9 A.M.*
Nearest Railway Station *RHEWL*
Diameter of Rain Gauge *five* in.
Height of top of Gauge above Ground *one* ft. — in.
" " " " Sea Level *419* ft.

FORM A.
BRITISH RAINFALL
JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.02	0.06	0.09	0.07	0.58	—	—	—	—	—	0.08	—	1
2	—	0.09	0.14	0.03	0.08	—	—	—	—	—	0.12	0.01	2
3	—	0.01	0.35	—	0.81	—	—	—	0.03	—	0.01	0.65	3
4	0.30	0.04	0.02	—	0.22	—	0.02	—	0.01	0.20	0.04	0.69	4
5	0.47	0.06	0.13	—	0.03	0.19	0.35	0.41	—	0.64	0.01	0.04	5
6	0.01	0.15	0.30	0.01	0.10	0.13	0.43	—	—	0.31	0.07	0.13	6
7	—	0.37	0.02	—	0.10	0.37	0.24	—	—	0.42	0.12	0.02	7
8	—	0.13	0.04	0.02	0.26	0.08	0.02	0.09	0.07	0.02	0.01	—	8
9	—	0.06	0.03	0.16	0.11	0.24	0.10	0.11	0.02	—	0.02	0.14	9
10	0.18	0.01	0.03	0.02	0.17	0.01	0.03	0.25	0.02	0.02	0.30	0.01	10
11	0.79	0.01	0.02	0.42	0.02	0.08	—	0.38	—	0.08	0.17	—	11
12	0.01	—	0.01	0.01	0.04	0.04	0.01	0.03	0.57	—	0.45	—	12
13	0.01	0.01	0.19	—	—	—	0.01	0.08	0.06	0.02	0.44	—	13
14	0.16	0.01	0.35	0.03	—	—	—	0.17	0.06	0.17	0.04	—	14
15	0.06	0.02	0.35	0.56	—	—	—	0.02	0.03	0.01	0.05	0.02	15
16	0.01	—	0.09	0.04	—	—	—	—	—	—	0.02	0.04	16
17	0.02	—	0.05	0.07	0.04	—	0.06	—	0.02	—	0.06	—	17
18	0.01	—	0.27	0.16	0.12	—	0.11	—	—	—	0.02	—	18
19	0.06	—	0.02	0.02	0.02	0.16	—	—	0.02	0.17	0.02	—	19
20	0.12	—	0.21	0.02	—	0.02	—	—	0.04	0.23	0.35	—	20
21	0.01	—	0.16	0.04	0.03	—	0.12	0.06	—	0.03	0.03	—	21
22	0.15	—	1.10	—	—	0.36	—	0.82	0.34	—	—	—	22
23	0.01	—	0.03	0.27	—	0.03	—	0.05	0.08	0.02	0.07	0.15	23
24	0.22	—	—	0.03	—	0.04	—	—	0.01	—	0.02	0.06	24
25	—	—	—	0.15	—	—	—	—	0.19	0.07	0.01	0.05	25
26	0.01	0.05	—	0.80	—	—	—	—	0.31	0.01	—	0.36	26
27	—	—	—	0.19	—	—	—	—	0.01	0.52	0.01	0.12	27
28	0.15	—	0.08	0.20	—	—	—	—	—	0.05	0.01	0.35	28
29	0.01	—	0.28	0.32	0.14	—	—	0.09	—	0.14	0.05	0.01	29
30	0.29	—	0.01	—	0.03	—	—	—	—	0.08	0.05	—	30
31	0.05	—	0.26	—	0.02	—	—	0.01	—	0.02	—	—	31
Total	3.13	1.08	4.63	3.64	2.92	1.75	1.50	2.57	1.89	3.23	2.65	2.85	31.84
Rain Days.	24	15	27	23	19	13	12	14	18	21	28	17	231

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1914

Kept at *Llangynhafal, Plas Draw*
in the County of *Denbigh*
by *Col. E. J. Bromhead C.B.*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. - in.
" " " " Sea Level *419* ft.

2/50
23 JAN 1915
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		02	04	01		06	85	24		10		48	1
2		01					86	06		02	18	64	2
3			07	07	17		03		01		01	80	3
4	19		05	15	16	01	06				37	32	4
5	17		17	09	05	11	13	06		06	14	02	5
6	10	05	04	03	03	06		05			07	19	6
7	02	08	15	05	24	24	05	07			01	26	7
8	06	01	03	08	40	28		25	09	02	01	08	8
9	49	05	30	08	09	91		03	31		10	01	9
10	08	06	41	15	02	13			19		03	01	10
11		11	11	01	27	72	1.32		08		62	1.07	11
12		35	12		01	07	13		28		19	65	12
13		10	10	02	01		03		09	43	22	07	13
14		43	03							14	09	02	14
15		03	33						02	01	05	08	15
16		12	03				01		24		01	12	16
17	07	18	16				12		69		01	42	17
18			06						30	02	01	12	18
19		02	02				30		45		02	08	19
20		17	22			1.01	31				01	12	20
21		38	01			24	01	16		02	01	13	21
22		26			24	04	02	10				01	22
23		01	07	01	01		04				03	01	23
24	03		01	04			31	03		02	17	01	24
25	12						34	11		40	04	17	25
26			12				33	04		15	08	17	26
27	11		01							08	28	78	27
28	25	06	07		10	02				03	09	43	28
29	10		04		07			01		12	11	01	29
30	02		02							02	30	19	30
31	21		01		02		14			10		02	31
Total	2.02	2.50	2.80	.79	1.89	3.90	5.39	1.21	2.75	1.74	3.26	7.49	35.44
Rain Days.	15	20	28	13	16	14	20	13	12	17	28	31	227

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1915

Kept at *Blas Brua Longyuhafal Ruthin*
 in the County of *Denbigh*
 by *Colonel G. J. Brankhead G.D.*

Lat. *53.9* Long. *3.17*
 Time of Observation *9 a.m.*
 Nearest Railway Station *Rhewl Llanrwst*
 Diameter of Funnel of Rain Gauge *5* in.
 Height of top of Gauge above Ground *1* ft.
 " " " " Sea Level *419* ft.

4292
 FORM A.
 BRITISH RAINFALL
 3 - JAN 1916
 Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.40	0.06	0.04	—	0.38	—	—	0.09	0.30	0.13	0.06	0.07	1
2	0.12	0.33	0.06	0.19	—	0.01	—	2.32	0.10	0.02	—	0.02	2
3	0.23	0.08	0.01	0.07	—	—	0.18	0.01	—	—	—	0.14	3
4	0.01	0.21	—	—	0.17	0.01	—	0.01	—	—	—	1.44	4
5	—	0.08	0.16	—	0.10	0.01	—	0.02	—	—	—	0.25	5
6	0.09	0.05	0.03	0.09	—	—	0.21	—	—	—	0.01	0.34	6
7	0.33	0.21	—	0.02	—	—	0.68	0.11	—	—	0.02	0.16	7
8	0.19	0.13	—	0.02	—	—	—	0.28	—	—	0.16	0.02	8
9	0.08	0.21	—	0.35	—	—	—	0.02	—	—	0.08	0.48	9
10	0.33	0.01	0.08	0.25	—	—	—	0.53	—	0.02	0.08	0.05	10
11	0.01	—	0.02	0.14	0.16	—	0.08	0.02	—	—	0.85	0.21	11
12	0.08	0.01	—	0.09	0.16	—	0.01	0.07	—	0.07	1.93	0.03	12
13	0.01	0.57	0.02	0.04	0.01	—	—	0.04	0.01	—	0.48	0.06	13
14	0.09	0.02	—	0.03	0.03	—	0.02	0.02	0.05	0.01	0.16	0.10	14
15	0.55	—	—	0.01	0.03	—	0.02	—	0.01	—	0.32	0.13	15
16	0.16	0.14	—	—	0.34	—	0.53	1.06	—	0.01	0.01	0.04	16
17	—	0.33	0.08	—	0.41	—	—	0.01	—	0.01	0.01	0.01	17
18	0.03	0.37	0.14	—	—	—	—	—	—	—	—	—	18
19	—	0.02	0.02	0.06	0.08	—	0.08	0.03	—	—	0.01	0.02	19
20	0.03	0.03	—	0.06	—	—	—	0.04	—	0.01	—	0.14	20
21	0.37	0.10	—	0.04	—	—	0.17	—	—	—	—	0.22	21
22	0.02	0.31	0.10	0.01	—	0.08	0.11	—	—	0.03	0.02	0.04	22
23	—	0.48	0.05	0.07	—	0.01	0.12	—	0.02	0.74	0.01	0.04	23
24	0.01	0.01	0.11	0.11	—	—	0.06	—	0.03	0.54	—	0.16	24
25	—	0.01	0.02	0.01	—	0.39	0.05	—	0.02	—	0.10	0.15	25
26	—	0.13	—	—	—	—	0.06	—	0.30	—	0.01	0.35	26
27	—	0.16	—	—	—	—	0.25	—	0.01	0.20	0.01	0.25	27
28	—	0.07	0.04	—	—	0.08	—	0.39	—	0.11	—	0.02	28
29	—	~~X~~	—	—	0.12	0.29	0.26	0.07	0.22	0.01	—	0.09	29
30	0.10	~~X~~	—	0.05	—	~~X~~	—	0.02	0.07	0.36	~~X~~	0.15	30
31	0.15	~~X~~	—	~~X~~	—	~~X~~	0.07	0.20	~~X~~	0.37	~~X~~	0.30	31
Total	3.39	4.13	0.98	1.71	1.99	0.88	2.96	5.36	1.14	2.64	4.33	5.48	34.99
Rain Days.	22	26	16	20	12	8	18	21	12	16	19	30	220

REGISTER OF RAINFALL IN 1916

Kept at Plass Draw
in the County of Denbigh
by Col. C. J. Bromhead

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
30 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	32		18			13	28	02		01	11		1
2	13	08	42				07		1.04	92	07		2
3	01	10	02	18			41	01	1.11	14	12	08	3
4	08	02	09	03	50	19	03	01	06	02	11		4
5	01	08	04		14	05				31	03		5
6	13	35	03		11		22			16	26	05	6
7	05	01	03	02	13	05	03			12	24	41	7
8	08	02	32		03	02				01	05	14	8
9	03	25	02		24				23		10	04	9
10		56	07	04	06	25	02		01		01	09	10
11	08	23	23	10	05	01	01		18			02	11
12	06	02	04	05	45		12	05	05	14		02	12
13	07	12	07	14	03		02	30	01	10	01	02	13
14	01	05	01	04	09			11	01	08		04	14
15		28	58	11	02		17	21	13	14			15
16		05	01	11			05	03	01	20			16
17	04	11		44			01	02	33	41		01	17
18		21	01	29				03	62	05	61	10	18
19	10	01	28	09				06	01		76		19
20	08		76	07							03	05	20
21	16		19		02	02					07		21
22	01		03			05				03	01	05	22
23	04		11	01				10		09	17	25	23
24		26	01		1.00	03		22		19	01	04	24
25		08	12		14	17		24		02	48		25
26	05	02	03		25	05	04		01	30	13		26
27	01	09	03		06	02		12	22	50	01	02	27
28		31				01			01	18	02	05	28
29		81				19				12		26	29
30		X				10				54		01	30
31		X		X	04	X		03	X	37	X	04	31
Total	1.55	4.12	3.73	1.72	3.36	1.34	1.48	1.56	4.04	5.15	3.41	1.79	33.25
Rain Days.	21	24	26	15	18	16	14	16	17	25	22	21	235

REGISTER OF RAINFALL IN 1917

Kept at *Plas Draw, Llangynhafal*
in the County of *Denbigh*
by *E. J. Brownhead*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

BRITISH RAINFALL
FORM A.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				55		09		40	05		18	33	1
2	07			02		01		13		01	01	12	2
3		07		02				07		05		10	3
4	07	17						05		81	02	01	4
5	18		24	14				33		75	14		5
6	06		46			03		02		12	32	01	6
7	72							03		13	10	04	7
8	17			18				25	08	65	10	11	8
9	01		05	27	30			19	01	26	53	06	9
10	28		81	34	05			11		11		01	10
11	23	02		12				16	01	15	10	01	11
12	05	01		16	58			01	06	22	01	01	12
13	01			02	01			31	05	24	03	06	13
14	04			05	14			06		08	02	07	14
15	05				02		22			07		06	15
16	03	03		14				15			01	49	16
17	06	02	11	36	38		31	118	15	08			17
18	01		03	30	04		10	10	32	34			18
19	02	38	28	01		20		01					19
20	03	07	02	01	11	108	19	05	10		47	01	20
21		04	15		05	31		01		01	08		21
22		03				01		55	02	07	06		22
23		16			06	22	03	07	04	40		08	23
24			08			12	02	02		32	11	07	24
25		10	08			04	02			03	21		25
26			02			07	01	40	11	16	36	01	26
27			05	02	141	14	19	41		02	01		27
28		02	08		01	01	09	67		38		03	28
29			03				01	01		48		14	29
30	02	X	70		01			29		04	01	01	30
31		X	39	X	07	X		30	X		X		31
YEAR'S TOTAL													
Total	2.11	1.12	3.58	2.71	3.24	2.33	1.19	6.34	1.00	5.98	2.88	1.84	34.32
Rain Days.	19	13	17	17	15	13	11	29	12	26	21	22	215

REGISTER OF RAINFALL IN 1918

Kept at *Plas Draw, Llanyrhwal*
in the County of *Denbigh*
by *E. J. Brownhead*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

BRITISH RAINFALL
FORM A.
29.3.17

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		03		09	03		03	06	22	02	33	01	1
2				03				07	04		02	15	2
3	02	02			37			20	24	11		01	3
4	02	03			01			02	34	09	42	06	4
5		03	03	06	13			23	04	20	01	01	5
6	03	32	01	34		15		05	02	42	01		6
7	09	01		05	12				08	08	17		7
8	04	22					07		10	09	02		8
9		56		22		64			65	17	01	06	9
10	11	01		41		01	15		16	03	11	01	10
11	02		02	01	08		02		06			07	11
12	04	12	01	02	11		43		07			01	12
13	05	12		07	03	04			29	09		01	13
14	37					08	10		27	13		18	14
15	27					04	39		60	41		17	15
16		03		06		34	30	03	27	38		20	16
17	13				39	08	06		04	07		20	17
18	32	07	03			05	02		25	01		12	18
19	07	03	05	08			27		07	06		46	19
20	11	56		37	08	10			22			72	20
21	14	15		31	53	06	01		29			07	21
22	03	01		01	46	01	02		07			37	22
23	02				97	02	61		12			04	23
24		14					10	18	05		16	29	24
25					26	04	49	56	06	03	02	01	25
26	01			05	01		28	12	06	02	02	02	26
27		32	17			06		45	14		13	17	27
28		13	16					01	02		65	13	28
29			05					01	33		01	04	29
30		X	04					04	19		05	29	30
31		X	12	X		X		17	X	03	X	03	31
Total	1.89	2.91	.69	2.18	3.58	1.72	3.35	2.20	5.36	2.44	2.13	3.91	32.36
Rain Days.	19	20	11	16	15	15	17	15	30	19	16	28	221

REGISTER OF RAINFALL IN 1919

Kept at *Llangynhafal, Plas Ddraig*
in the County of *Denbigh*
by *C. J. Bromhead*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	13		02	02	27		46		05	33		32	1
2	12		35	03			15	03	05	03	05	08	2
3				02	02	33	31				16		3
4	02	03	33			12	49	07	01			28	4
5	20	10	02	02					01		08	14	5
6	05	01	12		16				01	02	05	26	6
7	05		13	04					02				7
8	07		04			18					01		8
9	78			06							05		9
10	02		06	01		04				16	03	03	10
11			2.13	02			12		01	02		03	11
12			49	02		53	01		04	25	11	01	12
13	08	02		02			22			80	01	01	13
14	33			21			31	03	01	68	03	01	14
15	23			53	58					24		68	15
16	10	1.20	05	01		08	02			01	37	01	16
17	07	86		01		08	06	10			31		17
18	03		78		05		03	88	25		01	09	18
19	02	22	50			06		26	29		19	16	19
20	11	04	39			08			30		43	21	20
21	03	12	03				32		07			14	21
22		24				01	10	07	1.02			1.09	22
23		01		02		34		03		1.03	05	04	23
24				04	29	02		03		83	26	13	24
25	10			08		01		42	07	03	24	10	25
26	06	03	18	21		28		13	05	03	05	23	26
27	16	05	09	49		02		19	18		07		27
28	01		07	18				1.02	02	01		27	28
29	11		31	30		05		23		11		35	29
30	03	X	07	29		36		02		02	14	20	30
31	02	X	54	X		X	05	13	X		X	22	31
Total	2.93	2.93	6.70	2.65	1.36	2.59	2.65	3.64	2.46	4.60	2.70	5.09	40.30
Rain Days.	25	13	21	22	6	17	14	16	18	17	21	25	215

REGISTER OF RAINFALL IN 1920.

Kept at Llangynhafal, Plas Ddraig
in the County of Denbigh
by C. J. Brownhead

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			13	28	20		28	07	17	11	03	11	1
2	03			19	05		16		10	20		11	2
3		12	01	22	05	03	86	03	15	32		10	3
4	01			01	04		10	20	06	28			4
5		01	11		02		15	09	21	10			5
6			46	05	02		02		01	31		12	6
7	02	06	05	05	01		31				01	01	7
8	23	04	05	35	09		03	06	02				8
9	16	15	02	50			10	17	06			02	9
10	22	30				03	15					08	10
11	46	08	07	07	17	15		06					11
12	14	01	15	25	02	1.60	06	02	03		06	10	12
13	13	05	14	08		02					09		13
14		05	84	08	02	20	02		1.11	10	37	01	14
15		11	14	26						20	01		15
16			01	09	31	08	25		15	31	01		16
17					15	30		06	15	02			17
18	38	01		01	23	21	02	16	27	01			18
19	01	1.40		15	05	09		22	02				19
20	04	02		45			04		17			02	20
21	01			05			59	09				17	21
22	05			06			12	58				05	22
23			15	02			24	02				10	23
24	04	01	45	01			04	10		02	02	25	24
25		12	23	05	04	03	79	01				03	25
26	11	04	67	24		03	14				03	01	26
27	25	07	47	33	13	24	02				02	10	27
28	87	02	42	01	01	04					19	10	28
29	08		22	01	24	01	25				07	58	29
30	10	~~X~~	33	20	04	08			43		14	10	30
31	07	~~X~~	09	~~X~~	02	~~X~~		11	~~X~~	35	~~X~~	01	31
TOTAL	3.41	2.67	5.21	4.07	1.91	3.14	4.74	2.05	3.11	2.33	1.05	2.18	35.87
Days with "01 in. or more	21	19	22	27	21	16	23	17	16	13	13	21	229

REGI

DENBIGH.

LLANRHAIADR

PLAS LLANGWYFAN.

Kept at Plas Ranguy

in the County of Denbigh

by J. R. Lloyd.

BRITISH FORM A
57. JAN 1918

Gauge _____ in.

Ground _____ ft. _____ in.

Sea Level _____ ft.

The result entered to the
usual rule, he is earnestly
requested to add the reading
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

1917-1918

Jan. 1, following.

(-)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06	.00	.00	.00	.00	.06	.00	.00	.02	.00	.04	.01	1
2	.00	.00	.02	.00	.00	.07	.00	.33	.27	.00	.15	.06	2
3	.07	.00	.00	.00	.00	.00	.00	.12	.00	.00	.01	.21	3
4	.02	.00	.00	.97	.00	.00	.00	.11	.00	.03	.02	.05	4
5	.10	.00	.06	.00	.00	.00	.00	.04	.00	.68	.00	.02	5
6	.17	.00	.11	.00	.00	.00	.00	.17	.00	.68	.04	.02	6
7	.07	.00	.14	.00	.00	.00	.00	.00	.00	.06	.31	.00	7
8	.62	.22	.00	.00	.00	.00	.00	.00	.00	.28	.24	.00	8
9	.30	.00	.00	.22	.00	.00	.00	.17	.00	.66	.12	.19	9
10	.00	.00	.04	.00	.00	.00	.00	.22	.00	.21	.32	.00	10
11	.25	.00	.69	.00	.10	.00	.00	.11	.00	.21	.01	.00	11
12	.20	.00	.00	.00	.07	.00	.00	.13	.00	.11	.10	.06	12
13	.11	.00	.00	.00	.50	.00	.00	.00	.02	.22	.00	.00	13
14	.00	.00	.00	.66	.00	.00	.00	.21	.07	.11	.03	.05	14
15	.00	.00	.00	.00	.14	.00	.01	.13	.00	.10	.02	.00	15
16	.00	.00	.00	.00	.02	.00	.04	.00	.00	.04	.00	.05	16
17	.00	.02	.00	.14	.00	.01	.00	.04	.00	.00	.01	.00	17
18	.00	.01	.13	.29	.32	.00	.19	1.25	.06	.06	.00	.00	18
19	.10	.00	.02	.35	.03	.00	.20	.07	.27	.19	.00	.00	19
20	.62	.63	.21	.00	.00	.17	.00	.00	.00	.00	.00	.35	20
21	.00	.12	.03	.00	.11	1.02	.08	.09	.07	.00	.42	.00	21
22	.00	.06	.00	.00	.03	.17	.00	.00	.00	.01	.04	.00	22
23	.00	.10	.12	.00	.00	.02	.00	.30	.02	.03	.09	.00	23
24	.00	.02	.00	.00	.08	.09	.02	.00	.04	.34	.04	.06	24
25	.00	.00	.07	.00	.00	.19	.06	.13	.00	.24	.09	.00	25
26	.00	.11	.11	.00	.00	.04	.02	.30	.00	.03	.11	.00	26
27	.00	.00	.00	.00	.00	.03	.04	.27	.11	.13	.29	.00	27
28	.00	.00	.06	.02	1.37	.12	.11	.31	.00	.00	.01	.00	28
29	.00		.11	.00	.00	.00	.00	.93	.00	.34	.01	.05	29
30	.00	X	.00	.00	.00	.00	.04	.05	.00	.39	.00	.10	30
31	.00	X	.00	X	.00	X	.00	.24	X	.00	X	.00	31
Total	2.09	1.29	1.92	2.65	2.77	1.99	.81	5.72	.95	5.15	2.72	1.27	YEAR'S TOTAL 29.33
Rain Days.	13	9	15	7	11	17	11	23	10	23	23	13	170

REGI

Long.

Kept at Plas Bangor

Time of Observation 9 a.m

in the County of Denbigh

Nearest Railway Station

by J. R. Lloyd.

Diameter of Funnel of Rain Gauge

in.

Height of top of Gauge above Ground

ft.

in.

" " " " Sea Level

ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

(-)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06	.00	.00	.00	.00	.06	.00	.00	.02	.00	.04	.01	1
2	.00	.00	.02	.00	.00	.07	.00	.33	.27	.00	.15	.06	2
3	.07	.00	.00	.00	.00	.00	.00	.12	.00	.00	.01	.21	3
4	.02	.00	.00	.97	.00	.00	.00	.11	.00	.03	.02	.05	4
5	.10	.00	.06	.00	.00	.00	.00	.04	.00	.68	.00	.02	5
6	.17	.00	.11	.00	.00	.00	.00	.17	.00	.68	.04	.02	6
7	.07	.00	.14	.00	.00	.00	.00	.00	.00	.06	.31	.00	7
8	.62	.22	.00	.00	.00	.00	.00	.00	.00	.28	.24	.00	8
9	.30	.00	.00	.22	.00	.00	.00	.17	.00	.66	.12	.19	9
10	.00	.00	.04	.00	.00	.00	.00	.22	.00	.21	.32	.00	10
11	.25	.00	.69	.00	.10	.00	.00	.11	.00	.21	.01	.00	11
12	.20	.00	.00	.00	.07	.00	.00	.13	.00	.11	.10	.06	12
13	.11	.00	.00	.00	.50	.00	.00	.00	.02	.22	.00	.00	13
14	.00	.00	.00	.66	.00	.00	.00	.21	.07	.11	.03	.05	14
15	.00	.00	.00	.00	.14	.00	.01	.13	.00	.10	.02	.00	15
16	.00	.00	.00	.00	.02	.00	.04	.00	.00	.04	.00	.05	16
17	.00	.02	.00	.14	.00	.01	.00	.04	.00	.00	.01	.00	17
18	.00	.01	.13	.29	.32	.00	.19	1.25	.06	.06	.00	.00	18
19	.10	.00	.02	.35	.03	.00	.20	.07	.27	.19	.00	.00	19
20	.12	.63	.21	.00	.00	.17	.00	.00	.00	.00	.00	.35	20
21	.00	.12	.03	.00	.11	1.02	.08	.09	.07	.00	.42	.00	21
22	.00	.06	.00	.00	.03	.17	.00	.00	.00	.01	.04	.00	22
23	.00	.10	.12	.00	.00	.02	.00	.30	.02	.03	.09	.00	23
24	.00	.02	.00	.00	.08	.09	.02	.00	.04	.34	.04	.06	24
25	.00	.00	.07	.00	.00	.19	.06	.13	.00	.24	.09	.00	25
26	.00	.11	.11	.00	.00	.04	.02	.30	.00	.03	.11	.00	26
27	.00	.00	.00	.00	.00	.03	.04	.27	.11	.13	.29	.00	27
28	.00	.00	.06	.02	1.37	.12	.11	.31	.00	.00	.01	.00	28
29	.00		.11	.00	.00	.00	.00	.93	.00	.34	.01	.05	29
30	.00	X	.00	.00	.00	.00	.04	.05	.00	.39	.00	.10	30
31	.00	X	.00	X	.00	X	.00	.24	X	.00	X	.00	31
Total	2.09	1.29	1.92	2.65	2.77	1.99	.81	5.72	.95	5.15	2.72	1.27	YEAR'S TOTAL 29.33
Rain Days.	13	9	15	7	12	17	11	23	10	23	23	14	170

REGISTER OF RAINFALL IN 1918.

Kept at Plas Llangwyfau Sanatorium
in the County of Denbigh
by I. R. Lloyd

Lat. Long.
Time of Observation 8 am
Nearest Railway Station Blaenau-fan-y-Wyd
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level approx 470 ft.

Jan. 1, following
est.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.00	.00	.12	.00	.00	.00	.00	.26	.11	.00	.03	1
2	.00	.00	.00	.00	.00	.00	.00	.07	.34	.05	.00	.02	2
3	.00	.00	.00	.12	.00	.00	.00	.07	.04	.02	.00	.05	3
4	.00	.00	.00	.00	.35	.00	.00	.00	.05	.07	.00	.00	4
5	.00	.04	.00	.00	.03	.00	.00	.04	.37	.06	.08	.02	5
6	.02	.00	.00	.04	.10	.00	.00	.26	.05	.17	.06	.00	6
7	.00	.25	.05	.25	.00	.21	.00	.00	.10	.28	.10	.02	7
8	.00	.00	.00	.00	.10	.03	.00	.00	.03	.07	.30	.02	8
9	.00	.20	.00	.02	.00	.00	.04	.00	.10	.11	.00	.00	9
10	.12	.42	.00	.18	.00	.65	.00	.00	.44	.16	.00	.00	10
11	.08	.00	.00	.20	.00	.00	.23	.00	.10	.01	.00	.07	11
12	.00	.00	.00	.00	.09	.00	.00	.00	.10	.00	.00	.00	12
13	.07	.14	.00	.00	.00	.00	.00	.00	.09	.00	.00	.00	13
14	.00	.11	.00	.03	.15	.02	.00	.00	.21	.12	.00	.00	14
15	.29	.00	.00	.00	.00	.02	.25	.00	.07	.06	.00	.07	15
16	.00	.00	.00	.01	.00	.03	.15	.00	.77	.38	.00	.30	16
17	.00	.00	.00	.01	.00	.35	.18	.03	.17	.24	.00	.10	17
18	.37	.00	.00	.00	.11	.06	.02	.00	.02	.08	.00	.12	18
19	.00	.00	.00	.00	.00	.03	.02	.00	.20	.00	.00	.10	19
20	.30	.00	.08	.06	.00	.06	.22	.00	.20	.14	.00	.34	20
21	.11	.24	.00	.28	.00	.00	.00	.00	.23	.00	.00	.55	21
22	.09	.44	.00	.28	.35	.03	.02	.00	.21	.00	.00	.07	22
23	.00	.00	.00	.00	.48	.00	.02	.00	.05	.00	.00	.30	23
24	.00	.02	.00	.00	1.27	.03	.52	.00	.13	.00	.00	.10	24
25	.00	.08	.00	.00	.01	.02	.02	.15	.00	.00	.11	.00	25
26	.00	.00	.00	.00	.13	.00	.15	.56	.03	.00	.02	.00	26
27	.00	.00	.00	.00	.00	.00	.00	.09	.04	.00	.00	.01	27
28	.00	.00	.13	.00	.00	.14	.00	.42	.10	.00	.01	.00	28
29	.00		.05	.00	.00	.00	.00	.00	.00	.00	.88	.15	29
30	.00	X	.12	.00	.00	.00	.00	.00	.26	.00	.01	.03	30
31	.00	X	.05	X	.00	X	.00	.15	X	.00	X	.18	31
Total	1.45	1.94	.48	1.60	3.17	1.68	1.84	1.84	4.76	2.01	1.57	2.65	24.99
Rain Days.	9	10	7	12	12	14	13	11	28	15	10	20	16
	1.45	1.94	.60	1.48	3.17	1.68	1.84	2.10	4.61	1.90	1.60	2.62	24.99

REGISTER OF RAINFALL IN 1919.

Kept at Plas. Crayke, Debyh
 in the County of Debyh
 by E. R. Lloyd

Lat. _____ Long. _____
 Time of Observation 6 A.M.
 Nearest Railway Station Debyh
 Diameter of Funnel of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

(22)

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.00	.00	.15	.30	.00	.40	.02	.03	.00	.00	.14	1
2	.05	.00	.00	.40	.23	.00	.30	.01	.07	.24	.01	.03	2
3	.05	.00	.00	.00	.00	.00	.09	.00	.00	.14	.02	.30	3
4	.02	.03	.12	.00	.01	.02	.27	.00	.00	.00	.15	.00	4
5	.03	.00	.40	.00	.00	.43	.44	.05	.00	.00	.02	.13	5
6	.07	.02	.09	.00	.00	.00	.00	.00	.02	.00	.08	.13	6
7	.01	.00	.10	.00	.08	.00	.00	.00	.00	.00	.00	.13	7
8	.02	.00	.14	.00	.00	.00	.00	.00	.00	.00	.00	.00	8
9	.00	.00	.03	.09	.00	.13	.00	.00	.00	.00	.05	.00	9
10	.38	.00	.00	.04	.00	.00	.00	.00	.00	.00	.05	.00	10
11	.00	.00	.00	.00	.00	.02	.10	.00	.00	.17	.05	.02	11
12	.01	.00	1.004	.00	.00	.02	.11	.00	.00	.02	.00	.01	12
13	.00	.00	1.020	.03	.00	.63	.02	.00	.04	.17	.00	.00	13
14	.05	.00	.00	.00	.00	.00	.12	.00	.00	.85	.00	.00	14
15	.14	.00	.00	.14	.00	.00	.31	.00	.00	.42	.00	.00	15
16	.10	.00	.00	.15	.50	.00	.00	.00	.00	.25	.00	.66	16
17	.20	.30	.00	.30	.00	.02	.01	.00	.00	.00	.28	.01	17
18	.20	1.000	.02	.02	.00	.06	.01	.02	.00	.00	.39	.00	18
19	.02	.05	.67	.00	.01	.05	.00	.52	.26	.00	.00	.00	19
20	.04	.06	.25	.00	.00	.05	.01	.40	.30	.00	.00	.30	20
21	.10	.04	.25	.00	.00	.00	.00	.10	.20	.00	.41	.15	21
22	.04	.05	.00	.00	.00	.00	.33	.00	(.08)	.00	.02	1.00	22
23	.00	.07	.00	.00	.00	.06	.05	.03	.72	.00	.00	.13	23
24	.00	.00	.00	.00	.00	.30	.00	.03	.00	.90	.00	.20	24
25	.00	.00	.00	.03	.04	.00	.00	.04	.01	.71	.16	.07	25
26	.10	.00	.00	.04	.17	.00	.00	.24	.00	.03	.34	.15	26
27	.06	.01	.17	.08	.00	.30	.00	.17	.11	.02	.03	.29	27
28	.00	.00	.02	.13	.00	.00	.00	.18	.14	.00	.00	(.06)	28
29	.00		.07	.35	.00	.00	.00	1.05	.00	.00	.00	.17	29
30	.00		.02	.52	.00	.03	.00	.47	.00	.08	.00	.20	30
31	.00		.00		.00		.00	.04		.02		.19	31
TOTAL	1.71	1.63	4.59	2.47	1.34	2.12	2.47	3.37	1.98	4.02	2.06	4.47	YEAR'S TOTAL
Days with 1 in. or more	1.69	1.63	4.74	2.62	1.04	2.52	2.09	3.38	1.95	4.02	2.20	4.55	32.23
	21	10	16	15	5	14	14	16	12	14	15	22	177

RE

DENBIGH.

LLANRWST

COUNTY SCHOOL.

1911-1919.

FORM A2.
BRITISH RAINFALL
3 - JAN 1912

Kept at County School
in the County of Dubl
by Rev J. I. Far

in.
round 1 ft. 4 in.
sea Level 55 ft.
a.m.
ame Llanrwst
distance 600 yds about Direction N.W.W
The result entered to the

IMPORTANT NOTE

previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.43		.19		.04	.04		.03	.74	.30	1
2					.26			.12		.57	.03	.28	2
3			.02		.85		.03	.07	.10	.02	.54	.40	3
4			.16	.05	.04			1.35	.02		.94	.18	4
5	.41		.07	.01				.49		.03	.12	.04	5
6	.20		.05					.31			.75	.44	6
7	.03										.46	.01	7
8	.26		.21								.29	.22	8
9			.02								.23	.98	9
10	.56	.18	.22								.09	.83	10
11	.47		.01								.17	.16	11
12			.27						.94		.26	.05	12
13	.02		.03			.12			.01		.26	.20	13
14	.03	.23	.02								.29	.07	14
15		.29	.10			.03					.15	.05	15
16		.51	.04	.02		.04					.19	.47	16
17		.03				.04					.55	.39	17
18		.80				.92					.13	1.03	18
19		.09		.41		.25	.05		.40	.09	.41	.46	19
20		.16		.45		.03	.04	.44	.09	.19	.02	.07	20
21		.79	.02	.14		.16	.22	.02		.21	.04	.08	21
22		.27		.14		.20			.42	.39	.04	.45	22
23	.05	.69	.02		.07	.21		.10	.09	.32		.33	23
24	.15	.16		.11	.02	1.97		.06	.03	.76		.32	24
25	.02	.15		.33		.22		.10	1.25	.11		.17	25
26		.28		.25				.26	.04	.38	.24	.07	26
27	.05	.63		.41			.14	.38	.08		.13	.03	27
28		.53		.12		.10		.03				.05	28
29			.09			.14	.48	.02	.03	1.56		.19	29
30			.03			.07	.06		.33	.58	.21		30
31			.15		.08		.18			.06	~~1.01~~		31
Total	2.25	5.77	1.96	2.44	1.51	4.50	1.24	3.79	3.83	5.30	7.22	8.32	TOTAL for year
No. of Rain Days.	12	16	19	12	7	15	9	15	14	15	25	29	48.13
													188

RE

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

Kept at *County School Llanwruck N. Wales*in the County of *Dunlough* 3by *Rev J. I. Farr*

RAIN GAUGE Pattern
 Diameter of top 5 in.
 Height of top above Ground 1 ft. 4 in.
 " " " Sea Level 55 ft.
 Time of Observation 9 a.m.
 Name *Llanwruck*
 Nearest Railway Station *Llanwruck*
 Distance 680 yds. about
 Direction *N.W.*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.43		.19		.04	.04		.03	.74	.30	1
2					.26			.12		.57	.03	.28	2
3			.02		.85		.03	.07	.10	.02	.54	.40	3
4			.16	.05	.04			1.35	.02		.94	.18	4
5	.41		.07	.01				.49		.03	.12	.04	5
6	.20		.05					.31			.75	.44	6
7	.03										.46	.01	7
8	.26		.21								.29	.22	8
9			.02								.23	.98	9
10	.56	.18	.22								.09	.83	10
11	.47		.01								.17	.16	11
12			.27						.94		.26	.05	12
13	.02		.03			.12			.01		.26	.20	13
14	.03	.23	.02								.29	.07	14
15		.29	.10			.03					.15	.05	15
16		.51	.04	.02		.04					.19	.47	16
17		.63				.04					.55	.39	17
18		.80				.92					.13	1.03	18
19		.09		.41		.25	.05		.40	.09	.41	.46	19
20		.16		.45		.03	.04	.44	.09	.19	.02	.07	20
21		.79	.02	.14		.16	.22	.02		.21	.04	.08	21
22		.27		.14		.20			.42	.39	.04	.45	22
23	.05	.69	.02		.07	.21		.10	.09	.32		.33	23
24	.15	.16		.11	.02	1.97		.06	.03	.76		.32	24
25	.02	.15		.33		.22		.10	1.25	.11		.17	25
26		.28		.25				.26	.04	.38	.24	.07	26
27	.05	.63		.41			.14	.38	.08		.13	.03	27
28		.53		.12		.10		.03				.65	28
29			.09			.14	.48	.02	.03	1.56		.19	29
30			.03			.07	.06		.33	.58	.21		30
31			.15		.08		.18			.06	.11		31
Total	2.25	5.77	1.96	2.44	1.51	4.50	1.24	3.79	3.83	5.30	7.22	8.32	TOTAL for year
No. of Rain Days.	12	16	19	12	7	15	9	15	14	15	25	29	48.13
													188

REGISTER OF RAINFALL IN 19/2

Kept at County School Llanurwest
in the County of Denbigh 3
by (Rev) J. I. Farr

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Llanurwest
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 7 in.
Sea Level 53 ft.

BRITISH RAINFALL
FORM A.
6 JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			.35			.07	.06	.21	.08			.33	1
2		.10	.66	.01	.03	.22	.03	.01				.07	2
3	.15		.04		.05	.09		.61				.10	3
4	.33		1.05	.10	.04	.19		.65			.28	.16	4
5	.12	.02	.04		.04	.04	.23	.03	.30	.02	.02	.11	5
6	.31	.05	.02		.10			.87	.03				6
7	.02	.19	.09		.02	.14		.19	.02			.06	7
8	.61	.03	.11	.37	.03	.30		.43	.05			.02	8
9	.15	.34	.04	.47		.39		.02			.04	.35	9
10	.19	.01				.13	.11	.06			.81	.04	10
11	.09	.01		.04		.01	.14				.32	.90	11
12	.07	.28	.19			.02	.10	.04			.23	.24	12
13	.03					.04		.05	.02	.43	.04	1.72	13
14	.24	.03	.13			.03		.15				.43	14
15	.08	.16	.09		.09	.25		.05				.16	15
16	.03	.13	.26		.02	.01		.21		.24		.08	16
17	.37	.52	.09			.53		.22			.13	.48	17
18	.23	.04	.05			.13		.36		.21	.05	.20	18
19		.14	.32			.03		.48		.17	.04	.07	19
20	.02		.15		.09	.02	.02	.07		.55		.16	20
21			.19		.35			.10		.58		.13	21
22		.64			.25			.48		.03		.05	22
23		.02	.27			.29	.01	.48		.09	.25	.06	23
24		.06	.09			.30	.08	.02			.46	.25	24
25		.02	.28			.05	.09				1.10	.46	25
26		.28	.26			.04	.47	.40		2.37	1.24	.19	26
27		.05	.36			.35	2.01			.39	.03	.71	27
28		.29				.10	.75	.20		.33	.85	.06	28
29		.14	.08			.07	.53	.24	1.02	.89			29
30		—	.32	.01	.02	.17	.21		.02	.50	.09	.04	30
31	.04	—	.39	—	.02	—	1.74	.09	—	.25	—	.30	31
Total	3.08	3.55	5.92	1.00	1.15	4.01	6.58	6.72	1.54	7.05	5.98	7.93	54.51
Rain Days.	18	23	26	6	14	27	16	27	8	15	17	29	226

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL FORM A. 6-JAN 1913

Kept at Grammar School Slaurust
in the County of Denbigh
by Rev J. I. Farr

Lat. Long.
Time of Observation
Nearest Railway Station Slaurust
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 7 in.
Sea Level 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	.27	.39	.22	.01						.21		1
2	.07	.34	.70	.05	.09	.17				.03	.39	.05	2
3	.13	.10	.67		.52					.12		.91	3
4	.33	.11	.37		.11					.07	.09	.50	4
5	.51	.13	.38		.18	.37	.16			.45		.07	5
6	.16	.38	.51		.08	.14	.30			.03	.05	.16	6
7	.07	.95	.02		.21	.37				.29	.10	.04	7
8		.46	.08		.08	.03	.06	.20	.06	.08		.02	8
9		.02	.22	.05	.08	1.92	.06	.15	.11		.09	.13	9
10	.11		.19		.04	.02	.03	.30			.13		10
11	.28			.41	.02	.08			.03	.07	.18	.09	11
12	.01		.04		.06	.11	.01		1.95		.88		12
13			.41	.03	.15		.14	.10	.26		.36		13
14	.18		.32	.19				.10	.16	.33	.19		14
15	.30	.05	.79	1.06				.01			.26		15
16			.11	.18				.01			.09		16
17	.17		.05	.32			.08		.03		.51		17
18	.04		.53		.12	.04	.06				.44		18
19	.12		.04			.07			.06	.44	.28		19
20	.16		.28	.07	.04		.06		.08	.16	.78		20
21	.03		.10	.10	.15	.01	.37	.33		.35	.04		21
22	.59		.87			.22		.80	.34				22
23	.23					.06		.28	.20		.04	.08	23
24	.64			.11		.04					.14	.12	24
25		.02		.48					.10	.02	.07	.85	25
26		.05		1.18					.59	.08		1.40	26
27	.03			.30						.17		.20	27
28			.09	.11						.46		.49	28
29			.09	.49	.05			.01		.62	.02	.03	29
30	.89				.07					.14	.05		30
31	.15		.06							.25			31
Total	5.25	2.88	7.31	5.35	2.06	3.65	1.33	2.29	3.97	4.16	5.39	5.14	48.78
Rain Days.	23	12	24	17	18	15	11	11	13	19	23	16	202

REGISTER OF RAINFALL IN 1914

Key Wat County School Slaurwst
in the County of Denbigh
by (Rev.) J. I. Farr

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Slaurwst
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 7 in.
Sea Level 55 ft.

BRITISH RAINFALL FORM A.
5 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.21	.09	.03	-	.07	.97	.25	-	-	-	.65	1
2	-	.05	.04	-	.04	-	.47	.12	-	-	.09	.52	2
3	.11	.23	.25	.03	.50	-	-	.03	-	-	-	1.87	3
4	.63	.04	.25	.30	.40	.01	.09	.05	-	-	.17	.66	4
5	.26	-	.58	.34	.25	-	.09	-	-	.04	.12	.33	5
6	.16	.03	.06	.12	.16	.03	-	.05	-	-	.14	.33	6
7	.03	.17	.19	.07	.26	.14	.14	.17	-	-	.06	.76	7
8	.24	.06	.06	.12	.84	.39	.03	1.29	.02	-	.07	.45	8
9	.24	.19	.06	.38	.08	1.37	-	.09	.04	-	.18	-	9
10	.04	.18	.04	.08	-	.05	-	.01	.35	-	.06	-	10
11	-	.19	.40	-	.06	.90	.24	.35	.16	-	.82	.51	11
12	-	.63	.19	-	-	-	-	-	.29	-	.51	.07	12
13	-	.44	.26	.03	-	-	-	-	.07	.11	.50	-	13
14	-	1.40	.06	-	-	-	.02	-	.02	.07	.36	.13	14
15	-	.18	.72	-	-	-	-	-	.08	-	.05	.10	15
16	-	.07	.05	-	-	-	.07	-	1.32	-	-	.13	16
17	-	.71	.19	-	-	.13	.02	-	.27	-	-	1.57	17
18	-	-	.44	-	-	-	-	-	.19	.08	-	.13	18
19	-	-	.20	-	-	-	.13	-	.43	-	-	.48	19
20	-	.67	.37	-	-	.32	.03	-	-	-	.08	.22	20
21	-	.09	.04	-	-	.05	-	.11	-	.05	-	-	21
22	-	1.17	.02	.02	.08	.17	-	.09	-	-	-	-	22
23	-	.04	.05	.03	-	-	.08	.04	-	-	-	-	23
24	.71	-	-	.03	-	-	.17	.01	-	-	.09	-	24
25	.53	.01	.03	-	.03	-	.07	-	-	.67	.14	.70	25
26	.02	-	-	-	-	-	.22	.52	-	.40	.38	.38	26
27	.04	.04	-	-	-	-	-	-	-	.34	.60	1.16	27
28	.30	.14	.03	-	.05	-	-	-	-	.02	.59	.49	28
29	.60	-	.18	-	.01	-	-	.04	-	.27	.96	-	29
30	.40	X	.87	-	-	-	-	.02	-	.03	.68	.59	30
31	1.04	X	.14	X	-	X	.64	-	X	.11	X	.07	31
Total	5.35	6.94	5.86	1.58	2.76	3.63	3.48	3.24	3.24	2.19	6.65	12.30	56.22
Rain Days.	16	23	28	13	13	12	17	17	12	12	21	23	207

REGISTER OF RAINFALL IN 1915

Kept at County School Slaurust
in the County of Denbigh
by Rev J. I. Farr

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Slaurust
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 7 in.
Sea Level 55 ft.

FORM A.
BRITISH RAINFALL.
5 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.55	.33	.04		.60			.36	.77			.05	1
2	.50	.76	.16	.35			.15	.73	.08				2
3		.09	.11			.05	.15		.26			.26	3
4	.01	.10		.07	.25		.02		.05			.90	4
5	.15	.17	.25	.02			.08					.75	5
6	.44	.23	.07	.42			.40	.01				.60	6
7	.36	.55		.12			.39	.18				.32	7
8	.59	.34						.30		.07	.82	.03	8
9	.25	.63		.29				.02			.12	.69	9
10	.89	.12		.20				.05		.05	.08	.41	10
11	.03		.06		.16		.13	.26		.02	.43	.50	11
12	.05			.12	.10			.03		.11	1.87	.24	12
13	.01	.28		.02				.03			.44	.19	13
14	.44	.09						.11	.05		.22	.33	14
15	1.20				.01				.04		.28	.22	15
16	.30	.56			.21		.59	.58				.09	16
17	.05	.36					.03					.03	17
18	.02	.72	.21				.04						18
19		.06	.05	.34	.22		.41						19
20	.38			.01			.22	.04				.16	20
21	.55	.08					.27					.04	21
22	.27	.12	.03			.17	.19					.30	22
23	.03	.19	.01	.04		.63	.22		.08	.49	.01	.20	23
24			.06	.10			.06		.04	.17		.67	24
25						.24			.03		.07	.24	25
26		.82				.25	.22		.22			.91	26
27		.09					.23			.37		.60	27
28		.13				.02	.02	.12	.03	.02			28
29		~~X~~			.19			.03	.32		.12	.08	29
30	.40	~~X~~		.05			.28	.01	.07	.20	.24	.33	30
31	.16	~~X~~		~~X~~		~~X~~	.16	.42	~~X~~	.06	~~X~~	.94	31
Total	7.65	6.82	1.05	2.15	1.74	1.36	4.26	3.28	2.04	1.56	4.70	10.98	47.59
Rain Days.	23	22	11	14	8	6	21	17	13	10	12	27	184

REGISTER OF RAINFALL IN 1916

Kept at Llanrwst County School
in the County of Denbigh
by J. I. Farr

Lat. _____ Long. _____
Time of Observation 9 a.m. (Greenwich)
Nearest Railway Station Llanrwst
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 7 in.
" " " " Sea Level 55 ft.

FORM A.
BRITISH RAINFALL
6 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.49	.04	.14			.22	.42			.03	.10		1
2	.54	.45	.43			.03	.30		1.00	1.05	.22	.05	2
3	.06	.59	.05	.03	.01	.13	.40		1.40	.30	.45	.03	3
4	.41	.04	.02	.05	.55	.53	.01		.12	.34	.14		4
5	.03	.78			.22	.15	.02		.03	1.28	.22		5
6	.22	.44	.09		.25	.05	.19			.95	.52	.05	6
7	.09	.04			.07	.10	.02			.47	.26	.14	7
8	.02	.09	.16		.05	.02				.07	.35	.05	8
9		.10	.04		.22				.04	.03	.15	.02	9
10	.03	.60	.01	.09	.01	.03				.65			10
11	.05	.12		.43	.05	.02			.02		.53		11
12	.10	.20		.13	.12		.32	.07		.18	.20		12
13	.04	.31		.25			.02	.87		.46		.01	13
14	.02	.21		.03	.12			.28		.44	.05		14
15		.99	.30	.15			.03	.41	.04	.22			15
16	.06	.10		.21			.01	.40	.04	.04			16
17	.18	.14		1.05					.69	.14		.08	17
18	.04	.33		.91	.02			.03	.51		.19	.14	18
19	.70		.21	.10				.04			.30	.06	19
20	.44		.54	.02							.05	.27	20
21	.60		.16								.13	.06	21
22				.05		.10				.14	.04		22
23	.20		.01	.25		.18		.22	.04	.40	.53	.32	23
24		.23		.54	1.08	.05		.16		.10	.13	.08	24
25	.12	.02	.39		.27	.16		.32		.05	.56	.06	25
26	.13	.03	.10		.03	.08		.08		.10			26
27	.01	.09	.01		.21	.02		.07	.33	.72			27
28	.09	.33	.01		.05	.03				.38		.68	28
29	.01	.63	.01			.25		.02		.13	.05	.38	29
30		X				.25	.01	.08		1.38	.03	.09	30
31		X		X	.27	X	.02	.17	X	.54	X	.03	31
Total	4.68	6.90	2.68	4.29	3.60	2.40	1.77	3.22	4.26	10.69	5.20	2.60	52.29
Rain Days.	25	24	18	16	18	19	13	15	12	26	22	19	227

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1917

Kept at County School Llanwrst
in the County of Denbigh
by Rev J. I. Farr

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Llanwrst
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 55 ft.

FORM A.
BRITISH RAINFALL
JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.21			.40	.17	.05		.13	.16		.25	.40	1
2	.03				.03	.03			.02			.24	2
3	.09	.05				.09				.74		.05	3
4		.30		.04		.02				1.10	.01		4
5	.25		.08	.28					.02	.35	.53	.02	5
6	.10		.13							.39	.54	.16	6
7	.88			.04				.08		.28		.04	7
8	.15			.28				.33	.05	.76	.12	.50	8
9			.05	.21	.12					.13	.95	.08	9
10	.19		.87	.73				.09		.31			10
11	.13			.07	.02			.36	.01	.75			11
12	.26			.17	.73	.01				.17		.02	12
13	.02			.16		.06		.10	.45	.24		.02	13
14					.02		.02	.20		.48		.05	14
15				.17			.18	.40	.02	.20		.34	15
16	.02	.03			.03			.79	.10	.17		.66	16
17				.13			.40	1.18	.21	.11		.02	17
18			.25				.48	.22	.12	.07			18
19		.22	.45			.01		.09	.10		.04		19
20		.02			.10	1.16	.15	.21	.47	.09	.46		20
21		.04	.11					.08	.05	.12			21
22		.13				.03		.42	.05	.15	.02		22
23		.10			.05	.60	.02	.32		.19			23
24			.05			.05	.06	.18	.02	.62	.29		24
25		.10	.12				.02	.17	.05	.09	.09		25
26					.06	.04	.12	.62	.35	.21	.60	.04	26
27			.03		1.00	.13	.30	.15		.06	.02		27
28			.29				.05	.60		.21	.02	.02	28
29			.09					.14		.84	.11	.05	29
30	.01	X	.27	.32				.22		.28	.23		30
31	.01	X	.33	X	.56	X		.90	X	.01	X		31
Total	2.35	.99	3.12	2.87	3.02	2.28	1.80	7.98	2.25	9.12	4.28	2.71	YEAR'S TOTAL 42.77
Rain Days.	14	9	14	12	13	13	11	24	17	28	16	17	188

REGISTER OF RAINFALL IN 1918

Kept at County School Slaurwo
 in the County of Denbigh
 by Rev J. I. Farr

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Slaurwo
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 7 in.
 " " " " Sea Level 23 ft.

FORM A.
 BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.14		.24	.04			.04	.07	.01		.04	1
2	.15	.13		.05					.05	.16	.07	.53	2
3		.07			.53				.38	.73	.03	.05	3
4		.12							.28	1.03	.76	.14	4
5	.06	.14	.06	.20	.26			.33	.18	1.40	.03	.04	5
6	.15	1.28		.27		.12		.04	.21	.54		.14	6
7	.06	.16		.08	.16			.03	.91	.12	.40	.04	7
8	.28	.28				.10	.45		.30	.13	.06	.02	8
9	.06	1.16	.06	.14		1.08			.62	.64	.07	.04	9
10	.06	.41		.06			.15		.13	.22	.54	.04	10
11	.09	.04	.14		.09		.32		.15	.04	.02	.17	11
12		.30			.14		.20		.07			.03	12
13	1.16							.02	.36	.08		.06	13
14						.07	.76		.46	.72		.40	14
15	.14						.52		2.33	.16		.75	15
16						.05	.68	.05	.46	.25		.32	16
17	.33					.08	.21	.03	.22	.08		.45	17
18	.62	.02				.11	.09		.12	.02		.50	18
19	.22	.08		.11			.52		.22			.71	19
20	.94	.56		.12	.31	.05	.03		.48			.04	20
21	.30	1.14		.14		.04	.15		1.37	.01		.05	21
22	.04	.03			.44	.04	.16	.02	.35			.42	22
23	.35				.73	.02	.08		.13			.04	23
24	.22	.32					.05	.37	.09	.22	.24	.22	24
25					.40		.20	.69	.45		.09	.05	25
26	.15	.19					.05	.03	.36		.03	.17	26
27		.18	.68			.07		.25	.37		.26	.88	27
28		.25	.44					.03	.06		.18	.38	28
29		~~X~~	.15						.36		.05	.18	29
30		~~X~~	.09					.08	.10		.02	.16	30
31		~~X~~	.15	~~X~~		~~X~~			~~X~~	.10	~~X~~	.08	31
Total	5.40	7.00	1.77	1.41	3.10	1.83	4.62	2.01	11.74	6.66	2.81	7.14	YEAR'S TOTAL 55.49
Rain Days.	20	21	8	10	10	12	17	14	30	20	16	31	209

REGISTER OF RAINFALL IN 1919.

Kept at Llanwrst County School
 in the County of Denbigh
 by Rev J. I. Farr

Lat. _____ Long. _____
 Time of Observation 9 a.m. solartime
 Nearest Railway Station Llanwrst
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 4 in.
 " " " " Sea Level 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.46	.01	.07	~~.07~~	.49		.34		.80	.20	.05	.17	1
2	~~.17~~ .20		.98	.01	.24		.05	.10	.03	.03	.03	.24	2
3	~~.17~~ .06				.07	.17	.17				.06		3
4	~~.17~~ .04	.08	.34		.07	.03	.51	.04				.44	4
5	.23	.07							.18		.05	.39	5
6	.03		.64									.40	6
7	.03		.08									.04	7
8	~~.17~~ .17		.03			.12				.05		.06	8
9	1.45		.08	.02						.06	.08	.25	9
10	~~.17~~ .11		.75	.12	.04					.12		.23	10
11	.02		1.67	.06	.11	.11	.08		.02	.03	.12	.10	11
12	.02		.80	.08		.40	.07		.06	.38	.28	.24	12
13	.31	.02		.06					.02	.91		.22	13
14	.28	.03		.41			.20			.26		.08	14
15	.48	.04		.70	.12			.02		.56		.43	15
16	.20	.41		.38		.03			.03	.07	.13	.03	16
17	.13	.87				.02		.53			.96		17
18	.12		.78		.21			.95	.23		.08	.07	18
19	.02	.17	.41			.29		.12	.28		.20	.35	19
20	.18	.04	.27		.01	.04			.22		.14	.50	20
21	.04	.58	.09			.02	.34		.22			.23	21
22		.21				.06	.03	.02	1.25			1.37	22
23	.01			.09				~~.12~~	.01	1.15		.17	23
24	~~.17~~			.04	.18	.04		.02	.16	.47	.66	.28	24
25	.26			.26		.02		.62	.30	.09	.20	.14	25
26	.12	.06	.67	.21		.07	.37	.38	.03	.04	.04	.93	26
27	.22		.07	.72			.07	.16	.37		.22	.08	27
28	~~.13~~		1.27	.08				1.27	.08	.10		.48	28
29	.03		~~.17~~ .04	.18		.04		.24	.05	.25		.40	29
30			~~.17~~	.03		~~.40~~		.02		.03	.38	.65	30
31			~~.17~~	.37			.16	~~.08~~					31
TOTAL	5.29	2.59	9.44	3.61	1.54	1.46	2.39	4.55	4.34	4.80	3.68	8.97	YEAR'S TOTAL
Days with ".01 in. or more	27	13	20	17	10	15	12	15	19	18	17	28	212

REGIS

DENBIGH.
LLANRWST.
POPLAR GROVE

FORM A2.
BRITISH RAINFALL
3 - JAN 1912

Kept at no. 1 Poplar Gr
in the County of Denbigh
by John Gethin Jones

ft. 8 in.
vel. 35 ft.

Llanrwst.
e. & m. Direction NW.

1911 - 1912

IMPORTANT NOTE.—R... at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.61	—	.14	—	.02	.09	—	.03	.76	.32	1
2	—	—	.07	.08	.27	—	.01	.13	—	.62	.03	.27	2
3	—	—	.04	.01	.88	—	—	.06	.09	—	.61	.36	3
4	—	—	.13	—	.33	—	—	1.82	.02	—	1.04	.16	4
5	—	—	.05	—	.03	—	—	.75	—	.02	.12	.06	5
6	.14	—	.03	—	—	—	—	.23	—	.03	.83	.43	6
7	.76	—	—	—	—	—	—	—	—	.01	.51	.05	7
8	.46	.01	.21	—	—	—	—	—	—	—	.24	.31	8
9	.12	.02	—	—	—	—	—	—	—	—	.21	1.03	9
10	.02	.16	.25	—	—	—	—	—	—	—	.18	.95	10
11	.60	.02	.05	—	.03	—	—	—	—	—	.17	.18	11
12	—	—	.28	—	—	—	—	—	1.00	—	.25	.05	12
13	—	—	.02	—	.09	.14	—	—	—	—	.24	.08	13
14	—	.25	.01	—	—	—	—	—	—	.01	.41	.11	14
15	—	.31	.08	—	—	.04	—	—	—	—	.52	.04	15
16	—	.64	.03	—	—	.35	—	—	—	—	.20	.27	16
17	—	.02	—	—	—	.42	—	—	—	—	.57	.18	17
18	.01	.94	—	.13	—	.90	—	—	—	.07	.21	1.08	18
19	—	.05	—	.40	—	.22	.04	—	.37	—	.42	.45	19
20	—	.17	—	.48	—	.02	.09	.41	.05	.21	.08	.11	20
21	—	1.01	.01	.20	—	.13	.02	.05	—	.26	.07	.07	21
22	—	.30	—	.13	.05	.16	—	—	—	.42	.05	.35	22
23	.06	.79	—	—	.01	.24	.11	.11	.03	.34	—	.38	23
24	—	.14	.02	.12	—	1.84	.05	.05	.07	.73	—	.28	24
25	.04	.16	—	.31	—	.17	—	.09	1.30	.12	—	.19	25
26	—	.34	—	.35	—	—	.02	.21	.02	.88	.24	.07	26
27	.02	.60	.08	.39	—	—	.15	.34	.72	.01	.14	.05	27
28	.01	.65	—	.12	—	.07	—	.02	—	—	—	.06	28
29	—	+++	—	—	—	.13	.42	.03	.37	1.72	—	.18	29
30	—	—	.04	—	—	.08	.03	—	.31	.57	.15	—	30
31	—	—	—	—	—	—	.25	—	—	.08	—	—	31
Total	2.24	6.58	2.01	2.72	1.83	4.91	1.05	4.09	4.35	6.23	8.25	8.12	TOTAL for year 52.28
No. of Rain Days.	11	19	18	12	9	15	10	15	12	18	25	29	52.28

Kept at No. 1 Poplar Grove, Llanrwst
in the County of Denbigh 3
by John Gethin Jones

RAIN GAUGE { Pattern
Diameter of top 5 in.
Height of top above Ground 8 ft.
" " " Sea Level 35 ft.
Time of Observation 9am
Nearest Railway Station { Name Llanrwst
Distance 8ml Direction NW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.61	—	.14	—	.02	.09	—	.03	.76	.32	1
2	—	—	.07	.08	.27	—	.01	.13	—	.62	.03	.27	2
3	—	—	.04	.01	.88	—	—	.06	.09	—	.61	.36	3
4	—	—	.13	—	.33	—	—	1.82	.02	—	1.04	.16	4
5	—	—	.05	—	.03	—	—	.75	—	.02	.12	.06	5
6	.14	—	.03	—	—	—	—	.23	—	.03	.83	.43	6
7	.76	—	—	—	—	—	—	—	—	.01	.51	.05	7
8	.46	.01	.21	—	—	—	—	—	—	—	.24	.31	8
9	.12	.02	—	—	—	—	—	—	—	—	.21	1.03	9
10	.02	.16	.25	—	—	—	—	—	—	—	.18	.95	10
11	.60	.02	.05	—	.03	—	—	—	—	—	.17	.18	11
12	—	—	.28	—	—	—	—	—	1.00	—	.25	.05	12
13	—	—	.02	—	.09	.14	—	—	—	—	.24	.08	13
14	—	.25	.01	—	—	—	—	—	—	.01	.41	.11	14
15	—	.31	.08	—	—	.04	—	—	—	—	.52	.04	15
16	—	.64	.03	—	—	.35	—	—	—	—	.20	.27	16
17	—	.02	—	—	—	.42	—	—	—	—	.57	.18	17
18	.01	.94	—	.13	—	.90	—	—	—	.07	.21	1.08	18
19	—	.05	—	.40	—	.22	.04	—	.37	—	.42	.45	19
20	—	.17	—	.48	—	.02	.09	.41	.05	.21	.08	.11	20
21	—	1.01	.01	.20	—	.13	.02	.05	—	.26	.07	.07	21
22	—	.30	—	.13	.05	.16	—	—	—	.42	.05	.35	22
23	.06	.79	—	—	.01	.24	.11	.11	.03	.34	—	.38	23
24	—	.14	.02	.12	—	1.84	.05	.05	.07	.73	—	.28	24
25	.04	.16	—	.31	—	.17	—	.09	1.30	.12	—	.19	25
26	—	.34	—	.35	—	—	.02	.21	.02	.88	.24	.07	26
27	.02	.60	.08	.39	—	—	.15	.34	.72	.01	.14	.05	27
28	.01	.65	—	.12	—	.07	—	.02	—	—	—	.06	28
29	—	+++	—	—	—	.13	.42	.03	.37	1.72	—	.18	29
30	—	—	.04	—	—	.08	.03	—	.31	.57	.15	—	30
31	—	—	—	—	—	—	.25	—	—	.08	—	—	31
Total	2.24	6.58	2.01	2.72	1.83	4.91	1.05	4.09	4.35	6.23	8.25	8.12	TOTAL for year 52.28
No. of Rain Days.	11	19	18	12	9	15	10	15	12	18	25	29	52.28

REGISTER OF RAINFALL IN 1912

Kept at 1 Poplar Grove, Llanrwst
in the County of Denbigh 3
by John O. Gethin Jones

Lat. Long.
Time of Observation 8.45 AM
Nearest Railway Station Llanrwst
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 8 ft.
Sea Level 30 ft.

BRITISH RAINFALL
FORM A.
7-JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.02	.41	—	—	.08	.10	.22	.06	—	.01	.34	1
2	—	.13	.65	—	.02	.27	.02	—	—	—	—	.15	2
3	.16	—	.09	—	.07	.10	.01	.75	.33	—	—	.20	3
4	.43	—	1.31	.13	.03	.23	—	.84	.01	.01	.40	.24	4
5	.11	.05	.04	—	.03	.03	—	.05	.03	.04	.03	.17	5
6	.32	.07	.05	—	.10	—	—	1.11	—	—	—	—	6
7	—	.18	.07	—	.01	.07	.22	.21	.02	—	—	.07	7
8	.55	.26	.14	.29	.02	.31	—	.67	.05	—	—	.03	8
9	.14	.21	.04	.65	—	.47	—	.01	—	—	.03	.46	9
10	.20	—	—	.05	—	.32	.13	.05	—	—	1.05	.05	10
11	.11	—	—	—	.01	—	.22	.01	—	—	.45	1.08	11
12	.07	.25	—	—	—	.01	.12	.02	—	—	.30	.25	12
13	.05	.03	.04	—	—	.03	—	.05	.02	.56	.05	2.72	13
14	.33	—	.16	—	—	.07	—	.21	—	—	.03	.61	14
15	.06	.15	.13	—	.07	.24	—	.08	—	.01	—	.04	15
16	.03	.17	.25	—	.02	.16	—	.19	.01	.34	—	.67	16
17	.36	.51	.08	—	—	.63	—	.37	—	—	.15	—	17
18	.26	.04	.05	—	—	.15	—	.47	—	.36	.05	.20	18
19	—	.13	.35	—	—	.06	—	.53	—	.18	—	.18	19
20	.02	—	.14	—	.06	—	—	.12	—	.40	—	.06	20
21	—	.03	.18	.02	.41	—	—	.13	—	.75	.04	.15	21
22	—	.91	.03	—	.31	.03	.07	.63	—	.08	—	.10	22
23	—	—	.32	—	—	.42	.11	.65	—	.01	.36	.02	23
24	.01	.05	.09	—	—	.39	.04	—	—	.07	.77	.30	24
25	—	.01	.26	—	—	.79	.10	—	—	.01	1.66	.43	25
26	—	.38	.28	—	—	.03	.47	.48	—	2.93	1.55	.17	26
27	—	.07	.39	—	—	.50	2.03	—	—	.46	.16	.81	27
28	—	.28	.01	—	—	.11	.91	.26	.04	.40	.96	—	28
29	—	.13	.07	—	—	.06	.64	.34	1.14	1.07	.03	.10	29
30	—	~~—~~	.44	.01	.01	.14	.31	—	—	.69	.11	.08	30
31	.03	~~—~~	.53	~~—~~	.01	~~—~~	2.18	.10	~~—~~	.33	~~—~~	.39	31
Total	3.24	4.06	6.60	1.15	1.18	5.70	7.68	8.55	1.71	8.70	8.19	10.07	66.83
Rain Days.	18	22	28	6	15	26	17	26	10	19	20	28	235

66.83?

REGISTER OF RAINFALL IN 1913

Kept at 1 Poplar Grove, Llanrwst
in the County of Denbigh
by John O. Gethin Jones

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Llanrwst
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Sea Level 35 ft.

FORM A.
BRITISH RAINFALL
5 MAR 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	.45	.33	.24	—	—	—	—	—	—	.20	—	1
2	.12	.26	.83	.06	.07	.17	—	—	—	.02	.43	.02	2
3	.11	.22	.43	—	.45	—	—	—	—	.15	—	1.02	3
4	.59	.13	.40	—	.11	—	—	—	—	.06	.10	.52	4
5	.52	.18	.39	—	.16	.36	.16	—	—	.41	.13	.08	5
6	.14	.38	.42	—	.06	.12	.22	—	—	.03	.03	.16	6
7	.04	.95	.05	—	.23	.33	.01	—	—	.23	.09	.03	7
8	—	.47	.08	—	.06	.03	.04	.16	.07	.06	—	—	8
9	—	.23	.21	—	.07	1.69	.08	.14	.10	—	.09	.13	9
10	.10	.05	.18	.05	.04	—	.01	.25	—	.01	.13	—	10
11	.38	—	—	.44	.01	.06	—	.01	.02	.05	.16	.06	11
12	.09	—	.02	—	.05	.09	—	—	1.86	—	.79	—	12
13	—	—	.40	.03	.15	—	.14	.10	.26	.01	.34	—	13
14	.23	—	.28	.25	—	—	—	.11	.18	.29	.14	—	14
15	.30	.04	.82	1.15	—	—	—	—	.01	—	.25	.10	15
16	—	—	.05	.20	—	—	.01	—	—	—	.06	—	16
17	.14	—	.12	.25	—	—	.08	—	.03	—	.54	—	17
18	.07	—	.30	.37	.18	.03	.05	—	—	—	.47	—	18
19	.17	—	.32	—	—	.06	—	—	.06	.47	.35	—	19
20	.05	—	.36	—	.06	—	.02	—	.07	.16	.80	—	20
21	—	—	.15	—	.14	—	.38	.54	—	.36	.03	—	21
22	.53	—	.98	—	—	.20	—	.76	.35	—	—	—	22
23	.77	—	—	—	.01	.09	—	.03	.22	—	—	.08	23
24	.93	.03	—	.10	—	.03	—	.27	—	—	.20	.70	24
25	—	.01	—	.36	—	—	—	—	.09	.02	.06	.68	25
26	—	.05	—	.95	—	.01	—	—	.54	.08	—	1.44	26
27	.03	—	—	.38	—	—	—	—	—	.14	—	.33	27
28	.41	—	.07	.15	—	—	—	—	—	.38	—	.35	28
29	—	—	.09	.52	.04	—	.03	.02	—	.60	.01	—	29
30	1.10	—	—	—	.07	—	—	—	—	.14	.05	—	30
31	.24	—	.05	—	—	—	—	—	—	.26	—	—	31
Total	7.11	3.45	7.38	5.50	1.96	3.27	1.23	2.39	3.86	3.93	5.45	5.10	YEAR'S TOTAL 50.58
Rain Days.	23	14	24	16	18	14	13	11	14	21	23	15	206

REGISTER OF RAINFALL IN 1914

BRITISH RAINFALL FORM A.
30 JAN 1915

Kept at 1 Poplar Grove, Hanwys
in the County of Denbigh 32
by J.O. Jethin Jones

Lat. Long.
Time of Observation 8.45 am.
Nearest Railway Station Hanwys.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level about 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.18	.11	.03	—	.05	.92	.32	—	—	—	.65	1
2	—	.04	.03	—	.03	—	.47	.16	—	—	.06	.40	2
3	.08	.01	.15	.03	.46	—	—	.03	—	—	—	.77	3
4	.60	—	.33	.30	.41	—	.08	.12	—	—	.12	.79	4
5	.27	—	.54	.34	.25	—	.04	.11	—	.03	.12	.48	5
6	.11	.02	.07	.09	.15	.01	—	.02	—	.01	.15	.20	6
7	.02	.15	.18	.05	.23	.12	.12	.17	—	—	.06	.60	7
8	.23	.02	.05	.08	.81	.36	—	1.39	—	—	.05	.77	8
9	.21	.20	.05	.40	.12	1.34	—	.08	—	—	.19	—	9
10	.02	.09	.04	.06	—	.08	—	—	—	—	.06	—	10
11	—	.18	.58	—	.05	.90	.23	—	—	—	.91	.35	11
12	—	.61	.17	—	—	.08	.03	—	—	—	.54	.06	12
13	—	.46	.19	—	—	—	.02	—	—	.10	.54	—	13
14	—	1.35	.04	—	—	—	—	—	—	.07	.37	.12	14
15	—	.24	.66	—	—	—	—	—	.11	—	.08	.10	15
16	—	.05	.08	—	—	—	.05	—	1.26	—	—	~~.12~~	16
17	—	.75	.23	—	—	.11	—	—	.25	—	—	1.55	17
18	—	—	.34	—	—	—	—	—	.10	.07	—	.10	18
19	—	—	.24	—	—	—	.13	—	.47	—	.03	.47	19
20	—	.60	.30	—	—	.30	.03	—	—	—	~~.25~~	.25	20
21	—	.08	.03	—	—	.02	—	.07	—	.07	—	.01	21
22	—	1.25	—	—	.10	.10	—	.08	—	—	—	—	22
23	—	.02	.04	.04	—	—	.13	.02	—	—	—	—	23
24	.82	—	—	.03	—	—	.20	.03	—	—	.09	—	24
25	.44	.01	.02	—	.04	—	.09	.39	—	.64	.24	.64	25
26	.05	—	—	—	—	—	.21	.56	—	.42	.27	.31	26
27	.01	.02	—	—	—	—	—	—	—	.36	.66	1.12	27
28	.30	.14	.02	—	.06	—	—	—	—	.01	.48	.48	28
29	.55	~~X~~	.20	—	.01	—	—	—	—	.20	1.04	—	29
30	.42	~~X~~	.89	—	—	—	—	.04	—	—	.59	.51	30
31	1.07	~~X~~	.16	~~X~~	—	~~X~~	.58	—	~~X~~	.11	~~X~~	.05	31
Total	5.20	6.47	5.74	1.45	2.72	3.47	3.33	3.59	3.03	2.09	6.65	11.90	YEAR'S TOTAL 55.64
Rain Days.	16	22	27	11	13	12	16	16	say (12)	12	21	24	(202)

REGISTER OF RAINFALL IN 1914

Kept at 1 Poplar Grove Llanrwst
 in the County of Denbigh
 by J. O. Lethin Jones

Lat. _____ Long. _____
 Time of Observation 8-45 AM
 Nearest Railway Station Llanrwst
 Diameter of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. _____ in.
 " " " " Sea Level about 35 ft.

FORM A.
 BRITISH RAINFALL
 2 - JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.18	.11	.03	—	.05	.92	.32	—	—	—	.65	1
2	—	.04	.03	—	.03	—	.47	.16	—	—	.06	.40	2
3	.08	.01	.15	.03	.46	—	—	.03	—	—	—	<u>1.77</u>	3
4	.60	—	.33	.30	.41	—	.08	.12	—	—	.12	.79	4
5	.27	—	.54	.34	.25	—	.04	.11	—	.03	.12	.48	5
6	.11	.02	.07	.09	.15	.01	—	.02	—	.01	.15	.20	6
7	.02	.15	.18	.05	.23	.12	.12	.17	—	—	.06	.60	7
8	.23	.02	.05	.08	.81	.36	~~—~~	1.39	—	—	.05	.77	8
9	.21	.20	.05	.40	.12	1.34	—	.08	—	—	.19	—	9
10	.02	.09	.04	.06	—	.08	—	—	—	—	.06	—	10
11	—	.18	.58	—	.05	.90	.23	—	—	—	.91	.35	11
12	—	.61	.17	—	—	.08	.03	—	—	—	.54	.06	12
13	—	.46	.19	—	—	—	.02	—	—	.10	.54	—	13
14	—	1.35	.04	—	—	—	—	—	—	.07	.37	.12	14
15	—	.24	.66	—	—	—	—	—	.11	—	.08	.10	15
16	—	.05	.08	—	—	—	.05	—	1.26	—	—	.12	16
17	—	.75	.23	—	—	.11	—	—	.25	—	—	1.55	17
18	—	—	.34	—	—	—	—	—	.10	.07	—	.10	18
19	—	—	.24	—	—	—	.13	—	.47	—	.03	.47	19
20	—	.60	.30	—	—	.30	.03	—	—	—	—	.25	20
21	—	.08	.03	—	—	.02	—	.07	—	.07	—	.01	21
22	—	1.25	—	—	.10	.10	—	.08	—	—	—	—	22
23	—	.02	.04	.04	—	—	.13	.02	—	—	—	—	23
24	.82	—	—	.03	—	—	.20	.03	—	—	.09	—	24
25	.44	.01	.02	—	.04	—	.09	.39	—	.64	.24	.64	25
26	.05	—	—	—	—	—	.21	.56	—	.42	.27	.31	26
27	.01	.02	—	—	—	—	—	—	—	.36	.66	1.12	27
28	.30	.14	.02	—	.06	—	—	—	—	.01	.48	.48	28
29	.55	~~—~~	.20	—	.01	—	—	—	—	.20	1.04	—	29
30	.42	~~—~~	.89	—	—	—	—	.04	—	—	.59	.51	30
31	1.07	~~—~~	.16	~~—~~	—	~~—~~	.58	—	~~—~~	.11	~~—~~	.05	31
Total	5.20	6.47	5.74	1.45	2.72	3.47	3.33	3.59	3.03	2.09	6.65	12.90	55.64
Rain Days.	16	22	27	11	13	12	16	16	? (12)	12	21	24	(202)?

away from home
 total .84

RI

LLANSILIN

PENYGWELY RES

DENBIGH SHIRE

Kept at Penygwely
in the County of De

by F. Williamsacey &
Boris Hughes

IMPORTANT NOTI
previous day. If an Ob
requested to add the read
for it at the end of this
the selection and placing
of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

1911 - 1920

5 in.

ve Ground 1 ft.

Sea Level 109.5 ft.

approx

Name Owersby

Distance 5.1 m Direction E.S.E.

the result entered to the
versal rule, he is earnestly
ear in the space provided
nent of rain,

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2			.08	.03	.03		.07	.12			.12	.20	2
3			.07	snow	.14		.03	.02		.12		.42	3
4			.14	.02	.65		.02		.03		.28	.05	4
5			.03					.99			.54	.40	5
6	.33		.08	snow	.06			.32		.22	.07		6
7	.30		.12	.03						.04	.14	.22	7
8	.02			snow	.02						.47		8
9	.21		.16								.17	.66	9
10	.02		.11								.46	snow	10
11	.07	.13	.19								.03	.51	11
12	snow		.04		.17				.03		.64	.06	12
13	.22		snow		.02				2.11		.48	.03	13
14			.27							.02	.11	.28	14
15		.06	.07								.11	.52	15
16		.09	snow	.04		.02				.11	.24	.27	16
17			.03							.12	.31	.21	17
18		.05				.87					.19	.17	18
19		.36		.32		.33				.02	.40	.50	19
20		.09		.14		.27			.19	.22	.12	.49	20
21		.07		.21		.04		.59	.03	.14	.16	.21	21
22	.01	.45	.02	.05		.19	.07	.36		.44	snow	.05	22
23	.03	.13		.07		.05				.55		snow	23
24		.41	.34	.02	.04	.07			.50	.21	.02	snow	24
25	.08	.06	.02			.43		.22		.36		.28	25
26		.14		.11		.06	.05	.02	.74	.09		snow	26
27		.21	snow	.26	.03		.06	.11		.34	.16	.12	27
28	.01	.37	.13	.12				.78	.26		snow	.02	28
29		.17		.07				.08			.02	.02	29
30				.05		.09	.55		.21	1.03		-	30
31			.04	.02		.04	.04			.34	.04	-	31
			.16		.13					.03		-	
Total	1.30	2.79	2.12	1.58	1.27	2.87	.89	3.61	4.10	4.40	5.45	6.85	TOTAL for year
No. of Rain Days	11	15	20	17	9	13	8	11	9	18	25	26	182.

Kept at Pennyguely Reservoir
in the County of Denbighshire 4

by J. Williams, C.E.
Bois Hymen, Oswestry

RAIN GAUGE Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 109.5 ft.
Time of Observation 8.0 a.m. approx
Nearest Railway Station { Name Oswestry
Distance 5 1/2 miles Direction E.S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2			.08	.03	.03		.07	.12			.12	.20	2
3			.07	snow	.14		.03	.02		.12		.42	3
4			.14	.02	.65		.02		.03		.28	.05	4
5			.03					.99			.54	.40	5
6	.33		.08	snow	.06			.32		.22	.07		6
7	.30		.12	.03						.04	.14	.22	7
8	.02			snow	.02						.47		8
9	.21		.16	.02							.17	.66	9
10	.02		.11								.46	snow	10
11	.07	.13	.19							.03	.03	.51	11
12	snow		.04		.17						.64	.06	12
13	.22		snow		.02						.48	.03	13
14			.27						2.11		.11	.28	14
15			.02							.02	.11	.52	15
16		.06	.07								.11	.24	16
17		.09	snow	.04		.02				.11	.24	.27	17
18			.03			.41				.12	.31	.21	18
19		.05				.87					.19	.17	19
20		.36		.32		.33				.02	.40	.50	20
21		.09		.14		.27			.19	.22	.12	.49	21
22		.07		.21		.04		.59	.03	.14	.16	.21	22
23	.01	.45	.02	.05		.19	.07	.36		.44	snow	.05	23
24	.03	.13		.07		.05				.55	snow	.54	24
25		.41	.34	.02	.04	.07			.50	.21	snow	.43	25
26	.08	.06	.02			.43		.22		.36		.28	26
27		.14		.11		.06	.05	.02	.74	.09	snow	.08	27
28		.21	snow	.26	.03		.06	.11		.34	.16	.12	28
29	.01	.37	.13	.12				.78	.26		snow	.02	29
30		.17		.07				.08			.02	.02	30
31				.05		.09	.55		.21	1.03		-	31
Total		.04	.02		.04	.04	.04			.34	.04	-	
No. of Rain Days		.16		.13						.03		-	
Total for year	1.30	2.79	2.12	1.58	1.27	2.87	.89	3.61	4.10	4.40	5.45	6.85	37.23
No. of Rain Days	11	15	20	17	9	13	8	11	9	18	25	26	182.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL
1 FEB 1913

Kept at *Lennygwey Reservoir*

in the County of *Denbighshire*

by *G. William Lacey, C.E.*

Lat. _____ Long. _____

Time of Observation *8.0 a.m.*

Nearest Railway Station *Orwestry*

Diameter of Rain Gauge *5* in.

Height of top of Gauge above Ground *1* ft. *0* in.

" " " " Sea Level *109.5* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		snow .02	.15		.01	.09	.07	.02	.03			snow .31	1
2		snow .10	.54		.01	.26	.22					Rain .02	2
3	.04		.03		.06	.27	.01	1.62	.13			.16	3
4	.20		1.10	.03	.14	.11		1.15	.01		.12	.14	4
5	Rain+Snow .12	snow .16			.14	.25		.19	.02			.04	5
6	Rain+Snow .44	.18			.11	.01		.31				.02	6
7		.21	.05		.06	.19	.05	.11	.01			.06	7
8	Rain+Snow .86	.32	.34	.05	.03	.15	.01	.24	.01			.08	8
9	.20	.12	.44	.11	.06	.36		.06			.06	.24	9
10	.46	.02	.02			.30	.18	.12			.36	.02	10
11	.11	.04			.02		.15				.36	.46	11
12	.10	.32	.11			.07	.09	.14				.12	12
13	.12	.02	.21			.02		.01		.32		.31	13
14	.30		.06		.03	.03			.02			.05	14
15	.08	.27	.45		.13	.12		.05				.16	15
16	.45	.18	.19			.05		.30		.14			16
17	snow .92	.24	.06			.20		.41			.12	.41	17
18	snow .17	.04				.02		.07		.06		.06	18
19	snow .04	.16	snow .04			.02	.05	.32		.04		.09	19
20	snow .06		snow .11		.06		.02	.03		.15	.03	.06	20
21		.02	snow .23		.42		.04	.04		.30	.02	.10	21
22	.12	.23			.76	.01	.17	.38			.01	.12	22
23	snow .07	.06	.51			.09	.24	.17			.24	.04	23
24	snow .04	.02	.03			.32	.09				.04	.25	24
25		.04	.19			.17	.67	.02			.57	.33	25
26		.34	.10			.01	.11	.61		1.74	.61	.17	26
27		.05	.06			.68	.59			.62	Rain+Snow .04	.39	27
28		.19		.02		.06	.79	.39	.15	.29	snow .48		28
29		.11	.04			.07	.21	.18	.69	.21		.04	29
30	snow .03		.18			.26	.04			.26	snow .07		30
31	snow .09		.12		.14		.70	.04		.06		.13	31
Total	5.32	3.46	5.36	.21	2.18	4.19	3.90	6.98	1.07	4.19	3.13	4.38	44.37
Rain Days.	22	25	25	4	16	27	24	25	9	12	15	28	229.

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.
17 JAN 1914

Kept at Lengwely Reservoir
in the County of Denbighshire
by G. Williams, C.E.
Dors' Tunnel Oswestry

Lat. _____ Long. _____
Time of Observation 8.0 am
Nearest Railway Station Oswestry
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground one ft. - in.
" " " " Sea Level 109.5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		<u>show</u> -02	<u>rain</u> -61	<u>rain</u> -04	<u>rain</u> -20				<u>rain</u> -04		<u>rain</u> -37		1
2		<u>rain</u> -26	<u>rain</u> -42	<u>rain</u> -06		<u>rain</u> -11				<u>rain</u> -02	<u>rain</u> -22	<u>rain</u> -03	2
3	<u>rain</u> -04	<u>rain</u> -07	<u>rain</u> -23		<u>rain</u> -48			<u>rain</u> -01	<u>rain</u> -13			<u>rain</u> -25	3
4	<u>rain</u> -55	<u>rain</u> -31	<u>rain</u> -17		<u>rain</u> -09	<u>rain</u> -06	<u>rain</u> -01			<u>rain</u> -05		<u>rain</u> -23	4
5	<u>rain</u> -29	<u>rain</u> -11	<u>rain</u> -14		<u>rain</u> -24	<u>rain</u> -47	<u>rain</u> -03	<u>rain</u> -03		<u>rain</u> 2.05	<u>rain</u> -12	<u>rain</u> -02	5
6	<u>rain</u> -23	<u>rain</u> -29	<u>rain</u> -30		<u>rain</u> -45	<u>rain</u> -20	<u>rain</u> -40			<u>rain</u> -71	<u>rain</u> -06	<u>rain</u> -35	6
7	<u>rain</u> -02	<u>rain</u> -72	<u>rain</u> -02		<u>rain</u> -36	<u>rain</u> -36	<u>rain</u> -20			<u>rain</u> -74	<u>rain</u> -28	<u>rain</u> -03	7
8	<u>rain</u> -04	<u>rain</u> -51	<u>rain</u> -03	<u>rain</u> -01	<u>rain</u> -21	<u>rain</u> -07	<u>rain</u> -02	<u>rain</u> -04		<u>rain</u> -19	<u>rain</u> -03	<u>rain</u> -01	8
9		<u>rain</u> -34	<u>rain</u> -08	<u>rain</u> -07	<u>rain</u> -10	<u>rain</u> -67	<u>rain</u> -22	<u>rain</u> -12	<u>rain</u> -11		<u>rain</u> -28	<u>rain</u> -03	9
10	<u>rain</u> -09		<u>rain</u> -04	<u>rain</u> -10	<u>rain</u> -20	<u>rain</u> -04	<u>rain</u> -01	<u>rain</u> -13		<u>rain</u> -35	<u>rain</u> -20		10
11	<u>rain</u> -61			<u>rain</u> -58	<u>rain</u> -09	<u>rain</u> -03				<u>rain</u> -07	<u>rain</u> -38	<u>rain</u> -06	11
12					<u>rain</u> -44	<u>rain</u> -03			<u>rain</u> -17		<u>rain</u> -36		12
13			<u>rain</u> -29	<u>rain</u> -05	<u>rain</u> -01		<u>rain</u> -04	<u>rain</u> -01	<u>rain</u> -31		<u>rain</u> -49		13
14	<u>rain</u> -12		<u>rain</u> -58	<u>rain</u> -07			<u>rain</u> -02	<u>rain</u> -05	<u>rain</u> -10	<u>rain</u> -15	<u>rain</u> -08		14
15	<u>rain</u> -19		<u>rain</u> -50	<u>rain</u> 1.00				<u>rain</u> -13	<u>rain</u> -09		<u>rain</u> -35	<u>rain</u> -03	15
16	<u>rain</u> -02		<u>rain</u> -14	<u>rain</u> -03			<u>rain</u> -01	<u>rain</u> -09			<u>rain</u> -04		16
17	<u>rain</u> -18		<u>rain</u> -03	<u>rain</u> -16			<u>rain</u> -02				<u>rain</u> -16		17
18	<u>rain</u> -05		<u>rain</u> -41	<u>rain</u> -32	<u>rain</u> -08	<u>rain</u> -02	<u>rain</u> -02				<u>rain</u> -09		18
19	<u>rain</u> -15		<u>rain</u> -07	<u>rain</u> -01		<u>rain</u> -11	<u>rain</u> -01		<u>rain</u> -06	<u>rain</u> -29	<u>rain</u> -11		19
20	<u>rain</u> -26		<u>rain</u> -11	<u>rain</u> -11			<u>rain</u> -01			<u>rain</u> -22	<u>rain</u> 1.09		20
21			<u>rain</u> -12	<u>rain</u> -15	<u>rain</u> -35		<u>rain</u> -16	<u>rain</u> -11		<u>rain</u> -01	<u>rain</u> -02		21
22	<u>rain</u> -63		<u>rain</u> -74			<u>rain</u> -27		<u>rain</u> -78	<u>rain</u> -54				22
23	<u>rain</u> -03		<u>rain</u> -05			<u>rain</u> -16		<u>rain</u> -19	<u>rain</u> -17		<u>rain</u> -14	<u>rain</u> -01	23
24	<u>rain</u> -26	<u>rain</u> -02		<u>rain</u> -09							<u>rain</u> -15		24
25				<u>rain</u> -29					<u>rain</u> -27	<u>rain</u> -11	<u>rain</u> -05	<u>rain</u> -05	25
26		<u>rain</u> -16		<u>rain</u> 1.31	<u>rain</u> -22			<u>rain</u> -02	<u>rain</u> -10			<u>rain</u> -53	26
27		<u>rain</u> -01	<u>rain</u> -21	<u>rain</u> -22						<u>rain</u> -56		<u>rain</u> -15	27
28	<u>rain</u> -51		<u>rain</u> -21	<u>rain</u> -73	<u>rain</u> -01					<u>rain</u> -14		<u>rain</u> -07	28
29	<u>rain</u> -02		<u>rain</u> -55	<u>rain</u> -61	<u>rain</u> -18			<u>rain</u> -05		<u>rain</u> -32			29
30	<u>rain</u> -54						<u>rain</u> -01			<u>rain</u> -21	<u>rain</u> -04		30
31	<u>rain</u> -14		<u>rain</u> -32		<u>rain</u> -32					<u>rain</u> -07			31
Total	<u>4.97</u>	<u>2.82</u>	<u>6.16</u>	<u>6.01</u>	<u>4.03</u>	<u>2.60</u>	<u>1.19</u>	<u>1.76</u>	<u>2.09</u>	<u>6.26</u>	<u>5.11</u>	<u>1.85</u>	<u>44.85</u>
Rain Days.	<u>22</u>	<u>12</u>	<u>24</u>	<u>21</u>	<u>18</u>	<u>14</u>	<u>16</u>	<u>14</u>	<u>12</u>	<u>18</u>	<u>23</u>	<u>15</u>	<u>209</u>

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1914

Kept at Penryn Reservoir

in the County of Denbighshire

by Williamacey C.E., Ross Symon Oswestry

Lat. 52° 52' 48" N Long. 3° 8' 50" W. 12 JAN 1915
Time of Observation 8.0 am
Nearest Railway Station Oswestry
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground one ft. in.
Sea Level 1095 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
35

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.03	.04			.09	.31	.54			.02	.40	1
2		.02	.02		.04		1.09	.07			.42	.33	2
3	snow .01	.03	.05	.13	.58		.00	.02			.01	.96	3
4	.05		.07	.50	.31		.32				.69	.41	4
5	.04		.09	.24	.07		.29				.48	.03	5
6	.03	.11		.28	.25		.02	.02			.30	.66	6
7	snow .04	.13	.39	.01	.11	.08	.14	.17			.01	.33	7
8	.07	.03	snow	.02	.26	.21	.23	.81				.11	8
9	.23	.12	.03	.26	.10	.47		.27	.07		.03		9
10	.04	.22		.09	.02	.02			.15		.01		10
11	snow .01	.30	.44		.18	.10	.28		.08		.37	.79	11
12		.91	.18				.23		.21		.20	.61	12
13		.49	.30				.06		.05	.22	.34	.28	13
14		.68	.25		.01					.14	.46	.02	14
15		.04	.33						.01	.02	.06	.02	15
16		.02	.06						.32		.09		16
17	.01	.55	.20				.06		.22			.95	17
18			snow .05			1.28	.22		.10			.12	18
19			snow .08				.72		.23		.05	.14	19
20		snow rain .29	.21			.07	.09					.21	20
21		.22	.03			.04	.01	.07		.15		.04	21
22		snow rain .33			.00	.22		.17		.08			22
23		.06	.11				.04	.03		.01			23
24	.12		.33	.09			.12	.21		.05	.08		24
25	.31		.02				.03	.42		.90		.69	25
26	.01						.04	.26		.14	.26	.58	26
27	.05	.07					.01			.03	.34	.67	27
28	.33	.11	.39		.10					.06	.06	.16	28
29	.35		.18		.07					.13	.61	.01	29
30	.08	X	.25					.02		.04	.50	.27	30
31	.61	X	.06	X	.05	X	.63	.01	X	.17	X	.04	31
Total	2.39	4.76	4.16	1.62	2.21	2.58	5.00	3.09	1.44	2.14	5.32	8.92	43.63
Rain Days.	18	21	25	9	15	10	22	15	10	14	21	24	200

REGISTER OF RAINFALL IN 1915

Kept at Pennygrove Reservoir
 in the County of Denbighshire
 by G. Williams Lacey C.E., Boro' Engineer
Oswestry

Lat. 53° 52' 48" Long. 3° 8' 50" W
 Time of Observation 8.0 am
 Nearest Railway Station Oswestry
 Diameter of Funnel of Rain Gauge five in.
 Height of top of Gauge above Ground one ft. — in.
 " " " " Sea Level 1095 ft.

4309
 FORM A.
 BRITISH RAINFALL
 18 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
60

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.35	.21	Snow .04		.51			.05	.56	.16		.23	1
2	.02	.30	.31	.25				2.60	.02	.06		.06	2
3	.32	.16	.03	.04			.22	.05				.22	3
4	.03	.39			.29		.05					.81	4
5	.08	.35	.01		.01	.04	.03	.09				.60	5
6	.26	.24		.27			.46					.24	6
7	.12	.54		.06			.27	.25				.11	7
8	.23	.32		.02				.06			.22		8
9	.10	.26		.18				.01		.02	.11	Snow .12	9
10	.55	.05		.26			.02	.05		.03	.03	.13	10
11	.04			.01	.15		.08				.95	Snow .02	11
12	.06			.03	.30		.01	.26		.22	1.40	Snow .03	12
13		Rain-Snow .50		.04	.47			.01		.04	.04	.11	13
14	.07			.01				.12	.10		.01	.48	14
15	.62				.10			.03			.14	.18	15
16	.24	.75	.01		.88		.94	.55				.03	16
17		Rain-Snow .50	Snow .01		.88			.14				.08	17
18	.03	Rain-Snow .71	.03										18
19		.04		.06	.21		.16						19
20	.10			.02	.10			.03				.01	20
21	.09		.11				.44			.04		.01	21
22	.03	Snow .02	.12	.05			.10			.09		.20	22
23		.04	.12	.01		.02	.38			.65	.02	.22	23
24			.10			.03	.15			.96		.28	24
25			.13			.37	.37				.06	.04	25
26		.146					.24		.05			.73	26
27		Snow .10					.19			.56		.96	27
28		Snow .07						.08	.01	.08		.04	28
29					.06	.37		.04	.06	.02	.11	.07	29
30	Snow .04	X		.09			.14	.01	.06	.19	.02	.21	30
31	Rain-Snow .06	X		X		X	.26	.01	X	.09	X	.70	31
Total	3.44	6.07	1.02	1.40	4.02	.83	4.51	4.44	.86	3.21	3.11	6.92	39.83
Rain Days.	21	20	12	16	12	5	19	19	7	15	12	28	186

REGISTER OF RAINFALL IN 1916

Kept at Penygwely Reservoir,
 in the County of Pembrokeshire
 by G. Williams, C.E., Boro' Engineer,
Oswestry.

Lat. 52° 52' 48" N. Long. 3° 8' 50" W.
 Time of Observation 8 a.m.
 Nearest Railway Station Oswestry
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 0 in.
 " " " " Sea Level 1095 ft.

BRITISH RAINFALL FORM A.
 10 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.60	.02	.45 ^s	.	.	.19	.30	.	.	.03	.31	.	1
2	.32	.27	.16 ^s	.	.	.09	.	.	.90	.88	.08	.	2
3	.05	.17	.	.	.	.01	.10	.	.35	.42	.22	.06 ^s	3
4	.10	^{Show} .12	.01 ^s	.03	.38	.50	.06	.	.07	.24	.56	.	4
5	.	.20	.01 ^s	.	.33	.08	.	.	.	.17	.20	.	5
6	.16	.25 ^s	.01 ^s	.	.33	.01	.35	.	.	.38	.69	.	6
7	.04	.	.02 ^s	.	.03	.02	.10	.	.	.11	.11	.38	7
8	.	.08 ^s	.18 ^s	.	^{R+S.} .08	.	.	.	.	.03	.05	.20 ^s	8
9	.06	.02 ^s	.01 ^s	.	^{R+S.} .23	.13	.01	.	.11	.	.07	.10 ^s	9
10	.02	.38	.03 ^s	.01	.02	.	.	.	.05	.04	.	.04 ^s	10
11	.01	.15	.03 ^s	.05	.16	.04	.	.	.02	.	.	.02 ^s	11
12	.	.05	.13 ^s	.02	.49	.	.24	.15	.02	.11	.	.02 ^s	12
13	.03	.22	.24 ^s	.15	.02	.	.01	.10	.	.39	.	.	13
14	.	.15 ^s	.05 ^s	.	.03	.	.	.13	.	.18	.03	.02 ^s	14
15	.	.51 ^s	.42 ^s	.15	.	.	.	.15	.01	.10	.	.	15
16	.	.07 ^s	.	.14	.	.	.01	.	.	.05	.	.	16
17	.10	.12 ^s	.	.33	.	.	.	.02	.28	.33	.	.	17
18	.01	.20	.13	.23	.	.	.	.05	.42	.05	.41 ^s	.27 ^s	18
19	.25	.01	.23	.01	.	.	.	.04	.01	.01	.42	.	19
20	.17	.	^{R+S.} .43	.	.	.	.	.	.	.	.	.13	20
21	.27	.	.20 ^s	.	.	.	.50	.	.	.	.06	.12 ^s	21
22	.	.	.	.02	.	.12	.	.	.	.28	.	.06 ^s	22
23	.05	.	.01 ^s	.02	.	.04	.	.16	.	.05	.55	.14 ^s	23
24	.	.08 ^s	.02 ^s	.20	1.05	.17	.	.61	.	.36	.	.10 ^s	24
25	.	.02 ^s	.21 ^s	.	.20	.03	.	.26	.	.02	.47	.	25
26	.01	.	.	.	.05	.15	.	.	.	.16	.16 ^s	.	26
27	.01	.05 ^s	.	.	.10	.	.05	.05	.32	.59	.	.	27
28	.	.09 ^s	.	.	.05	.	.	.	.	.35	.03	.30	28
29	.	.31	.01	.	.	.32	.	.06	.	.20	.05	.15	29
30	.	~~X~~	.	.	.	.22	.	.	.	.44	.	.04	30
31	.	~~X~~	.	~~X~~	.01	~~X~~	.	.06	~~X~~	.60	~~X~~	.04	31
Total	2.26	3.54	2.99	1.36	3.56	2.12	1.73	1.84	2.56	7.57	4.47	2.19	36.19
Rain Days.	18	23	22	13	17	16	11	13	12	27	18	18	208

YEAR'S TOTAL.

REGISTER OF RAINFALL IN 1917

Kept at Pennygwyn Reservoir
in the County of Denbighshire
by G. Williamsacey Esq., Boro' Surm'r,
Oswestry

Lat 52° 52' 48" Long. 3° 8' 50" W
Time of Observation 8 a.m.
Nearest Railway Station Oswestry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1095 ft.

FORM A.
BRITISH RAINFALL
JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.05	^{show} .20		.09		.16	.09		.07	^{show} .10	1
2	.03		.02	^{s.} .10		.15		.13		.01	.18	^{s.} .03	2
3	.01	^{show} .10				.12		.03		.27	.06	^{s.} .02	3
4	^{show} .04	^{s.} .18	^{show} .10					.06		.45	.07	^{s.} .01	4
5	.17		^{s.} .27	^{s.} .03				.15	.02	.13	.37		5
6	.09		^{s.} .33			.03				.44	.26	.02	6
7	^{s.} .16		^{s.} .10							.13	.20	.16	7
8	^{s.} .20			^{s.} .11				.27	.04	.60	.13	^{s.} .08	8
9			^{s.} .27	^{s.} .10	.08			.06	.02		.41	.01	9
10	^{s.} .30		.77	^{s.} .30	.15			.15		.16			10
11	^{s.} .30			^{s.} .03				.32		.35	.04		11
12	^{s.} .10			^{s.} .07	.88			.18	.01	.07			12
13				.10		.01		.74	.04	.06			13
14				^{s.} .03				.03		.03		.02	14
15	^{s.} .03			^{s.} .03	.04		.12	.65		.24		^{s.} .13	15
16	^{s.} .01			^{s.} .15		.28		.22	.02	.01	.01	^{s.} .10	16
17			.02	.10	.40	.65	.48	1.00	.04	.01			17
18			.01	.16	.11		.46	.13	.38	.03			18
19	^{s.} .01	.68	^{s.} .25			.19							19
20	^{s.} .01	.10	^{s.} .02		.25	1.45	.04		.10		.22		20
21			^{s.} .04		.03	.11				.08	.03		21
22	^{s.} .03					.02		.34	.02	.06			22
23		.15		.01	.18		.01	.21		^{show} .07		.05	23
24		.01	.02			.05	.01	.16		.36	.03	.01	24
25		.10	^{s.} .01			.13	.02			.07	^{PKS} .24		25
26			^{s.} .01			.09	.05	.47	.10	^{s.} .11	.11		26
27					1.20	.38	.23	.94			.01		27
28			^{s.} .11				.02	.48		.07	.02	^{s.} .02	28
29			^{s.} .10				.01	.04		.50		^{s.} .31	29
30	^{s.} .01	X	^{s.} .15				.02	.32		.23	.07		30
31		X	^{s.} .19	X	.15	X		.31	X		X	.01	31
Total	1.50	1.32	2.84	1.52	3.47	3.75	1.47	7.45	.88	4.54	2.53	1.08	YEAR'S TOTAL 32.35
Rain Days.	16	7	20	15	11	15	12	25	12	25	19	16	193

REGISTER OF RAINFALL IN 1918

Kept at Pennygweny Reservoir

in the County of Denbighshire

by G. William Lacey Asst. Inspr.
Mweshy,

Lat. 52° 52' 48" Long. 3° 5' 50" W.

Time of Observation 8 am.

Nearest Railway Station Caswellton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1095 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the

previous day. If a
requested to add the
for it at the end of
the selection and pla
Organization are give
THE DIRECTOR, Britis

PLEASE fill in name of place and month in the Month of 1918

BRITISH RAINFALL FORM C. W. 7,000, VII. 18.

NOTE.—Observations returned on this form should be made a.m. daily, and entered to the day preceding that on which the amount is measured. If this is not done the reading on 1st of following month should be entered in the triangular space below.

1st of following month.

DATE	Inches	REMARKS ON THE DAYS.
1	.03	
2	.26	.27
3	.03	.01
4	.01	.36
5	.28	.02
6	.05	.03
7		.10
8	.01	
9		.16
10		.16
11		.08
12		.01
13		.06
14		.26
15		.39
16	.02	.14
17	.03	.33
18		.26
19		.30
20		.51
21		.24
22		.38
23		.23
24	.22	.06
25	.50	
26	.05	.11
27	.15	.14
28		.26
29		.07
30		.22
31	.03	.02
TOTAL	1.67	No. 495

most universal rule, he is earnestly
ving year in the space provided
measurement of rain,
the British Rainfall
free on application to
ondon, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2		.11											2
3		.09											3
4	.01	.05											4
5		.08											5
6		.51											6
7	Snow. .02	.13											7
8	Snow. .03	.52											8
9	.03	.42											9
10	.11	.08											10
11	.05	.05											11
12		.13											12
13	Snow. .01	.01											13
14	Snow. .52	.01											14
15	Snow. .24												15
16	.02												16
17	Snow. .40												17
18	.54		.14										18
19	.10		.04	Snow. .04									19
20	.43	.26		Snow. .30	.04	.04							20
21	.13	.13		Snow. .33			.04						21
22	.04				.44	.02	.28						22
23	.23				.44	.01	.24						23
24	.03				.04		.33	.22	.04				24
25		.19			.01	.04	.45	.50	.04				25
26	.05						.19	.06	.10				26
27	.02		.21				.01	.15	.11		.05	.14	27
28		Snow. .06	.13						.02		.04	.26	28
29			.19						.30			.04	29
30		X	.24						.02	.04	.02	.22	30
31		X	.14	X				.03	X	.06	X	.02	31
Total	3.04	3.13	1.21	1.78	2.48	.94	3.89	1.67	6.32	1.94	2.03	4.95	YEAR'S TOTAL 33.38
Rain Days	20	14	12	12	13	12	18	14	30	20	15	28	211

Kept at Penygwyn
in the County of
by G. Williams

R

PRINTED PAPER.

THE DIRECTOR
British Rainfall
62, Camden
LONDON

No writing on this side of the line.

1918
8° Long. 3° 5' 50" W.
on 8 am.
Station Oswestry.
el of Rain Gauge 5 in.
Gauge above Ground 1 ft 0 in.
" " Sea Level 1095 ft.
m. and the result entered to the
most universal rule, he is earnestly
wing year in the space provided
measurement of rain,
the British Rainfall
free on application to
London, N.W. 1.

Jan. 1. following.

REMARKS.
made over
No correct.
G.D.H.
AL OBSERVATIONS.
° on the
° on the
below 32° on
" 32° on
days.
days.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.03	.22				.02	.04	.02	.43		1
2		.11		.10				.26	.01	.01	.03	.24	2
3		.09			.50			.03	.38	.05	.02	.01	3
4	.01	.05	.01					.01	.44	.29	.48	.30	4
5		.08	.02	.16				.28	.39	.33	.06	.02	5
6		.51	.02	.21	.16			.05	.08	.36		.03	6
7	Snow. .02	.13		.03	.10	.04			.14	.09	.06	.10	7
8	Snow. .03	.52					.22	.01	.13	.23	.06		8
9	.03	.42		.26		.32	.02		.52	.05	.08	.16	9
10	.11	.08	.04	.08			.25		.18	.04	.14	.16	10
11	.05	.05		.02	.03		.05		.04	.01		.08	11
12		.13			.13		.12		.04			.01	12
13	Snow. .01	.01			.02	.03			.10	.03		.06	13
14	Snow. .52	.01			.02	.06	.29		.42	.04		.26	14
15	Snow. .24						.59		.80	.03		.39	15
16	.02			.03		.02	.42	.02	.24	.13		.14	16
17	Snow. .40				.52	.10	.12	.03	.04	.04		.33	17
18	.54		.14			.22	.02		.23	.01		Sleet. .26	18
19	.10		.04	Snow. .04		.01	.22		.04	.05		Sleet. .30	19
20	.43	.26		Snow. .30	.04	.04			.42			Sleet. .51	20
21	.13	.13		Snow. .33			.04		.44			.24	21
22	.04				.44	.02	.28		.05			.38	22
23	.23				.44	.01	.24		.10		.03	~~206~~ 38	23
24	.03				.04		.33	.22	.04		.19	Snow. .06	24
25		.19			.01	.04	.45	.50	.04		.01		25
26	.05						.19	.06	.10			.11	26
27	.02		.21				.01	.15	.11		.05	.14	27
28		Snow. .06	.13						.02		.04	.26	28
29			.19						.30			.04	29
30		X	.24						.02	.04	.02	.22	30
31		X	.14	X		X		.03	X	.06	X	.02	31
Total	3.04	3.13	1.21	1.78	2.48	.94	3.89	1.64	6.32	1.94	2.03	4.95	YEAR'S TOTAL 33.38
Rain Days	20	14	12	12	13	12	18	14	30	20	15	28	211

REGISTER OF RAINFALL IN 1919.

Kept at Pengwely Reservoir
in the County of Denbighshire
by G. Williams & Son, Ewem
Denbigh

Lat. 52° 52' 48" Long. 3° 8' 50" W.
Time of Observation 8 am.
Nearest Railway Station Croestry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 1095 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	34		01	Snow. 24	04		29		10	25	01	49	1
2	19		Snow. 13	02	05		04		16	01	25	01	2
3					03	10	18				01	02	3
4		Snow. 02	Snow. 12			01	21	03	12			16	4
5	01		36		03				01		15	15	5
6	05		26		08						01	13	6
7	14	34	09	04					01			03	7
8	44		04			08							8
9	Snow. 39		05	08							01		9
10	06		20		01					02	01	32	10
11	05		Snow. 120		13		10			03		02	11
12	01		Snow. 02	08	03	24			12	30	06		12
13	38			20			03		01	15		09	13
14	23			56			13		03	28		04	14
15	30	04		25	125					10		55	15
16	12	Snow. 50		03		05				01	15		16
17	06	Snow. 70				08		30			19	01	17
18	Snow. 04		30		13		11	60	05		03	04	18
19	13	Snow. 73	Snow. 80			08		19	14		11	03	19
20	34	08	Snow. 62			04			19		05	14	20
21	10	38	Snow. 40			02	30		04			03	21
22		12				01	02		59		02	52	22
23						04				91	11		23
24				02	15	01				46	24	06	24
25	05			08		06		26	02	01	04	05	25
26		12	Snow. 14	Snow. 10		06		06	02	01	06	63	26
27	Snow. 03	01	Snow. 01	Snow. 10					01		01		27
28	Snow. 12		Snow. 01	Snow. 08				92		03		54	28
29	Snow. 35		Snow. 01	04		02		03		10		22	29
30	Snow. 02	X	Snow. 03	04		04				04	45	20	30
31		X	Snow. 04	X		X			X		X	03	31
TOTAL	4.01	3.10	4.84	1.99	1.93	1.00	1.41	2.39	1.68	2.41	2.00	4.51	YEAR'S TOTAL 31.54
Days with 01 in. or more	24	11	21	16	11	16	10	8	16	16	20	25	194

REGISTER OF RAINFALL IN 1920.

Kept at Penygwely Reservoir

in the County of Denbighshire

by G. Williams, Esq., Doro' Engineer

Lat. 52° 52' 48" Long. 3° 8' 50" W

Time of Observation 8 am.

Nearest Railway Station Oswestry

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1095 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	.07	.40	.35	.	.59	.01	.07	.34	.01	.38	1
2	.01	.03	.01	.13	.02	.	.14	.	.07	.05	.	.36	2
3	.02	.13	.	.67	.05	.01	1.09	.02	.12	.27	.	.05	3
4	.	.	.	.01	.02	.	.06	1.11	.03	.45	.	.	4
5	.	.01	.15	.	.05	.	.14	.13	.11	.12	.	.	5
6	.	.	.30	.06	.04	.	.03	.	.	.09	.	.04	6
7	.09	.05	.02	.11	.04	.	.36	.	.	.	.	.	7
8	.15	.05	^{snow.} .05	.55	.15	.	.07	.16	.	.01	.	.	8
9	.33	.39	.	.46	.	.	.12	.15	.	.01	.	.	9
10	.65	.52	.10	.02	.	.02	.74	.	.	.	.	.09	10
11	.35	.03	.20	1.00	.31	.34	.04	.	.	.	.	.	11
12	.31	.10	.07	.35	.01	1.24	.16	.	.01	.	.14	^{snow.} .09	12
13	.09	.06	.17	.26	.	.15	.	.	.	.	.11	.	13
14	.03	.03	.48	.51	.	.16	.17	.03	.49	.33	.80	.	14
15	.	.17	.	.48	.	.45	.02	.	.11	.06	.03	.	15
16	.01	.	.	.13	.22	.19	.68	.	.37	.81	.03	.	16
17	.03	.	.	.01	.22	.03	.	.01	.27	.01	.	.	17
18	.19	.	.	.11	.56	.01	.	.08	.15	.	.	.	18
19	.	1.00	.	.16	.16	.06	.	.02	.01	.	.	.	19
20	.	.05	.	.37	.	.02	.02	.03	.02	.	.	.33	20
21	.02	.	.	.16	.	.	.34	.08	.	.	.	.23	21
22	.11	.	.	.04	.	.	.47	.05	.	.	.	.08	22
23	.01	.	.06	.	.	.	.20	.04	.	.	.	.	23
24	.06	.01	.60	.04	.	.	.02	.01	.	.	.	.32	24
25	.02	.03	.16	.16	.	.02	.85	.	.	.	.	.	25
26	.18	.	.37	.03	.	.14	.15	.	.	.	.08	.03	26
27	.35	.04	.47	.16	1.31	.28	.01	.	.	.	.12	.37	27
28	^{snow.} .44	.01	.29	.	.06	.09	.	.	.	.	.	.21	28
29	.10	.	.32	.10	.45	.06	.20	.	.	.	.41	.97	29
30	.24	~~XX~~	.40	.44	.	.13	.02	.	.49	.01	.22	.53	30
31	.04	~~XX~~	.	~~XX~~	.	~~XX~~	.06	.	~~XX~~	.83	~~XX~~	.05	31
TOTAL	3.83	2.71	4.29	6.92	4.02	3.40	6.75	1.93	2.32	3.39	1.95	4.13	YEAR'S TOTAL 45.64
Days with "01 in. or more	24	18	19	27	17	18	26	15	14	14	10	16	218
Days with "04 in. or more	16	11	17	23	14	12	20	8	10	10	7	15	163

S. male

REC

Barrenhead

Kept at Nant-Heilyn

in the County of Denbigh

by J. H. Park

PENTRE VOELAS
NANT HEILYN
DENBIGHSHIRE

1911 - 1920

FORM A2.
BRITISH RAINFALL

in.
Ground ft. in.
Sea Level ft.

Name
Distance Direction
the result entered to the
ersal rule, he is earnestly
ear in the space provided
nent of rain,
ish Rainfall
Jan. 1, following.

IMPORTANT NOTE
previous day. If an Obser
requested to add the reading
for it at the end of this
the selection and placing
Organization are given in
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	02		29				04	02		02	19	51	1
2			04		13		02	06		43	05	17	2
3			09		97			12			41	19	3
4			13	01	04			1.30		03	19	20	4
5	29		01		07			1.37	10	05	14	08	5
6	15		02					04		03	59	03	6
7			03								44	01	7
8	34		28								48	09	8
9			16								40	1.29	9
10	19	16	23								31	47	10
11	30								01		30	09	11
12	05	02	28						1.13		27	24	12
13		06	02		19			29	01		49	09	13
14		12	05		01	02					17	24	14
15	01	06	30			07				02	31	05	15
16		43	04	14		55					20	09	16
17		05	01			54					29	49	17
18		91				11			60	02	57	87	18
19		07		21		21	21		11	07	43	57	19
20	01	05		39		07	02	60		13	02	31	20
21		21		34		05	32	13	09	19	10	24	21
22	02	35		06		18				51	05	36	22
23	04	89		12	05	04			13	40		52	23
24	10	19		02	06	1.21			02	54		17	24
25	09	17		04		34	05	14	76	05		05	25
26	06	22		43		09		23	22	48	10	09	26
27	01	39	09	21				73	59	01	19	07	27
28				55		26		04	01		09	15	28
29				06		19	79		37	40		06	29
30			04			15	10	02	13	63	20		30
31		67	10		53		09			11		01	31
Total	1.68	5.02	2.21	2.61	2.05	4.08	1.58	5.09	4.28	4.12	69.5	7.20	TOTAL for Year
No. of Rain Days.	16	18	19	13	9	16	9	14	13	19	26	30	205

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL

Kept at Birkenhead Water Works

in the County of Denbigh

by H. Parkin

RAIN GAUGE

Pattern _____

Diameter of top _____ in.

Height of top above Ground _____ ft. _____ in.

Sea Level _____ ft.

Time of Observation _____

Nearest Railway Station { Name _____

{ Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	02		29				04	02		02	19	51	1
2			04		13		02	06		43	~~02~~	17	2
3			09		97			12	2		41	19	3
4			13	01	04			1.30	3} 1	03	19	20	4
5	29		01		07			1.37	10	05	14	08	5
6	15		02					04		03	59	03	6
7			03								44	01	7
8	34		28								48	09	8
9			16								40	1.29	9
10	19	16	23								31	47	10
11	30								01		30	09	11
12	05	02	28						1.13		27	24	12
13		06	02		19			29	01		29	09	13
14		12	05		01	02					17	24	14
15	01	06	30			07				02	31	05	15
16		43	04	14		55					20	09	16
17		05	01			54					29	49	17
18		91				11			60	02	57	87	18
19		07		21		21	21		11	07	43	57	19
20	01	05		39		07	02	60		13	02	31	20
21		21		34		05	32	13	09	19	10	24	21
22	02	35		06		18				51	05	36	22
23	04	89		12	05	04			13	40		52	23
24	10	19		02	06	1.21			02	54		17	24
25	09	17		04		34	05	14	76	05		05	25
26	06	22		43		09		23	22	48	10	09	26
27	01	39	09	21				73	59	01	19	07	27
28				58		26		04	01		09	15	28
29				06		19	79		37	40		06	29
30			04			15	10	02	13	63	20		30
31		67	10		53		09			11		01	31
Total	1.68	5.02	2.21	2.61	2.05	4.08	1.42	5.09	4.28	4.12	6.96	7.20	TOTAL for Year
No. of Rain Days.	16	18	19	13	9	16	9	14	15	19	26	30	205

REGISTER OF RAINFALL IN 1912

Kept at Nant Heilyn

in the County of Denbigh

by Duncan McCall for J.H. Parkin

Pattern
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. 14 in.
" " " Sea Level 1225 ft.
Time of Observation 9am
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. .01	in. .01	in. .42	in. -	in. -	in. .03	in. .12	in. .12	in. .11	in. -	in. -	in. .16	1
2	-	-	.47	-	.02	.22	-	.03	-	-	-	.20	2
3	.19	-	.37	-	.08	.06	-	1.10	.21	-	.09	.19	3
4	.50	-	.86	-	.04	.20	-	.56	.29	-	.15	.10	4
5	} .58	.03	.12	-	.09	-	-	} .46	.15	-	.13	.03	5
6		.05	.05	-	.14	-	-		.09	-	.01	-	6
7	-	.41	.21	.01	.03	.01	.19	.21	.03	-	-	.03	7
8	(.55)	.14	.11	.48	.06	.03	.01	.19	.01	-	-	.07	8
9	.01	.06	.15	.19	-	.40	-	.01	-	-	.15	.20	9
10	.02	.04	-	.06	-	.62	.12	.07	-	-	.92	.10	10
11	.19	.22	-	.01	-	-	.03	.03	-	-	.29	.90	11
12	.05	.46	.07	-	-	.03	-	.17	-	-	.19	.93	12
13	.03	-	.05	-	-	.04	-	.22	-	.31	.12	1.12	13
14	.01	-	.21	-	-	.29	-	.18	.04	-	.08	.43	14
15	} (.92)	.09	.18	-	-	.40	-	.12	-	-	.04	.19	15
16		.06	.11	-	.10	-	-	.09	-	.36	.31	.17	16
17		.15	.09	-	-	.84	-	.35	-	-	.01	.69	17
18		.03	.12	-	-	.03	-	.10	-	.13	.02	.23	18
19	-	.17	.17	-	-	.99	-	.19	-	.51	-	.07	19
20	.02	-	.09	-	.06	.04	-	} .46	-	.40	-	.03	20
21	-	.01	.13	-	.49	.01	-		-	.55	.03	.02	21
22	-	.37	.01	-	.29	.02	.02	.68	-	.03	-	-	22
23	.03	.01	.29	.01	-	.18	.03	1.07	-	.01	.42	.36	23
24	-	.03	.13	-	-	.14	.12	-	-	-	.59	-	24
25	-	.04	.43	-	-	.41	.08	.09	-	-	.69	} .66	25
26	-	.05	.21	-	-	.09	.09	.49	-	1.67	.19		26
27	-	.21	.39	-	-	.46	.99	-	-	.30	.24	.59	27
28	-	.28	.03	-	-	.12	.56	.16	.04	.31	.39	.05	28
29	-	.09	.06	-	-	.15	.19	.01	.43	.29	.01	.03	29
30	.04	-	.42	.02	-	.29	.36	-	.06	.39	.02	.05	30
31	.05	-	.16	-	.06	-	.77	.17	-	.09	-	.26	31
Total	(3.20)	3.01	6.11	.78	1.46	5.20	3.68	7.33	1.46	5.35	5.09	7.86	TOTAL for year 50.53
No. of Rain Days	20	23	29	7	12	26	15	27	11	14	23	28	235

REGISTER OF RAINFALL IN 1912

Kept at *Kant. Heilyn*
in the County of *Dumbig*
by *Duncan McEae*

Pattern
RAIN GAUGE Diameter of top in.
Height of top above Ground ft.
" " " Sea Level ft.
Time of Observation *09 am*
Nearest Railway Station { Name
Distance Direction

FORM A2.
BRITISH RAINFALL.

8 JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. 1	in. 1	42	0	0	3	129	11	0	0	0	0	1
2	0	0	47	0	2	22	12	12	-	0	0	20	2
3	19	0	37	0	8	6	0	3	21	0	9	19	3
4	50	0	86	0	4	20	0	110	29	0	15	10	4
5	49	3	12	0	9	0	0	56	15	0	13	3	5
6	58	5	5	0	14	0	0	27	09	0	1	0	6
7	0	4	21	1	3	0	0	17	03	0	0	3	7
8	55	6	11	49	6	1	19	21	01	0	0	20	8
9	1	14	15	19	6	3	1	19	-	0	15	10	9
10	2	41	0	6	0	40	0	1	-	0	19	90	10
11	19	22	0	1	0	62	12	7	-	0	29	93	11
12	5	46	7	0	0	0	3	3	-	0	92	112	12
13	3	0	5	0	0	3	0	17	-	31	12	43	13
14	1	0	21	0	0	4	0	22	04	0	8	19	14
15	0	9	18	0	0	0	0	18	-	0	4	17	15
16	14	15	11	0	10	29	0	12	-	36	31	23	16
17	9	3	9	0	0	40	0	35	-	0	1	69	17
18	12	17	12	0	0	84	0	9	-	13	2	7	18
19	3	0	17	0	0	3	0	19	-	57	0	3	19
20	2	1	9	0	6	9	0	10	-	40	0	2	20
21	0	37	13	0	49	4	0	46	-	55	3	0	21
22	0	1	1	0	29	1	2	18	-	3	42	56	22
23	3	3	29	1	0	2	3	107	-	1	59	0	23
24	0	4	13	0	0	18	12	0	-	0	69	3	24
25	0	5	43	0	0	14	8	49	-	0	19	5	25
26	0	6	21	0	0	41	9	09	-	167	24	59	26
27	0	21	39	0	0	9	99	0	-	30	39	5	27
28	0	28	3	0	0	46	66	16	04	31	1	3	28
29	0	9	6	0	0	12	19	1	43	29	0	5	29
30	4		42	2	0	15	36	0	06	39	2	26	30
31	5		16		6	29	77	17		9			31
Total	245	3.01	6.11	.78	1.46	5.10	3.8	82	1.46	5.35	5.09	7.86	TOTAL for year
No. of Rain Days	20	23	29	7	12	26	15	7	11	14	23	28	50.53

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL.
14 MAR 1914

Kept at *Went Veilyn*

in the County of *Denbighshire*

by *Girkenhead Corporation*

Pattern
RAIN GAUGE Diameter of top *5* in.
Height of top above Ground *1* ft. *0* in.
" " " Sea Level *122.5* ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. .13	in. .40	in. .03	in. .01	in. .31	in. .03				in. .02	in. .13	in. .39	1
2	.11	.22	1.09	.01	.31	.03				.03	.25	.39	2
3	.05	.10	.91		.52							.71	3
4		.20	.29		.23		.01			.21	.05	.38	4
5	(.60)	.19	.31		.09	.81	.44			.69		.19	5
6		.21	.20		.03	.14	.37			.09	.06	.21	6
7		.80	.19		.32	.41	.01			.31		.04	7
8	.10	.19	.10	.02	.23	.37	.05	.15		.59	.12	.03	8
9	.01	.09	.09	.45	.06	.96	.14	.05	.14		.15	.07	9
10			.06	.01	.03		.01	.25	.10	.02	.04		10
11		.01	.14	.62	.02	.19				.09	.27	.13	11
12	.48				.10	.14			1.84	.01	1.09	.02	12
13				.01	.02	.07	.03	.14	.20		.26	.01	13
14	.07			.03					.10	.29	.19		14
15	.03	.11		(.63)						.06	.55	.20	15
16	.01		2.50	.18			.04	.12			.16	.03	16
17				.09			.06				.12		17
18	.31			.31	.13	.03					.09		18
19				.02	.03	.27				.26	.24		19
20	.47		.31	.13	.05	.01	.35		.05	.17	1.05		20
21			.09	.01	.10			.19	.03	.06	.19		21
22	.54					.31		.59	.43				22
23	.45	.01	.75		.04	.09		.98	.04	.05	.29	.05	23
24				.12		.08		.23			.06	.09	24
25	.58	.01							.39	.06	.14	.61	25
26	.03			1.47					.57		.01	.92	26
27			.03	.56					.02	.45		.41	27
28	.01		.12	.09			.02			.08	.03	.13	28
29			.24	.29	.10					.70			29
30	.67		.05		.08					.54	.21		30
31	.06		.12		.11					.04			31
Total	4.66	2.54	7.59	5.08	2.61	3.91	1.53	2.70	3.91	4.82	5.75	4.62	TOTAL for year 49.72
No. of Rain Days	25	13	26	21	21	15	12	9	12	22	25	19	220

and for S, the sum is 15.1.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
8-JAN 1914

Kept at Wharf Kelso
in the County of Northumberland
by Burkhead & Corporation

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level 1225. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.13	0.40	0.00	0.03	0.01	0.00	0.00	0.00	0.00	0.02	0.13	0.00	1
2	0.11	0.22	1.09	0.01	0.31	0.03	0.00	0.00	0.00	0.03	0.25	0.71	2
3	0.05	0.10	0.91	0.00	0.52	0.00	0.00	0.00	0.00	0.00	0.00	0.39	3
4	0.00	0.20	0.29	0.00	0.23	0.00	0.01	0.00	0.00	0.21	0.05	0.38	4
5	0.03	0.19	0.31	0.00	0.09	0.81	0.44	0.00	0.00	0.69	0.00	0.19	5
6	0.00	0.21	0.20	0.00	0.03	0.14	0.37	0.00	0.00	0.09	0.06	0.21	6
7	0.01	0.80	0.19	0.00	0.32	0.41	0.01	0.00	0.00	0.31	0.00	0.04	7
8	0.09	0.19	0.10	0.02	0.23	0.37	0.05	0.15	0.00	0.59	0.12	0.03	8
9	0.01	0.09	0.09	0.45	0.06	0.00	0.14	0.05	0.14	0.00	0.15	0.00	9
10	0.00	0.00	0.06	0.62	0.03	0.96	0.01	0.25	0.10	0.02	0.04	0.07	10
11	0.05	0.01	0.14	0.01	0.02	0.00	0.00	0.14	0.00	0.09	0.27	0.13	11
12	0.03	0.00	0.00	0.00	0.10	0.19	0.00	0.00	1.84	0.01	1.09	0.02	12
13	0.01	0.00	0.29	0.01	0.02	0.14	0.03	0.00	0.20	0.00	0.26	0.01	13
14	0.07	0.00	0.03	0.03	0.00	0.07	0.00	0.00	0.10	0.29	0.19	0.00	14
15	0.03	0.00	0.20	0.63	0.00	0.00	0.00	0.00	0.00	0.06	0.55	0.03	15
16	0.01	0.11	0.50	0.18	0.00	0.00	0.04	0.12	0.00	0.00	0.16	0.20	16
17	0.00	0.00	0.41	0.09	0.00	0.00	0.06	0.00	0.00	0.00	0.12	0.00	17
18	0.00	0.00	1.01	0.31	0.13	0.00	0.00	0.00	0.00	0.00	0.09	0.00	18
19	0.31	0.00	0.43	0.29	0.03	0.03	0.00	0.00	0.00	0.26	0.24	0.00	19
20	0.47	0.00	0.31	0.13	0.05	0.27	0.35	0.00	0.05	0.17	1.05	0.00	20
21	0.61	0.00	0.09	0.01	0.10	0.01	0.00	0.19	0.03	0.06	0.19	0.00	21
22	0.53	0.00	0.46	0.00	0.00	0.00	0.00	0.59	0.43	0.00	0.00	0.00	22
23	0.45	0.01	0.37	0.00	0.04	0.31	0.00	0.98	0.04	0.05	0.29	0.05	23
24	0.29	0.00	0.00	0.12	0.00	0.09	0.00	0.23	0.00	0.00	0.06	0.09	24
25	0.79	0.01	0.00	1.00	0.00	0.08	0.00	0.00	0.39	0.06	0.00	0.61	25
26	0.03	0.00	0.00	0.47	0.00	0.00	0.00	0.00	0.57	0.00	0.01	0.92	26
27	0.00	0.00	0.12	0.56	0.00	0.00	0.00	0.00	0.02	0.45	0.14	0.41	27
28	0.01	0.00	0.24	0.09	0.00	0.00	0.02	0.00	0.00	0.08	0.03	0.13	28
29	0.00	0.03	0.02	0.10	0.00	0.00	0.00	0.00	0.00	0.70	0.02	0.00	29
30	0.67	0.05	0.00	0.00	0.06	0.00	0.00	0.00	0.00	0.54	0.79	0.00	30
31	0.06	0.12	0.11	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.00	31
Total	4.66	2.54	7.59	5.08	2.61	3.91	1.53	2.70	3.91	4.82	5.75	4.62	49.72
Rain Days.	25	13	27	21	21	15	12	9	12	22	25	19	221

only C to 27.IV.15
Sop. est. 4.V.15
REGISTER OF RAINFALL IN 1914.

BRITISH RAINFALL FORM A.
8 JAN 1915

Kept at

in the County of

by

Lat.

Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 1225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	21	19	3	0	5	54	30		0	4	81	1
2	1	13	6	7	0	0	54	19		0	19	101	2
3	84	0	49	2	13	2	3	3		0	34	72	3
4	2	0	16	12	51	0	10	0		13	23	53	4
5	0	1	70	42	86	12	0	0		0	9	48	5
6	9	9	11	10	24	16	0	5		0	2	49	6
7	45	27	30	21	82	19	29	39		0	4	36	7
8	11	3	9	8	98	39	2	98		0	1	31	8
9	39	0	10	21	10	119	0	18		0	3	0	9
10	0	39	2	31	14	17	0	01		0	10	29	10
11	0	9	33	23	0	79	17	0		0	98	0	11
12	0	15	15	5	5	14	0	0		0	79	9	12
13	0	65	36	0	3	2	13	0		70	31	0	13
14	0	187	16	0	0	0	0	0		14	7	8	14
15	0	9	72	0	0	0	0	3		0	13	22	15
16	0	12	11	0	0	9	14	0		0	0	99	16
17	0	26	30	0	0	3	2	0		0	0	37	17
18	0	18	31	0	0	0	0	0		8	0	23	18
19	0	9	32	0	0	20	27	0		0	0	25	19
20	0	62	47	0	0	0	0	10		0	1	19	20
21	0	30	14	0	7	10	4	20		10	0	0	21
22	0	63	7	0	2	9	0	0		0	0	0	22
23	45	3	1	0	0	0	13	24		0	7	0	23
24	82	1	2	2	0	0	22	3		2	17	0	24
25	14	1	0	22	0	0	20	47		51	11	50	25
26	15	0	0	1	0	0	26	0		32	21	70	26
27	39	0	0	0	1	0	0	2		3	41	39	27
28	35 38	15	5	0	3	0	0	4		20	50	0	28
29	77		18	0	7	0	0	2		24	27	0	29
30	134		51	0	0	0	0	0		3	66	115	30
31			20				30	1		18 81		11	31
Total	640	615	662	202	486	377	502	329	176	268	570	1028	5882
Rain Days.	12	23	28	14	16	16	17	17	17	13	24	23	

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL

Kept at *Nant Heilyn*
in the County of *Denbigh*
by *Duncan M^c. Ball*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	55	40	0	0	100	0	0	16		19	0	10	1
2	12	60	9	23	0	0	28	110		5	0	17	2
3	3	23	19	15	0	1	33	2		0	0	31	3
4	0	9	6	3	24	8	35	0		0	0	100	4
5	14	34	22	21	7	0	42	09		0	0	58	5
6	24	20	11	9	0	0	24	30		0	0	41	6
7	65	26	0	3	0	0	59	17		9	0	25	7
8	55	41	0	2	0	0	13	4		8	65	3	8
9	39	56	2	49	0	0	22	12		12	13	75	9
10	67	4	8	46	0	0	6	7		29	9	50	10
11	5	0	4	14	5	0	0	4		4	39	32	11
12	3	14	0	10	15	0	0	9		0	107	17	12
13	15	6	0	0	5	0	0	4		0	24	29	13
14	56	0	0	9	0	0	0	29		0	38	29	14
15	79	208	0	0	0	0	11	77		0	41	18	15
16	12	94	2	0	40	0	60	0		0	3	7	16
17	1	109	4	0	40	0	0	1		0	0	2	17
18	5	33	12	0	0	0	35	0		0	0	0	18
19	4	8	9	18	2	0	10	4		3	0	7	19
20	56	6	0	5	1	0	3	0		0	0	41	20
21	30	13	0	1	0	0	53	0		9	0	7	21
22	15	2	9	0	0	9	9	0		69	10	24	22
23	3	54	2	2	0	20	1	0		33	0	29	23
24	0	0	0	3	0	0	5	0		10	17	50	24
25	0	0	6	14	0	21	21	0		1	0	29	25
26	0	31	0	0	0	0	7	0		0	0	70	26
27	0	9	0	0	0	4	67	19		0	0	70	27
28	0	22	0	0	40	3	2	2		29	0	1	28
29	0		3	0	0	2	20	0		0	11	6	29
30	35	X	0	9	0	1	9	0		13	15	39	30
31	10	X	0	X	0	X	4	47	X	14	X	68	31
Total	6.63	7.11	1.28	2.56	2.79	0.69	5.19	4.08	2.11	2.67	3.92	9.85	YEAR'S TOTAL
Rain Days.	24	23	16	25	11	9	25	20	19	16	13	30	48.88

REGISTER OF RAINFALL IN 1916

Kept at Nant. Heilyn
in the County of Down
by _____

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1225 ft.

FORM A.
BRITISH RAINFALL
JAN. 1, 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	96	02	09	5 04	-	27	80			02	16	-	1
2	82	29	23	5 03		08	14		88	1 18	18	01	2
3	06	57	01			05	03		1 30	26	21	31	3
4	45	15			50	07			31	62	31	-	4
5	09	73			16	63	07			99	15	-	5
6	40	26	03		25	25	24			46	45	12	6
7	11	04	39	02	20	23				46	50	19	7
8	09	09	07		25	02			01	15	11	05	8
9	04	07	15	07	04	03	02		08	10	05	04	9
10	07	(54)	09	45	03	07	06		03	09	04	01	10
11	05	13	10	27	09		09		04	03	02	-	11
12	21	20	12	42	35		43	18	08	66		03	12
13	01	29	08	04	02		10	44		89		06	13
14		18	07	26	35			56	01	51		04	14
15	02	1 12	17	26			09	22	15	33		-	15
16	04	22		96			03	55	10	21	16	-	16
17	12	23		98					62	19	31	-	17
18	61	58	09	21				07	69	08	09	10	18
19	41	01	13	06				09	01	01	08	04	19
20	61		30	03							03	38	20
21	31		18	04		01					04	13	21
22	02		03	42		08				04	13	29	22
23	01		01	01		04		19		49	09	05	23
24	06	16	06		87			23		10	55	04	24
25	09	04	10		50	16		42		08	47	-	25
26	15	02	04		11	12		21	01	18	23	-	26
27		01	05		20	01		11	30	60	05	-	27
28	04	35	02		05			02		80	09	1 00	28
29	02	14			06	42		04		32	02	50	29
30		X				07		01	01	74	02	34	30
31		X		X	29	X		10	X	84	X	04	31
Total	5.87	6.44	2.61	4.57	4.32	2.61	2.10	3.44	4.63	11.43	4.44	3.77	YEAR'S TOTAL
Rain Days.	27	25	24	18	18	18	12	16	17	29	23	21	56.23
											26		248

REGISTER OF RAINFALL IN 1917

BRITISH RAINFALL FORM A.

Kept at Kant. Heilyn
in the County of Denbigh
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Sea Level 1275 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	19	-		13								37	1
2	13	-		01								09	2
3	07	19	06									30	3
4	01	11	04	05								17	4
5	49		02	08									5
6	03		01									14	6
7	50			01								08	7
8	26		06	11								10	8
9			07	23	09							42	9
10	32		77	(28)	01								10
11	19	03	01	12									11
12	09			16							2.82		12
13	08			39	78							12	13
14	09			09	10								14
15	02			23								14	15
16	01	03		14								28 73	16
17	02	01	40	09	20								17
18	01		05	50	04							42	18
19		44	50	04									19
20		04	09	03	14								20
21		02	11		01								21
22		11											22
23		04			15							30	23
24		06	15									10	24
25		10	21		10								25
26			05		590						1.35	04	26
27			35										27
28		03	04										28
29			05									10	29
30	02	X	19								1.09		30
31		X	08	X	26	X			X		X	13	31
Total	2.53	1.21	3.31	(3.19)	2.78	2.42	(2.10)	9.66	3.01	7.01	5.26	2.88	(45.36)
Rain Days.	17	13	21	18	12						2	17	

REGISTER OF RAINFALL IN 1918

Kept at *Nant-Heilyn*
in the County of *Denbigh*
by _____

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level *1225* ft.

FORM A.
BRITISH RAINFALL
22-119

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				<i>42</i>	<i>07</i>		<i>03</i>	<i>02</i>	<i>31</i>	<i>04</i>	<i>30</i>	<i>02</i>	1
2		<i>04</i>						<i>10</i>	<i>25</i>	<i>03</i>	<i>04</i>	<i>57</i>	2
3	<i>03</i>	<i>07</i>			<i>60</i>				<i>26</i>	<i>40</i>		<i>02</i>	3
4	<i>03</i>	<i>04</i>			<i>21</i>				<i>31</i>	<i>53</i>	<i>70</i>	<i>13</i>	4
5		<i>38</i>	<i>03</i>	<i>21</i>				<i>33</i>	<i>17</i>	<i>119</i>		<i>02</i>	5
6	<i>07</i>	<i>60</i>		<i>55</i>		<i>08</i>		<i>04</i>	<i>44</i>	<i>36</i>		<i>05</i>	6
7		<i>09</i>		<i>05</i>	<i>18</i>			<i>02</i>	<i>32</i>	<i>22</i>	<i>38</i>	<i>05</i>	7
8		<i>42</i>					<i>27</i>		<i>25</i>	<i>29</i>	<i>07</i>	<i>03</i>	8
9	<i>34</i>	<i>84</i>		<i>12</i>					<i>58</i>	<i>13</i>	<i>03</i>	<i>11</i>	9
10	<i>14</i>	<i>44</i>		<i>04</i>		<i>117</i>	<i>22</i>		<i>34</i>	<i>01</i>	<i>41</i>	<i>07</i>	10
11	<i>08</i>	<i>16</i>	<i>06</i>		<i>16</i>		<i>08</i>		<i>19</i>			<i>22</i>	11
12		<i>39</i>			<i>19</i>				<i>13</i>			<i>08</i>	12
13	<i>03</i>	<i>04</i>			<i>04</i>				<i>35</i>	<i>02</i>		<i>27</i>	13
14	<i>79</i>					<i>29</i>	<i>33</i>	<i>03</i>	<i>44</i>	<i>04</i>		<i>46</i>	14
15							<i>31</i>		<i>166</i>	<i>39</i>		<i>42</i>	15
16						<i>14</i>	<i>103</i>	<i>09</i>	<i>21</i>	<i>18</i>		<i>53</i>	16
17	<i>56</i>					<i>92</i>	<i>09</i>	<i>06</i>	<i>10</i>	<i>17</i>		<i>45</i>	17
18	<i>59</i>		<i>10</i>			<i>09</i>	<i>21</i>		<i>17</i>	<i>02</i>		<i>29</i>	18
19	<i>19</i>	<i>07</i>	<i>06</i>	<i>11</i>			<i>40</i>	<i>02</i>	<i>21</i>	<i>04</i>		<i>91</i>	19
20	<i>66</i>	<i>59</i>		<i>27</i>	<i>27</i>	<i>22</i>	<i>09</i>		<i>34</i>			<i>29</i>	20
21	<i>26</i>	<i>109</i>		<i>24</i>		<i>09</i>	<i>09</i>		<i>93</i>			<i>10</i>	21
22	<i>11</i>	<i>11</i>			<i>117</i>	<i>09</i>	<i>07</i>	<i>03</i>	<i>34</i>			<i>71</i>	22
23	<i>28</i>				<i>142</i>		<i>39</i>		<i>18</i>		<i>06</i>	<i>02</i>	23
24	<i>06</i>	<i>26</i>					<i>27</i>	<i>40</i>	<i>10</i>		<i>34</i>	<i>27</i>	24
25	<i>08</i>				<i>29</i>		<i>33</i>	<i>75</i>	<i>24</i>	<i>02</i>	<i>03</i>	<i>08</i>	25
26		<i>16</i>					<i>15</i>	<i>11</i>	<i>33</i>		<i>02</i>	<i>17</i>	26
27		<i>11</i>	<i>52</i>			<i>15</i>		<i>56</i>	<i>36</i>	<i>03</i>	<i>31</i>	<i>93</i>	27
28		<i>45</i>	<i>52</i>			<i>04</i>			<i>05</i>		<i>54</i>	<i>63</i>	28
29			<i>06</i>						<i>37</i>			<i>13</i>	29
30		X	<i>05</i>					<i>14</i>	<i>21</i>	<i>05</i>	<i>02</i>	<i>29</i>	30
31		X	<i>27</i>	X		X		<i>09</i>	X	<i>02</i>	X	<i>04</i>	31
Total	<i>430</i>	<i>635</i>	<i>167</i>	<i>201</i>	<i>460</i>	<i>328</i>	<i>436</i>	<i>279</i>	<i>1014</i>	<i>418</i>	<i>325</i>	<i>836</i>	<i>5529</i>
Rain Days.	<i>20</i>	<i>20</i>	<i>9</i>	<i>9</i>	<i>11</i>	<i>12</i>	<i>17</i>	<i>16</i>	<i>30</i>	<i>21</i>	<i>14</i>	<i>31</i>	<i>218</i>

REGISTER OF RAINFALL IN 1919

Kept at Kant-Heilyn
in the County of Denbigh
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	34		03	06	70		61	01	47	30		33	1
2	13		46				06	05	10	07	05	35	2
3	03				08	17	16				06	10	3
4	02		32		07		32	13	13			40	4
5	15	30		09	01	07			06		02	51	5
6	09		35							02		27	6
7	35		20	09									7
8	34		07	07		13							8
9	99		14	12							10		9
10	70		89	04		03				32		46	10
11	04		38 (212) 124	18	06		13		03	02			11
12				12		62	02		05	57	22		12
13	27			23			17		02	125		08	13
14	32	08		56			36	05	01	40		09	14
15	52	08		63	20					42		45	15
16	21					13	03				44	02	16
17	29	09	08			04	01	32			111	01	17
18	04	93	85		04		16	79	48		04	24	18
19	03	84	26			30	05	20	24		38	26	19
20	03	15	23			18			48		13	61	20
21	01	31	08				32		16		01	09	21
22		54				10	09	06	157		05	196	22
23		20		05		21				115	39	16	23
24				12	22	05			13	63	34	27	24
25	28			49		11		60	31		26	21	25
26	05		43	13		09		74			05	46	26
27	11	17	103 90	16		02		09	37	03	09		27
28			10	17				129	04	12		47	28
29	24		04	36		07		19		14		32	29
30		X	17	36		46		01		02	34	40	30
31		X	65	X		X	07	11	X	02	X	39	31
Total	558	276	807 777	433	138	278	256	464	465	548	408	891	5492
Rain Days	24	19	21	19	8	17	15	15	17	16	18	25	207

REGISTER OF RAINFALL IN 1920.

Kept at *Nant-Helwyn*
in the County of *Denbighshire*
by

Lat..... Long.....
Time of Observation.....
Nearest Railway Station.....
Diameter of Funnel of Rain Gauge..... in.
Height of top of Gauge above Ground..... ft..... in.
" " " " Sea Level..... ft.

21 APL 1921

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2		47	13	49	38		46	09	22	49	01	04	2
3		33		23	06		64	06	23	06		48	3
4		22		16	13	01	89	12	10	70		16	4
5				02	01		10	64	15	10	03		5
6			25		40		12	38	42	05			6
7			48	13	12		05	04		15		06	7
8	35	10	10	04			20				06		8
9	37	18		45	38		21	20				02	9
10	60	135	05	21			25	42	12		05	07	10
11	116	110	06			04	19					08	11
12	81	05	23	30	24	30	10	05					12
13	49	20	15	22	02	11	21				17		13
14	38	37	32	35		20	02				29		14
15	10	05	10	44		19	04		90	16	153		15
16	03	19	12	70		04	07			05			16
17		01	17	30	25	09	68		38				17
18	33		07	04	36			32	52				18
19	68			11	67	15		34	03				19
20	07	117		35	45	12	02	23	13				20
21	13	10		44		04	12	26	67	02		21	21
22				06			60	30				12	22
23				01		10	67					54	23
24	08		06				43	09				50	24
25	19		63	19			13	02				40	25
26	09	17	44	24		04	130	10				07	26
27	21	19	108	58	09	09	46		03		18	07	27
28	55	15	122	23	04	31	04				04	12	28
29	34	11	53	12	10	20					03	35	29
30	26	02	17	11	61	10	59				13	96	30
31	30	X	51	31	19	06			37		30	30	31
31	23	X	02	X	03	X	09	04	X	67	X	08	
TOTAL	7.74	6.53	6.89	6.83	4.53	3.19	8.68	3.70	4.27	2.45	2.82	4.63	YEAR'S TOTAL
Days with .01 in. or more	22	20	22	27	19	18	27	18	14	10	12	19	62.26
Days with .04 in. or more	21	18	21	25	16	17	25	17	12	9	9	18	62.15

R

PENTRE FOELAS

VOELAS HALL

DENBIGHSHIRE

1911 - 1920

Kent at Voelas

in the County of Denbighshire

by Thos. L. Jones

IMPORTANT NOTE
previous day. If an observer
requested to add the result
for it at the end of the

the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

11

Warn.

5 in.

above Ground 1 ft. 3 in.

Sea Level 640 ft.

92. m.

Name Bethus-y-Coed

Distance 6.2 Direction N.W.

and the result entered to the
universal rule, he is earnestly
year in the space provided
ment of rain,

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.41	—	—	—	.04	.14	—	.04	—	.41	1
2	—	—	.05	—	.15	—	.02	.28	—	.44	.07	.39	2
3	—	—	.06	.03	1.43	—	.04	.07	.14	.03	.46	.28	3
4	—	—	.17	.04	.13	—	—	.15	.02	.07	.86	.42	4
5	.73	—	.04	—	.07	—	—	.66	—	.04	.18	.07	5
6	.07	—	.19	—	—	—	—	.35	—	.02	.64	.67	6
7	.02	—	—	—	—	—	—	.75	—	—	.67	.02	7
8	.28	—	.29	—	—	—	—	—	—	—	.68	.61	8
9	.07	—	.02	—	—	—	—	—	—	—	.59	1.06	9
10	.54	.09	.19	—	—	—	—	—	—	—	.15	.69	10
11	.61	—	—	—	—	—	—	—	1.89	—	.19	.34	11
12	—	—	.44	—	—	—	—	—	.05	—	.44	.06	12
13	—	—	.07	—	.07	.12	—	—	—	—	.39	.26	13
14	.03	—	.11	—	—	—	—	—	—	—	.31	.27	14
15	—	.44	.02	—	—	—	—	—	—	—	.38	.06	15
16	—	.42	.05	.06	—	.53	—	—	—	—	.28	.26	16
17	.07	.47	—	—	—	.41	—	—	—	.02	.48	.39	17
18	—	.09	—	.39	—	.04	—	—	—	.03	.19	.72	18
19	—	.69	—	.64	—	.65	.44	.03	.89	.09	.38	.59	19
20	—	.03	—	.78	—	.04	.04	.96	.37	.05	.04	.09	20
21	—	.24	—	.18	—	.16	.21	—	—	.34	—	.66	21
22	—	.99	—	.21	—	.24	—	.04	.02	.56	—	.53	22
23	.05	.57	—	—	—	.06	—	—	.09	.57	—	.38	23
24	.15	.29	—	.13	.16	1.46	—	.27	.11	.43	—	.26	24
25	.10	.17	—	.54	—	.19	.09	.12	.76	.28	.09	.10	25
26	—	.21	—	.37	—	.07	—	.47	.48	.19	.14	.12	26
27	.07	.23	.11	.56	—	—	.02	.63	.02	.07	—	.02	27
28	.07	1.06	—	.15	—	.17	—	.06	—	—	.08	.05	28
29	—	.43	—	—	—	.19	—	.07	.62	1.02	—	.66	29
30	—	—	—	.02	—	.13	.35	—	.23	.46	—	.02	30
31	—	—	.29	—	.06	—	.10	—	—	.68	—	.07	31
Total	2.62	6.36	2.50	4.10	2.07	4.39	1.35	4.98	5.09	5.81	7.56	9.10	TOTAL 55.79
No. of Rain Days.	14	16	16	14	7	15	10	16	14	20	23	31	196

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL
10 MAY 1912

Kept at Wales Hall
in the County of Berwick 3
by Thos. Bicker

RAIN { Pattern Snowdon
Diameter of top 5 in.
GAUGE { Height of top above Ground 1 ft. 3 in.
" " " Sea Level 640 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Bell Busby, Caled
Distance 6 1/2 miles Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.41	—	—	—	.04	.14	—	.04	—	.41	1
2	—	—	.05	—	.16	—	.02	.28	—	.44	.07	.39	2
3	—	—	.06	.03	1.43	—	.04	.07	.14	.03	.46	.28	3
4	—	—	.17	.04	.13	—	—	.15	.02	.07	.86	.42	4
5	.73	—	.04	—	.07	—	—	.66	—	.04	.18	.07	5
6	.07	—	.19	—	—	—	—	.35	—	.02	.64	.67	6
7	.02	—	—	—	—	—	—	.75	—	—	.67	.02	7
8	.28	—	.29	—	—	—	—	—	—	—	.68	.61	8
9	.07	—	.02	—	—	—	—	—	—	—	.59	1.55	9
10	.54	.09	.19	—	—	—	—	—	—	—	.15	.69	10
11	.61	—	—	—	—	—	—	—	1.89	—	.19	.34	11
12	—	—	.44	—	—	—	—	—	.85	—	.44	.55	12
13	—	—	.07	—	.07	.12	—	—	—	—	.39	.25	13
14	.03	—	.11	—	—	—	—	—	—	—	.31	.27	14
15	—	.44	.02	—	—	—	—	—	—	—	.38	.06	15
16	—	.42	.05	.06	—	.53	—	—	—	—	.28	.26	16
17	.07	.47	—	—	—	.41	—	—	—	.02	.48	.39	17
18	—	.09	—	.39	—	.04	—	—	—	.03	.19	.72	18
19	—	.69	—	.64	—	.65	.44	.03	.89	.09	.38	.59	19
20	—	.03	—	.78	—	.04	.04	.96	.37	.05	.04	.09	20
21	—	.24	—	.18	—	.16	.21	—	—	.34	—	.66	21
22	—	.99	—	.21	—	.24	—	.04	.02	.56	—	.53	22
23	.05	.57	—	—	—	.05	—	—	.09	.57	—	.38	23
24	.15	.29	—	.13	.16	1.46	—	.27	.11	.43	—	.26	24
25	.10	.17	—	.54	—	.19	.09	.12	.76	.28	.09	.10	25
26	—	.21	—	.37	—	.07	—	.47	.48	.19	.14	.12	26
27	.07	.23	.11	.56	—	—	.02	.63	.02	.07	—	.02	27
28	.07	1.06	—	.15	—	.17	—	.56	—	—	.08	.15	28
29	—	.43	—	—	—	.19	—	.07	.62	1.52	—	.66	29
30	—	—	—	.02	—	.13	.35	—	.23	.46	—	.02	30
31	—	—	.29	—	.06	—	.10	—	—	.68	—	.07	31
Total	2.62	6.36	2.50	4.10	2.07	4.39	1.35	4.98	5.09	5.81	7.56	9.10	TOTAL 55.79
No. of Rain Days.	14	16	16	14	7	15	10	16	14	20	23	31	196

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
3-JAN 1913

Kept at Yodelas Hall
in the County of Denbigh
by Thomas Dickie

RAIN GAUGE { Pattern Snow don
Diameter of top 5 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 640 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Bettws-y-coed
Distance 5 1/2 miles Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	..	.03	.41	..	..	.09	.29	.24	.11	..	.07	.42	1
2	..	..	.78	.07	..	..	.03	..	.06	..	..	.12	2
3	..	..	.10	..	.08	.59	..	.82	.39	..	.07	.21	3
4	.21	..	1.46	.09	.03	.24	..	.64	.02	..	.26	.12	4
5	.41	..	.12	..	.04	..	..	.10	..	..	.03	.06	5
6	.30	.27	..	..	.22	..	..	.61	..	..	.07	.03	6
7	.07	.38	.28	.07	.03	..	.25	.17	.02	..	..	.07	7
8	.68	.31	.36	.25	.02	..	..	.09	.17	..	..	..	8
9	.04	.07	.20	..	..	.71	.02	.03	..	..	.11	.42	9
10	.36	.03	.07	.09	..	.24	.26	.12	..	..	.95	.21	10
11	.03	..	..	..	..	..	.03	..	..	..	.51	.98	11
12	.11	.21	.46	..	..	.03	.06	.02	..	..	.26	.39	12
13	.04	.03	.03	..	..	..	..	.24	..	..	.07	1.76	13
14	—	..	.24	..	..	.10	..	.14	.03	.37	.23	.67	14
15	.57	.12	.26	.03	..	.38	..	.07	..	..	.07	.33	15
16	.74	.15	.31	.03	..	.07	..	.19	..	.39	.07	.11	16
17	.43	..	.09	..	..	.78	..	.46	..	..	.15	.78	17
18	.22	.61	.03	..	.03	.37	.06	.04	..	.21	.14	.29	18
19	.07	.25	.49	..	.02	.07	..	.62	..	.12	.03	.10	19
20	.02	..	.34	..	.03	..	..	.24	..	.57	.09	.09	20
21	..	.02	.19	..	.64	..	..	.04	..	.42	..	.17	21
22	.03	.62	.02	..	.25	.07	.03	.74	..	.02	.07	.04	22
23	.07	..	.15	..	..	.12	..	.46	..	.03	.29	.18	23
24	..	.04	.08	..	..	.24	.02	.02	..	..	.04	.27	24
25	..	..	.46	..	..	.31	.23	..	..	..	..	.72	25
26	..	.36	.31	..	..	.02	.17	.28	..	2.17	2.39	.03	26
27	..	.17	.32	..	..	.52	1.54	..	..	.47	..	.56	27
28	..	.17	.07	..	..	.33	.33	.18	.02	.41	.81	.02	28
29	..	.23	.03	..	..	.09	.56	.36	.86	.54	..	.09	29
30	.03	..	.42	..	..	.23	.10	.07	.07	.31	.17	.13	30
31	..	..	.21	..	..	..	1.07	.03	..	.49	..	.26	31
Total	4.23	4.07	8.23	.53	1.41	5.50	5.29	6.92	1.69	6.46	6.59	9.79	TOTAL for year
No. of Rain Days.	19	21	29	7	11	24	17	27	10	15	25	30	60.65

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL FORM A.
6-JAN 1914

Kept at Yoclas Hall
in the County of Derbyshire
by Thos. Bicker

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Retford Y. Cond
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 640 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.46	.33	.06	—	—	—	—	—	—	.25	—	1
2	.05	.27	1.18	.15	.06	.16	—	—	—	—	.42	.24	2
3	.18	.11	.46	—	.54	—	—	—	—	—	.07	.75	3
4	.38	.24	.53	—	.13	.03	—	—	—	.14	.02	.44	4
5	.28	.14	.37	—	.15	.22	.21	—	—	.92	.04	.03	5
6	.21	.39	.55	—	—	.36	.24	—	—	.05	—	.22	6
7	.07	.82	.11	—	.44	.57	.03	—	.07	.42	.09	.04	7
8	.03	.43	.05	—	.28	.23	.27	.33	—	.45	.02	.11	8
9	—	.39	—	.20	.13	2.36	.18	.29	—	.02	.16	.12	9
10	.47	.07	.55	—	.05	.04	—	.08	—	.04	.09	—	10
11	.29	—	.07	.39	.04	.39	—	—	—	.05	.26	.20	11
12	.05	—	.02	—	—	.05	.13	—	1.96	—	.95	.03	12
13	—	—	.81	.04	.16	.07	.06	.23	.23	.62	.39	—	13
14	.18	—	.36	.09	—	—	—	.07	.14	—	.41	.07	14
15	.27	.06	.56	1.57	—	—	—	.07	—	—	.32	.12	15
16	.07	—	.16	.25	—	—	—	—	—	.07	.13	.07	16
17	.12	—	.05	.36	.21	—	.08	—	—	—	.74	—	17
18	.05	—	.57	.40	.07	—	—	—	—	—	.29	—	18
19	.25	—	.17	.07	—	.18	—	—	.04	.57	.42	—	19
20	.11	—	.32	.09	—	.02	.49	—	.11	.23	1.17	—	20
21	.03	—	.45	.19	.13	—	—	—	—	.41	.11	—	21
22	.54	—	1.13	—	—	.20	—	1.49	.27	.07	—	—	22
23	.41	—	.03	—	.02	.06	—	.21	.12	—	.09	.04	23
24	.49	—	—	.13	—	.05	—	—	—	—	.10	.07	24
25	.07	—	—	.53	—	—	—	—	.21	.03	.09	.64	25
26	—	.07	—	1.26	—	—	—	—	.82	.07	.07	1.31	26
27	—	—	—	.43	—	—	—	—	—	.29	—	.26	27
28	.17	—	.15	.17	.07	—	—	—	—	.33	.07	.23	28
29	—	—	—	.57	—	—	—	.06	—	.62	.10	—	29
30	.91	—	.17	.02	.12	—	—	—	—	.30	.06	—	30
31	.15	—	.05	—	—	—	—	—	—	.23	—	—	31
Total	5.74	3.33	9.14	6.85	2.60	4.87	1.69	2.71	3.91	5.75	6.75	4.77	58.11
Rain Days.	26	12	26	21	16	16	9	10	10	21	27	19	213

REGISTER OF RAINFALL IN 1914

BRITISH RAINFALL FORM A. 8 JAN 1915

Kept at Todes Hall
in the County of Berkegh
by Thomas Wicker

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Bellamy-Croft
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 840 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.08	.23	.02	—	—	—	.87	—	.02	.07	.79	1
2	—	—	.09	.07	.07	—	.84	.86	—	—	.09	.64	2
3	.02	.14	.44	.02	.53	.07	—	—	—	—	—	2.08	3
4	.14	—	.16	.24	.38	.02	.10	.02	—	—	.11	.71	4
5	.68	—	.59	.23	.59	—	.03	—	.08	—	.20	.16	5
6	.25	.11	.03	.12	.13	.04	—	.13	—	—	.10	.30	6
7	.12	.26	.23	.17	.30	.17	.43	.31	—	.07	.03	.57	7
8	.27	—	.02	.02	.95	.38	.03	1.67	—	—	.07	.55	8
9	.26	.22	.02	.07	.04	—	—	.08	—	—	.25	—	9
10	.03	.33	—	.08	—	.99	—	—	—	—	.28	—	10
11	—	.24	.61	—	—	—	1.12	—	.39	—	.36	.41	11
12	—	.41	.18	—	.08	.46	—	—	.40	—	.78	.08	12
13	—	.93	.46	.03	—	—	.03	—	.24	.37	.67	.09	13
14	—	1.23	.10	—	—	—	.03	—	—	.06	.25	.02	14
15	—	.02	.77	—	—	—	—	—	.14	.07	.02	.12	15
16	—	.03	.06	—	—	—	.06	—	1.02	—	—	.18	16
17	.02	.02	.23	—	—	—	.02	—	.08	—	—	1.92	17
18	—	.07	.46	—	.09	.44	—	—	.39	.16	—	.16	18
19	—	—	.14	—	—	—	.37	—	—	—	.11	.29	19
20	—	.61	.64	—	—	.06	—	—	—	—	—	—	20
21	—	.25	.03	—	—	.03	—	—	—	.06	—	—	21
22	—	1.02	.02	—	—	.10	.07	.24	—	—	—	—	22
23	—	.03	.12	—	—	—	.03	—	—	—	—	—	23
24	1.02	.07	.03	—	—	—	.27	—	—	.02	.17	—	24
25	.39	.03	.02	—	—	—	.29	.24	—	.55	.14	.61	25
26	.03	—	—	—	—	—	.25	—	—	.37	.62	.53	26
27	.03	.03	—	—	—	—	—	.72	—	.25	.49	1.26	27
28	.51	.14	.11	—	—	—	—	—	—	.28	.47	.41	28
29	.88	—	.09	—	.08	—	—	—	.03	.22	.81	.04	29
30	.69	—	.98	—	—	—	.89	—	—	.02	.82	.73	30
31	.89	—	.14	—	—	—	.37	—	—	.11	—	.14	31
Total	6.29	6.23	7.02	1.47	3.24	3.28	5.21	5.16	2.81	2.57	6.99	12.99	63.28
Rain Days.	17	23	29	11	11	13	19	10	11	15	22	24	203

REGISTER OF RAINFALL IN 1915

Kept at Ocellas Hall
in the County of Denbigh
by Thomas Pickett

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Bettisfield
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 640 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.57	.78	.03	—	.65	—	—	.14	.70	.26	—	—	1
2	.44	.85	.19	.44	—	—	.24	—	—	—	—	.09	2
3	—	.22	.18	—	—	.03	.08	.49	.09	—	—	.33	3
4	.02	.10	.03	—	.15	—	.06	—	.05	—	—	1.02	4
5	.09	.54	.17	—	.41	—	—	.06	—	—	—	.67	5
6	.44	.12	.07	—	—	—	.39	.03	—	—	—	.57	6
7	.33	.57	—	—	—	—	.53	.24	—	—	.04	.23	7
8	.68	.66	—	—	—	.07	—	.18	—	.05	.99	—	8
9	.39	.79	—	—	—	—	—	.02	—	.03	.15	.84	9
10	1.05	.03	.03	—	—	—	—	.13	—	.05	.05	.37	10
11	.10	—	—	—	—	—	.20	.15	—	—	.68	.19	11
12	.08	.03	—	—	.13	—	—	.06	—	.09	2.06	.32	12
13	.04	.35	.07	—	—	—	—	.11	—	.03	.30	.24	13
14	.78	.15	—	—	.07	—	—	.31	—	—	.16	.25	14
15	1.36	—	—	—	.07	—	—	.02	.02	—	.26	.16	15
16	.30	.57	—	1.36	.28	—	.81	.53	.07	—	—	.05	16
17	—	.89	.15	—	.49	—	—	.02	—	—	—	.06	17
18	—	.42	.16	—	—	—	.18	—	—	—	—	—	18
19	.03	.04	—	.47	—	—	.62	—	—	—	—	—	19
20	.44	—	—	—	—	—	—	—	—	—	—	—	20
21	.47	.14	—	—	—	—	—	—	—	—	—	.28	21
22	.55	.03	.05	.02	—	.02	.75	—	.07	.11	—	.39	22
23	—	.30	—	.15	—	.55	—	—	—	.54	—	.14	23
24	—	—	—	.11	—	—	.02	—	.12	.32	—	.91	24
25	—	—	—	—	—	.17	.20	—	—	—	—	.34	25
26	—	.64	—	—	—	—	.23	—	.02	—	.13	.78	26
27	—	.43	—	—	—	—	.48	—	.28	.49	—	1.07	27
28	—	.29	—	—	—	.05	—	—	—	.10	—	.07	28
29	—	—	—	—	.08	—	—	.09	—	—	.08	.08	29
30	.43	—	—	.35	—	—	.94	—	.64	.16	.21	.47	30
31	.08	—	—	—	—	—	.14	.41	—	—	—	.96	31
Total	8.61	8.90	1.07	2.90	2.27	.85	5.57	3.01	2.04	2.23	5.11	10.78	53.34
Rain Days.	21	23	10	(15)	9	6	17	19	11	12	12	27	(183)

REGISTER OF RAINFALL IN 1913

Kept at *Tollar Hall*
in the County of *Denbigh*
by *Mr. P. Dickie*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Bethesda, C.C.*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *3* in.
" " " " Sea Level *640* ft.

FORM A.
BRITISH RAINFALL
9 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.42	.20	.13	—	—	.52	.26	—	—	.03	.26	—	1
2	1.04	.35	.12	—	—	—	.58	—	.79	1.18	.35	.03	2
3	.03	.69	.27	.04	—	.17	.60	—	.70	.38	.49	.59	3
4	.55	.20	.05	—	.48	.68	—	—	.15	.40	.37	—	4
5	.05	1.14	.04	—	.29	—	.10	—	—	1.96	.30	—	5
6	.67	.45	.02	—	.19	—	.21	—	—	.83	.53	—	6
7	.08	.09	.21	—	.07	—	.86	—	—	.47	.39	.35	7
8	.13	.05	.03	.04	.29	—	.02	—	—	.08	.34	.07	8
9	.02	.27	.02	—	.02	—	.03	—	.15	~~.84~~	.12	.05	9
10	.08	.71	.03	—	—	—	.03	—	.07	.84	.07	—	10
11	.18	.19	.04	.49	.20	—	.07	—	.04	.03	—	—	11
12	.16	.23	.04	.38	—	—	.38	—	.03	.32	—	—	12
13	.03	.35	—	.21	.02	—	—	—	—	1.16	—	.14	13
14	.07	.23	.28	.02	.12	—	—	—	.07	.47	—	—	14
15	.07	1.02	—	.09	.04	—	—	—	.03	.21	—	—	15
16	.03	.09	—	.32	—	—	—	2.24	.03	.03	—	—	16
17	.19	.11	—	1.02	—	—	—	—	.72	.21	—	—	17
18	.13	.45	.02	.52	—	—	—	.03	.66	.11	.13	—	18
19	.64	—	.25	.21	—	—	—	.15	.03	—	.16	—	19
20	.70	.07	.47	.09	—	—	—	—	—	—	.09	.30	20
21	1.27	—	.16	—	—	—	—	.04	—	—	.49	.14	21
22	.14	—	—	.08	—	—	—	.11	—	.16	.03	.03	22
23	.03	—	.04	.16	—	.22	—	.12	—	.44	.46	.25	23
24	.01	.41	.03	.31	1.16	.07	.38	.17	—	.11	.12	—	24
25	.03	.12	.29	—	.46	.10	—	.25	—	.14	.49	—	25
26	.21	—	.08	—	.48	—	—	.74	.04	.18	.17	.02	26
27	.02	—	—	—	—	—	—	.16	.37	.98	.07	—	27
28	.12	—	.03	—	.03	.43	—	.07	—	.46	.08	1.32	28
29	.03	.85	—	—	—	—	—	.03	—	.33	.10	.52	29
30	.07	X	—	—	—	.32	—	.04	—	.87	—	.25	30
31	—	X	—	X	.44	X	—	.22	X	1.04	X	—	31
Total	7.61	7.21	2.65	4.01	4.29	2.87	2.98	4.33	3.80	13.42	5.21	4.02	62.04
Rain Days.	30	25	22	16	15	9	12	19	15	27	22	19	281

REGISTER OF RAINFALL IN 1917

Kept at Todas Hall
in the County of Denbigh
by Mr. Dickie

Lat. 53° 3' Long. 3° 43' W.
Time of Observation 9 a.m.
Nearest Railway Station Bettws-y-Coed
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 640 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	—	.25	—	.28	—	.22	.26	—	.23	—	1
2	.03	—	—	—	—	.08	—	—	—	—	—	—	2
3	.20	—	—	—	—	.30	—	.06	—	1.06	—	—	3
4	—	—	—	.02	—	—	—	—	—	.98	—	—	4
5	.43	.17	—	.03	—	.07	—	—	—	.51	.93	—	5
6	.08	—	—	.34	—	—	—	—	.07	.41	.54	.25	6
7	—	—	—	—	—	—	—	—	—	.36	.10	—	7
8	2.18	—	—	.42	—	—	—	.43	.07	.69	.40	.35	8
9	—	—	.65	.23	.09	—	—	.03	—	.40	.72	—	9
10	.25	—	1.09	—	—	—	—	.02	—	.37	—	—	10
11	.13	—	—	.66	—	.02	—	.42	—	.75	.10	—	11
12	—	—	—	.19	.81	—	—	.02	—	.34	—	—	12
13	.33	—	—	.49	.07	—	—	.54	.50	.27	—	.20	13
14	.25	—	—	.02	.03	—	—	—	—	.07	—	—	14
15	.02	—	—	.19	—	—	.08	.09	.06	.19	.05	.34	15
16	—	—	—	.27	—	—	—	1.57	.02	.49	—	.97	16
17	—	—	—	.20	.12	—	.71	1.42	.18	.18	—	—	17
18	—	—	—	.14	.10	—	.43	.06	.07	.11	—	—	18
19	—	—	—	—	—	—	.07	.02	.36	—	.03	—	19
20	—	—	—	.03	.15	1.34	—	.10	.09	.07	—	—	20
21	—	—	—	—	—	.52	—	.41	.39	.16	.34	—	21
22	—	.13	—	—	—	—	—	—	.25	.14	—	—	22
23	—	—	—	—	.09	.53	—	—	—	.10	.04	.02	23
24	—	—	.25	—	—	—	—	.64	—	.96	.26	—	24
25	—	—	.11	—	—	—	—	.24	.16	.17	.20	—	25
26	—	—	—	—	—	.35	.40	.35	.48	.27	.17	—	26
27	—	—	—	—	.76	.15	—	.85	—	.07	.71	—	27
28	—	—	.33	—	—	—	—	.64	—	.39	.09	.08	28
29	—	—	—	—	—	—	—	—	—	.91	.06	.04	29
30	—	—	—	—	—	—	.10	.66	—	—	.34	—	30
31	—	—	.44	—	.26	—	—	.81	—	.03	—	—	31
Total	3.90	.30	2.87	3.52	2.44	3.14	1.73	9.12	2.84	10.45	5.31	2.25	47.87
Rain Days	12	4	12	16	10	10	6	24	14	27	18	10	163

REGISTER OF RAINFALL IN 1918

Kept at Doelas Hall
in the County of Denbigh
by Thos. Davies

Lat. 53° 3' N Long. 3° 43' W
Time of Observation 9 a.m.
Nearest Railway Station Bettws-y-Coed
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 640 ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	~~.54~~	.87	.41	—	—	—	.03	.49	.03	.46	—	1
2	—	.02	—	.02	—	—	—	.11	—	.66	—	1.02	2
3	.03	.09	—	—	.65	—	—	—	—	.02	—	—	3
4	.59	.08	—	—	—	—	—	—	1.03	.95	—	.20	4
5	—	~~1.28~~	—	.21	.21	—	—	—	.14	1.26	.81	—	5
6	—	1.28	—	.41	—	—	—	.46	.77	(.69?)	—	.11	6
7	—	.19	.03	—	—	.12	—	—	.72	.05	.69	.04	7
8	.79	.72	—	—	—	.08	—	—	.38	.15	.10	—	8
9	.07	.91	—	.17	—	.76	—	—	—	.55	—	—	9
10	—	.49	.07	—	—	—	.53	—	1.00	.33	—	—	10
11	.19	.15	—	—	.35	—	—	—	.47	—	—	—	11
12	.03	.29	—	.02	.11	—	.08	—	—	—	—	—	12
13	—	—	—	.01	—	—	.25	—	.38	.15	—	.22	13
14	1.68	—	—	—	—	—	.44	.02	.52	—	—	.62	14
15	.23	—	—	—	—	.23	.28	—	1.52	.49	—	.58	15
16	—	—	—	—	—	—	.67	—	.33	.24	—	.52	16
17	.47	—	—	—	—	—	—	—	.12	.18	—	—	17
18	.64	.02	.17	—	—	—	.33	—	.17	.02	—	—	18
19	.17	.08	—	.13	—	—	.38	—	.38	.03	—	—	19
20	.93	—	—	.24	—	.14	.53	—	.44	—	—	.97	20
21	.31	1.88	—	.17	—	—	.17	.53	1.31	—	—	.11	21
22	.10	—	—	—	—	.24	—	—	.42	—	—	.47	22
23	.56	.51	—	—	1.66	—	.38	—	.15	—	—	.05	23
24	.22	.26	—	—	—	—	.35	.73	.13	—	.45	.25	24
25	.07	—	—	—	.36	—	.57	—	.57	—	.08	—	25
26	.11	.12	—	—	—	—	.21	—	.43	—	.02	.44	26
27	—	—	.76	—	—	—	—	.71	.39	.02	.24	1.10	27
28	—	—	—	—	—	—	—	—	.03	.03	—	.56	28
29	—	—	.29	—	—	—	—	—	.17	—	—	.25	29
30	—	~~X~~	.14	—	—	—	—	—	.04	.03	.03	—	30
31	—	~~X~~	.34	~~X~~	—	~~X~~	—	.05	~~X~~	~~X~~	~~X~~	.45	31
Total	6.63	6.66	2.67	1.81	3.34	1.57	4.65	2.18	12.84	5.92	2.90	7.94	58.80
Rain Days.	22	18	8	10	7	11	16	10	29	19	9	26	185

12.54

REGISTER OF RAINFALL IN 1919

Kept at Vocles Hall
in the County of Denbigh
by Thos. Dicker

Lat. 53° 2' N Long. 3° 43' W
Time of Observation 9 a.m.
Nearest Railway Station Burnby Coss
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 64.0 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres shou'd not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.51	—	.05	.02	.84	—	.53	—	.84	—	.02	.37	1
2	.11	—	.72	—	—	.22	.07	—	.10	—	.02	.30	2
3	.08	—	.38	—	.21	—	—	—	.18	—	.03	.10	3
4	.02	—	—	—	.11	—	.25	—	—	—	—	.47	4
5	.06	.17	—	.02	—	—	.02	—	.03	—	—	.39	5
6	.04	—	.68	—	—	—	—	—	—	—	—	.36	6
7	.03	—	.28	—	—	—	—	—	—	—	—	—	7
8	.57	—	.03	—	—	.25 ²³	—	—	—	.03	—	—	8
9	1.93	—	.19	.14	—	—	—	—	—	—	—	.02	9
10	.11	—	1.62	—	—	—	.22	—	—	.22	—	.48	10
11	.06	—	—	.28	—	.49	.14	—	—	.07	—	—	11
12	—	—	1.85	.15	—	—	—	—	—	.52	.82	—	12
13	.47	—	—	.34	—	—	.29	—	—	.47	—	.35	13
14	.33	.06	—	.66	—	.24	—	—	—	.41	—	.08	14
15	.78	—	—	.27	—	—	—	—	.08	.72	—	.53	15
16	.24	.37	.07	.07	—	—	—	—	—	—	1.42	.08	16
17	.06	—	—	—	.02	—	—	—	—	—	.08	—	17
18	.03	—	.75	—	.23	—	.25	.70	—	—	.24	.02	18
19	.03	1.08	.24	—	—	—	—	.85	—	—	.31	.48	19
20	.12	—	.34	—	—	.47	.25	.09	.97	—	—	.43	20
21	—	.47	.02	—	—	—	—	.07	—	—	—	—	21
22	—	.09	—	—	—	.14	—	.02	1.75	—	.32	—	22
23	—	—	—	—	—	.15	—	—	—	1.21	.38	1.15	23
24	—	—	—	—	.22	—	—	—	.02	—	.46	.19	24
25	.27	—	—	—	—	.12	—	.66	.39	.32	.15	.03	25
26	—	—	—	.58	—	.07	—	.68	.03	—	.10	.60	26
27	—	—	—	.30	—	—	—	.14	.36	—	.16	—	27
28	.24	—	.44	.53	—	—	—	1.16	—	.30	—	.46	28
29	—	—	.03	.25	—	.02	—	.18	—	.32	—	.36	29
30	—	—	—	—	—	.02	—	—	.30	.02	.47	.37	30
31	—	—	.27	—	—	—	.34	—	—	—	—	—	31
TOTAL	6.11	2.24	7.96	3.59	1.63	2.17	2.38	4.51	5.11	4.61	5.00	7.84	YEAR'S TOTAL 53.15
Days with ".01 in. or more	23	7	20	15	6	11	12	10	15	14	17	23	173

REGISTER OF RAINFALL IN 1920.

Kept at Voelas Hall
in the County of Denbigh
by Mr. Pickie

Lat. 53° 3' Long. 3° 43' 5"
Time of Observation 9 a.m.
Nearest Railway Station Bettws-y-Coed
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 640 ft.

5 JAN 1921

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.45	—	.42	.39	—	.53	.14	.15	.33	—	.36	1
2	.05	.68	—	.22	.06	—	.58	.02	.03	.14	—	.49	2
3	—	.24	—	.10	.09	—	.55	.11	.06	.77	—	.08	3
4	—	—	—	—	.08	—	.06	.93	.07	—	—	—	4
5	—	.01	—	.03	1.03	—	.14	—	.25	.03	—	—	5
6	—	.01	.27	.22	.16	—	.16	—	—	.16	.02	.04	6
7	.35	.21	✓	✓	—	—	✓	—	—	—	—	—	7
8	.41	.06	✓	✓	.25	—	✓	.26	—	—	—	.04	8
9	.88	1.59	.13	1.27	—	—	1.26	.30	.14	—	—	—	9
10	1.68	.82	.04	.07	—	—	.32	.03	—	—	—	—	10
11	.45	.03	.10	.38	.18	.17	.07	—	—	—	.02	—	11
12	.42	.35	.35	.29	—	.98	.16	—	—	—	.31	—	12
13	.24	.27	✓	.67	—	.04	.04	—	—	—	.66	—	13
14	.10	.04	✓	.57	—	.16	✓	—	1.06	.19	1.46	—	14
15	.03	.25	.93	.88	—	—	1.14	—	.07	.03	.03	—	15
16	.03	.02	.13	.20	✓	.29	.44	—	.36	.31	.04	—	16
17	.25	—	.18	.03	✓	.78	.04	—	.46	.75	—	—	17
18	.63	.06	.08	.21	1.15	.43	.04	.66	.16	—	—	—	18
19	.04	1.06	—	.42	—	—	—	.17	.08	—	—	—	19
20	.09	.02	—	.36	—	—	.03	—	.62	—	—	—	20
21	.04	—	—	.09	—	✓	.57	—	.07	—	—	.82	21
22	.31	—	—	.08	—	✓	.28	.94	✓	.48	—	—	22
23	.17	—	.05	—	—	—	.41	—	—	—	—	.34	23
24	.16	—	.55	.10	—	—	.02	.02	—	—	—	.14	24
25	.26	✓	.54	.16	.03	—	.97	—	—	—	—	.65	25
26	.07	✓	1.17	.37	.19	.21	—	—	—	—	.08	.19	26
27	.85	.08	1.02	.21	.23	✓	.38	—	—	—	.11	.33	27
28	.45	.02	.54	.09	.02	✓	.03	—	—	—	—	.18	28
29	.35	—	.16	.10	.84	✓	.60	—	—	—	.22	.79	29
30	.47	✗	.52	.03	.14	.27	.07	—	.34	.07	.50	.44	30
31	.38	✗	.08	✗	.02	✗	.04	.09	✗	.67	✗	.04	31
TOTAL	9.48	6.63	7.77	7.61	5.66	2.87	7.53	3.69	4.09	2.72	3.45	4.93	YEAR'S TOTAL 66.13
Days with "01 in. or more	26	21	22	28	18	14	28	14	15	10	11	16	22 35
Days with "04 in. or more	25	16	22	25	15	14	26	12	12	9	8	16	19 9

DENBIGH.

Form 1090 improved
daily record of rainfall
ANIZATION. for use by
public

Kept at Trevor.
in the County of Den
by E. H. Lloyd

RUA BOW
TREVOR HALL

1920

2
near S.W. Ry
Gauge 11.3 ft.
Ground 3 ft.
Sea Level 500 ft.
ered to the previous day.

IMPORTANT NOTE.—1

If an Observer prefers not to read the reading at 9 a.m. on 1st J this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should not be entered on this form.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	8	18	49	.	33	5	10	19	.	23	R 1
2	.	.	.	15	.	.	23	.	.	.	.	20	2
3	.	.	.	50	19	.	89	5	20	18	.	5	3
4	.	.	.	3	.	.	5	58	8	80	.	.	4
5	.	3	13	.	.	.	10	15	18	12	.	.	5
6	.	.	52	.	.	.	.	.	.	50	.	3	6
7	7	2	9	10	.	.	26	.	.	.	.	.	7
8	60	6	10	46	15	.	5	6	.	.	.	.	8
9	27	.	.	57	.	.	4	24	.	.	.	.	9
10	37	49	6	.	.	3	55	.	.	.	.	2	10
11	47	8	18	55	25	30	.	.	.	.	.	4	11
12	14	.	4	49	.	123	3	5	.	.	10	4	12
13	14	9	30	16	.	.	.	.	.	.	8	.	13
14	.	15	45	43	.	31	.	.	.	10	41	.	14
15	.	.	53	60	.	.	.	.	.	8	10	.	15
16	.	.	.	16	11	10	50	.	.	62	.	.	16
17	.	.	.	.	17	.	.	.	.	.	.	.	17
18	12	122	.	5	31	5	.	3	.	.	.	.	18
19	.	.	.	18	3	8	.	65	.	.	.	.	19
20	.	.	.	75	.	.	8	.	.	.	.	12	20
21	.	.	.	10	.	.	37	8	.	.	.	36	21
22	9	.	.	5	.	.	14	7	.	.	.	9	22
23	.	.	.	.	.	.	10	.	.	.	.	17	23
24	.	.	61	.	.	.	.	.	.	.	.	18	24
25	.	.	38	14	1	.	76	.	.	.	.	.	25
26	16	.	35	10	10	7	6	.	.	.	6	5	26
27	49	14	40	33	59	26	4	.	.	.	.	17	27
28	63	.	37	6	2	3	.	.	.	.	4	3	28
29	71	.	9	.	26	.	15	.	.	.	12	83	29
30	9	~~X~~	30	30	11	6	.	.	.	.	15	.	30
31	5	~~X~~	.	~~X~~	.	~~X~~	.	.	~~X~~	49	~~X~~	23	31
TOTAL	4.40	2.28	4.98	6.44	2.79	2.52	4.72	2.01	(2.40)	3.08	1.06	2.84	YEAR'S TOTAL (39.52)
Days with "01 in. or more	15	9	18	23	14	11	19	11	.	9	8	17	
Days with "04 in. or more	15	7	18	22	11	9	18	16	.	9	8	14	

During remainder of month Rain falls out of order.

Kept at Trevor Hall in the County of Denbigh by E. Lloyd Edwards

Lat. 52.58 Long. 3.7 Time of Observation 8.45 Nearest Railway Station Trevor G.W.Ry Diameter of Funnel of Rain Gauge 4.3 in. Height of top of Gauge above Ground 3 ft. in. Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	8	18	49	.	33	5	10	19	.	23	R 1
2	.	.	.	15	.	.	23	.	.	.	.	20	2
3	.	.	.	50	19	.	89	5	20	18	.	5	3
4	.	.	.	3	.	.	5	58	8	80	.	.	4
5	.	3	13	.	.	.	10	15	18	12	.	.	5
6	.	.	52	.	.	.	.	.	.	50	.	3	6
7	7	2	9	10	.	.	26	.	.	.	.	.	7
8	60	6	10	46	15	.	5	6	.	.	.	.	8
9	27	.	.	57	.	.	4	24	.	.	.	.	9
10	37	49	6	.	.	3	55	.	.	.	.	2	10
11	47	8	18	55	25	30	.	.	.	.	.	4	11
12	14	.	4	49	.	123	3	5	.	.	10	4	12
13	14	9	30	16	.	.	.	.	.	.	8	.	13
14	.	15	45	43	.	31	.	.	.	10	41	.	14
15	.	.	53	60	.	.	.	.	.	8	10	.	15
16	.	.	.	16	11	10	50	.	.	62	.	.	16
17	.	.	.	.	17	.	.	.	.	.	.	.	17
18	12	122	.	5	31	5	.	3	.	.	.	.	18
19	.	.	.	18	3	8	.	65	.	.	.	.	19
20	.	.	.	75	.	.	8	.	.	.	.	12	20
21	.	.	.	10	.	.	37	8	.	.	.	36	21
22	9	.	.	5	.	.	11	7	.	.	.	9	22
23	.	.	.	.	.	.	10	.	.	.	.	17	23
24	.	.	61	.	.	.	.	.	.	.	.	18	24
25	.	.	38	14	1	.	76	.	.	.	.	.	25
26	16	.	35	10	10	7	6	.	.	.	6	5	26
27	49	14	40	33	59	26	4	.	.	.	.	17	27
28	63	.	37	6	2	3	.	.	.	.	4	3	28
29	71	.	9	.	26	.	15	.	.	.	12	83	29
30	9	X	30	30	11	6	.	.	.	.	15	.	30
31	5	X	.	X	.	X	.	.	X	49	X	23	31
TOTAL	4.40	2.28	4.98	6.44	2.79	2.52	4.72	2.01	(2.40)	3.08	1.06	2.84	YEAR'S TOTAL (39.52)
Days with .01 in. or more	15	9	18	23	14	11	19	11	.	9	8	17	
Days with .04 in. or more	15	7	18	22	11	9	18	16	.	9	8	14	

During remainder of month the Rain gauge out of order.

REG

DENBIGH

RUABON.

"WHITEHURST"

1914-1920

3° 3' 40" N. 110° 3' 40" W.
a.m.
Whitehurst
5 in.
ve Ground 1 ft. 1 in.
Sea Level 327 ft.
the result entered to the
universal mile he is earnestly

IMPORTANT NO

previous day. If an Observer prefers not to
requested to add the reading at 9 a.m. on 1
for it at the end of this paragraph. Full
the selection and placing of rain gauges,
Organization are given in "Rules for Rainf
Dr. H. R. MILL, 62, Camden Square, London

FROM
J. VERT, CASTLE GARDENS, WHITEHURST, RUABON, N. WALES.
TELEPHONE: CHIRK 4
TELEGRAMS: CHIRK, DON. N.W.
STATION: WHITEHURST HALL, G.W.R.
6.15 PM

May 4th 1915
MAY 1915

Dear Sir,
Many thanks for
sending me correction in
total Rainfall registered
here, which I am glad to have
am sorry you have had the trouble.

Date	Jan.	Feb.	March.	April.	May.	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Year's Total
1			.05			.0							
2					.01	.0							
3			.03	.11	.30								
4	.15		.01	.35	.19								
5	.17		.07	.24	.14								
6	.14	.04		.05	.10	.0							
7	.01	.08	.27		.25	.13							
8		.02		.04	.39	.22	.24	.03				.10	
9		.06	.04	.28	.09	.44	.08	.08					
10		.20	.18	.08	.01	.06		.20					
11		.23	.22		.03	.22	.06	.07		.63	.69		
12		.86	.12			.01	.06	.16		.28	.34		
13		.30	.18				.03		.34	.30	.21		
14		.47	.10						.18	.40			
15		.01	.44				.02	.01			.05		
16	.01	.10	.10				.02	.16			.03		
17	.01	.28					.05	.31			.79		
18			.02			.19		.17			.18		
19			.08				.77	.38			.11		
20		.42	.13			.26	.01	.02			.20		
21		.31	.01			.05		.12		.15	.03		
22		.25	.06	.01	.08	.06		.07		.4			
23			.04		.01		.03						
24	.01		.25	.02			.15	.17		.4	.08		
25	.14		.01				.26	.14		.52	.05	.39	
26	.03		.16				.06	.06		.07	.09	.35	
27	.10	.01	.25								.31	1.32	
28	.24	.05	.25		.11					.02	.03	.38	
29	.04		.12		.01					.07	.40		
30		X	.12				.02			.39	.28		
31	.33	X		X	.05	X	.37		X	.33	X	.05	
Total	1.38	3.69	3.06	1.18	1.77	1.69	3.79	1.49	1.57 + .03	1.76	4.34	8.49	34.67
Rain Days.	63	17	20.5	9	18.5	13	19	14	10	10	15	24	184

REC

Kept at

Whitehurst, Ruabon

in the County of

Denbighshire

by

Lambert

Lat. $52^{\circ}57'10''$ Long. $3^{\circ}3'40''$ W. of Greenwich
Time of Observation 9 a.m.
Nearest Railway Station Whitehurst
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 327 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule he is earnestly requested to add the reading at 9 a.m. on 1 for it at the end of this paragraph. Full details of the selection and placing of rain gauges, Organization are given in "Rules for Rainfall Observations" published by the Meteorological Office, Dr. H. R. MILL, 62, Camden Square, London N.W.1.

FROM J. VERT, CASTLE GARDENS, WHITEHURST, RUABON, N. WALES.
TELEPHONE: CHIRK 4.
TELEGRAMS: CHIRK 4.
STATION: WHITEHURST HALT, G.W.R.
6.15 PM

May 4 1915

Dear Sir,
Many thanks for sending me correction in total Rainfall registered here, which I am glad to have and sorry you have had the trouble.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total
1			.05			.0							
2					.01	.0							
3			.03	.11	.30								
4	.15		.01	.35	.19								
5	.17		.07	.24	.14								
6	.14	.04		.05	.10	.0							
7	.01	.08	.27		.25	.13							
8		.02		.04	.30	.22	.24	.03				.10	
9		.06	.04	.28	.09	.44	.08	.08					
10		.20	.18	.08	.01	.06		.20					
11		.23	.22		.03	.22	.06	.07	.63	.69			
12		.86	.12		.01	.06		.16	.28	.34			
13		.30	.18			.03		.34	.30	.21			
14		.47	.10					.18	.40				
15		.01	.44			.02		.01		.05			
16	.01	.10	.10			.02		.16		.03			
17	.01	.28				.05		.31		.79			
18			.02		.19			.17		.18			
19			.08			.77		.38		.11			
20		.42	.13			.26	.01	.02		.20			
21		.31	.01			.05		.12	.15	.03			
22		.25	.06	.01	.08	.06		.07	.4				
23			.04		.01		.03						
24	.01		.25	.02			.15	.17	.4	.08			
25	.14		.01				.26	.14	.52	.05	.39		
26	.03		.16				.06	.06	.07	.09	.35		
27	.10	.01	.25							.31	1.32		
28	.24	.05	.25		.11				.02	.03	.38		
29	.04		.12		.01				.07	.40			
30		X	.12				.02		.39	.28			
31	.33	X		X	.05	X	.37		.33	X	.05		
Total	1.38	3.69	3.06	1.18	1.77	1.69	3.79	1.49	1.57	1.76	4.34	8.49	34.21
Rain Days.	13	17	25	9	15	13	19	14	10	10	15	24	184

Chickadee Vulture

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.05			.02	.49	.38				.32	1
2					.01	.01	1.06	.06			.36	.38	2
3			.03	.11	.30		.01	.03				1.16	3
4	.15		.01	.35	.19		.12	.01			.68	.37	4
5	.17		.07	.24	.14		.15				.24	.09	5
6	.14	.04		.05	.10	.02					.10	.42	6
7	.01	.08	.27		.25	.13	.07	.09				.25	7
8		.02		.04	.39	.22		.24	.03			.10	8
9		.06	.04	.28	.09	.44		.08	.08				9
10		.20	.18	.08	.01	.06			.20				10
11		.23	.22		.03	.22	.06		.07		.63	.69	11
12		.86	.12			.01	.06		.16		.28	.34	12
13		.30	.18				.03			.34	.30	.21	13
14		.47	.10							.18	.40		14
15		.01	.44				.02		.01			.05	15
16	.01	.10	.10				.02		.16			.03	16
17	.01	.28					.05		.31			.79	17
18			.02			.19			.17			.18	18
19			.08				.77		.38			.11	19
20		.42	.13			.26	.01	.02				.20	20
21		.31	.01			.05		.12		.15		.03	21
22		.25	.06	.01	.08	.06		.07		.4			22
23			.04		.01		.03						23
24	.01		.25	.02			.15	.17		.4	.08		24
25	.14		.01				.26	.14		.52	.05	.39	25
26	.03		.16				.06	.06		.07	.09	.35	26
27	.10	.01	.25								.31	1.32	27
28	.24	.05	.25		.11					.02	.03	.38	28
29	.04		.12		.01					.07	.40		29
30		X	.12					.02			.39	.28	30
31	.33	X		X	.05	X	.37		X	.33	X	.05	31
Total	1.38	3.69	3.06	1.18	1.77	1.69	3.79	1.49	1.57 ~~1.03~~	1.76	4.34	8.49	34.91 ~~30.67~~
Rain Days.	13	17	25	9	15	13	19	14	10	10	15	24	184

REGISTER OF RAINFALL IN 1915

Kept at Whitehurst-Gardens, Ruabon
in the County of Denbighshire
by James Vert

Lat. 52° 57' 10" Long. 3° 3' 40"
Time of Observation 9 am
Nearest Railway Station Whitehurst
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 327 ft.

4270
FORM A.
BRITISH RAINFALL
12 JAN 1916
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	30	18	21		41	.	.	.	.	.01	.03	.02	1
2	06	22	22	21	.	04	.	1.05	.	13	.	.35	2
3	28	09	24	12	.	.	28	.	.	07	.	.23	3
4	.	21	04	.	28	.	16	14	.	.	.	.82	4
5	07	20	06	.	.	.	37	07	.	.	.	.74	5
6	12	16	.	03	.	.	21	04	.	.	.	.28	6
7	20	36	.	10	.	.	22	26	.	.	.	.15	7
8	18	34	.	05	.	.	.	1.21	.	.	.	.05	8
9	16	26	.	.	.	.	.	04	.	.	14	.57	9
10	43	07	02	04	.	.	.	06	.	.	11	04	10
11	14	04	.	07	11	.	06	10	.	05	07	13	11
12	05	.	.	03	40	.	.	.	.	.	1.04	05	12
13	.	15	.	04	.	.	.	.	.	13	1.73	09	13
14	.	.	.	06	.	.	.	.	.	.	.32	.35	14
15	34	.	.	.	06	.	.	.	34	.	.13	.11	15
16	36	61	.	.	70	.	1.27	.	.	.	.26	.01	16
17	.	54	.	.	55	.	.	.	.	.	.	.10	17
18	02	65	.	.	09	05	07	.	.	.	.	.	18
19	.	04	.	04	13	.	08	04	.	.	.	.10	19
20	07	.	07	07	09	.	05	06	.	.	.	.05	20
21	07	05	.	.	.	.	15	21	.	.	.	.11	21
22	07	09	08	09	.	.	13	.	.	.	.	.10	22
23	.	14	11	02	.	.	21	02	.	05	.	.	23
24	.	.	.	.	.	.	05	16	07	1.02	02	09	24
25	.	22	07	04	.	.	11	20	10	52	.	09	25
26	.	18	.	09	.	.	21	.	.	.	.	.57	26
27	.	.	12	18	.	.	10	.	02	.	.	.06	27
28	.	21	.	54	.	02	40	.	.	32	.	.05	28
29	.	.	09	09	10	51	36	.	.	3	.	.15	29
30	16	X	06	14	.	06	13	.	03	.	13	.00	30
31	26	X	.	X	.	X	11	.	X	11	X	.68	31
Total	3.22	5.25	1.27	1.93	2.92	.68	4.67	3.66	.50	2.45	3.98	7.14	37.67
Rain Days.	19	22	13	20	11	5	21	15	5	11	11	29	182
YEAR'S TOTAL													

REGISTER OF RAINFALL IN 1916.

Kept at *Whitehurst Gdns. Rusdon*
in the County of *Derbyshire*
by *James Vert*

Lat. *52° 59' 10"* Long. *3° 3' 40"*
Time of Observation *9 a.m.*
Nearest Railway Station *Whitehurst Hall*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *2* in.
" " " " Sea Level *327.7* ft.

FORM A.
BRITISH RAINFALL
15 JAN 1916
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.42		.44		.01		.09				.56		1
2	.20	.12	.23			.07	.19			.01	.13		2
3	.02	.29			.01	.02	.02		.74	.70	.02		3
4	.01		.01			.01	.12		.35	.24	.27		4
5		.04	.03	.07	.52	.19	.01		.09	.05	.16		5
6	.06	1.31	.03		.20	.19				.54	.07		6
7	.16	.04			.25	.02	.27			.27	.06	.02	7
8	.04		.14		.06	.03	.21			.13	.09	.08	8
9		.01			.10						.02	.13	9
10		.35	.04		.22				.19		.06	.09	10
11	.02	.07	.12		.02	.08			.03		.01	.08	11
12	.06	.01	.06	.02	.07	.02			.03			.02	12
13	.15	.15	.18	.02	.28		.18	.07		.04			13
14		.19	.01	.23	.04			.15		.03			14
15		.25	.37	.09	.02			.09	.01	.14			15
16		.05		.14			.02	.11		.11			16
17	.07	.10		.10					.28	.02			17
18		.20	.08	.39				.53	.45	.22			18
19	.08		.24	.41				.02	.50	.07	.39	.31	19
20	.10		.60					.01			.46		20
21	.07		.19									.10	21
22											.02	.07	22
23	.03		.02			.04				.23			23
24		.12		.03	.01	.01		.07		.03	.34		24
25		.04	.31	.01	1.00	.11		.42		.45			25
26	.01	.01			.10			.15			.53	.02	26
27		.14			.11	.12			.03	.13	.04		27
28		.09	.01		.01			.02	.13	.38		.15	28
29		.23			.15					.27		.06	29
30		X				.33		.01	X	.15	X		30
31		X		X		.09			X	.46	X		31
Total	1.50	3.91	3.11	1.57	3.28	1.24	1.11	1.65	2.83	4.64	3.23	1.13	29"17'
Rain Days	16	21	19	11	19	14	9	12	12	22	17	12	184

REGISTER OF RAINFALL IN 1917.

Kept at Whitehurst, Ruabon.
in the County of Denbighshire
by James Vert.

Lat. 52° 57' 10" Long. 3° 3' 40" W. of G.
Time of Observation 9 a.m.
Nearest Railway Station Whitehurst Hall.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 25 ft. 7 in.
" " " " Sea Level 327.7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.03	.04		.09			.17		.17	.33	1
2				.03							.19	.08	2
3	.01	.10	.08							.18	.10	.06	3
4	.06	.08		.06					.01	.79	.07		4
5	.22		.22							.25	.15		5
6	.07		.30			.10		.52		.22	.20		6
7	.07							.03		.10	.21	.05	7
8	.54							.09	.02	.37	.11	.04	8
9	.19							.08	.05	.05	.06	.06	9
10	.25			.09	.16			.10	.02	.01			10
11	.09			.42				.32	.04	.23	.03		11
12	.07			.05				.11	.04	.19		.07	12
13	.11			.02	.82			.67	.05	.10		.15	13
14	.02			.01				.05		.02		.17	14
15		.01			.21			.29	.07			.21	15
16							.04	.10	.08	.05		.07	16
17			.05	.45	.49	.20	.09	1.08	.37	.20		.03	17
18		.37			.06	.36	.21		.28	.16			18
19		.16	.55	.01			.30	.10	.11	.27	.40		19
20	.03		.01		.23	.20	.02		.04	.09	.04		20
21		.08	.21	.06	.06	.85			.08	.17	.01		21
22			.08	.04		.16		.25	.12	.25			22
23		.15	.04	.02	.11			.11	.02	.13		.09	23
24			.06	.21			.01	.08		.14	.15	.07	24
25		.11				.05		.20			.21	.16	25
26			.01			.07	.20	.35	.07		.13		26
27		.17	.08		1.38	.24	.06	.66					27
28			.11			.35	.01	.32					28
29			.20			.01	.06	.14		.02		.11	29
30		X	.25	X		X		.31	X	.16	.02		30
31		X	.21	X	.17	X		.18	X	.37	X		31
Total	1.73	1.23	2.48	1.52	3.69	2.68	1.00	6.14	1.64	4.52	2.25	1.75	30.63
Rain Days.	13	9	16	15	10	12	10	23	18	24	17	16	183

YEAR'S TOTAL

REGISTER OF ^{Ex m.} RAINFALL IN 1918.

Kept at Whitehurst Gardens, Ruabon
in the County of Denbighshire.
by James Vert.

Lat. 52° 57' 10" Long. 3° 3' 40"
Time of Observation 9 a.m.
Nearest Railway Station Whitehurst Hall
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 327 ft.

FORM A.
BRITISH RAINFALL
20.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.12		.15				.15	.05	.09	.45	.01	1
2		.05		.12				.79	.05			.18	2
3		.03			.72			.10	.26	.05	.70	.02	3
4		.01			.09			.08	.86	.12		.24	4
5	.04	.16		.05	.15			.33	.54	.20	.04	.11	5
6		.37		.24	.20			.04	.05	.44		.03	6
7	.13	.05		.04	.17				.49	.03	.18	.01	7
8		.27				.03	.24		.16	.19	.03	.07	8
9	.05	.60		.33		.01	.01		.68	.10	.09	.10	9
10	.08			.15		.26	.49		.18		.05	.08	10
11	.08	.03		.02	.06		.22		.17	.03		.07	11
12	.06			.01			.40		.06				12
13		.14		.01				.20	.10	.01		.01	13
14	.47						.01	.06	.55			.16	14
15	.30						.20	.01	.73	.02		.37	15
16				.08		.04	.64		.22	.08		.40	16
17	.37				.21	.06	.21		.09	.04		.24	17
18	.48		.01	.06		.24	.16		.39	.03		.23	18
19	.12		.06	.03			.11		.05	.02		.47	19
20	.43	.27		.28	.03	.07	.20		.40	.01		.69	20
21	.15	.03		.23		.04	.26		.57			.19	21
22	.04				.35	.06	.18	.16	.02			.16	22
23	.05				.75		.22	.41	.18		.16	.14	23
24		.12					.17	.20	.05		.20	.23	24
25					.12	.01	.29	.58	.02				25
26	.01						.32	.10	.07		.26	.05	26
27		.10	.15					.27	.11		.07	.04	27
28		.09	.30			.01					.03	.11	28
29			.12					.20	.35				29
30		X	.24				.06	.11	.03	.03			30
31		X	.09	X	.15	X			X	.06	X		31
Total	2".86	2".44	=97	1".80	3".00	--83	4".39	3".79	7".48	1".55	2".26	4".41	35".78
Rain Days	16	16	7	15	12	11	19	17	29	18	12	26	198

REGISTER OF RAINFALL IN 1919.

Kept at Whitehurst Gdns. Reuben.
in the County of Denbighshire
by James V. L.

Lat. _____ Long. _____
Time of Observation 9.9³⁰
Nearest Railway Station Whitehurst Hall
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 327 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06		.05	.06	.10		.07		.08	.22	.14	.54	1
2			.29				.11		.05			.05	2
3			.01		.04	.12	.18		.01			.05	3
4		.05	.37			.01	.05		.04		.14	.30	4
5	.10	.26		.02	.03			.01			.06	.24	5
6	.14	.08	.19		.14							.26	6
7	.36		.09									.01	7
8	.16		.02	.06		.03					.01		8
9	.24			.03							.01		9
10	.04		.08	.05						.08		.24	10
11			1".15	.05	.02		.17			.01		.06	11
12			.31	.02		.49				.35	.09		12
13	.15			.10			.04			.51		.09	13
14	.09			.45			.04			.60		.15	14
15	.03	.96	.03	.79	.36			.08		.20	.05	.56	15
16	.08			.11		.04	.01				.14	.01	16
17	.20	.37				.07		.09	.09		.09	.03	17
18	.16		.86		.27			.57	.04			.07	18
19	.12	.38	1".07			.02		.35	.15		.12	.02	19
20	.23	.01	.10			.08		.04	.21		.30	.20	20
21	.12	.36	.06				.33					.11	21
22		.19							1".02		.01		22
23						.18				1".13	.02	.01	23
24					.24	.01				.67	.19	.10	24
25	.04				.03	.07		.13		.02	.06	.19	25
26	.02		.10	.19			.05	.05	.02	.04	.10	.23	26
27	.07		.07	.18				.04	.01			.09	27
28			.06	.07		.03		1".37		.02		.40	28
29	.05		1".19	.02		.12		.10	.03	.06		.20	29
30		X	.03	.05		.30					.40	.20	30
31		X	.04							.11	X	.12	31
TOTAL	2".46	2".66	6".14	2".27	1".23	1".57	1".05	2".83	1".75	4".02	1".93	4".55	32".49
Days with ".01 in. or more	20	9	21	16	9	14	10	11	12	14	17	24	180

REGISTER OF RAINFALL IN 1920.

Kept at Whitehurst - Gander's Ruabonin the County of Denbighshireby James Valt

Lat. _____ Long. _____

Time of Observation 9 A.M.Nearest Railway Station Whitehurst HallDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 1 ft. 2 in." " " " Sea Level 324 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.04	.14	.49		.11	.18		.18		.31	1
2	.03	.01		.09	.03		.07		.10	.20		.24	2
3	.01	.04		.32	.14	.03	.56		.27	.35		.05	3
4				.27	.04		.18	.12		.83			4
5			.12	.10	.06		.18		.19	.20			5
6			.56	.04	.03		.01			.42		.05	6
7	.02	.06	.07	.13	.02		.20				.01		7
8	.60		.03	.48	.10		.03	.04	.08				8
9	.19			.58		.05		.13					9
10	.36		.01	.10		.06	.60					.08	10
11	.35	.06	.13	.25	.29	.22	.11	.01				.01	11
12	.09		.05	.32		1".24	.05	.04			.11	.09	12
13		.05	.32	.17		.11	.08				.08		13
14	.19	.10	.44	.39		.24	.08		.49	.24	.35	.01	14
15	.05	.16	.15	.47		.04			.04	.08	.03		15
16				.19	.18	.18	.60		.29	.66	.02		16
17				.01	.01	.01			.16				17
18	.12			.06	.25		.09	.05	.20				18
19	.04	1".57		.13	.03	.07		.16					19
20	.03	.01		.42			.06	.55	.02			.15	20
21	.02			.08			.10	.03				.32	21
22	.04			.10			.21					.06	22
23			.10		1".83		.06	.04				.37	23
24	.05	.03	.64	.02			.01	.02				.88	24
25		.04	.22	.13			.75					.01	25
26		.01	.56	.05	.01	.03	.12					.02	26
27	.14	.08	.59	.20	.91	.19	.03				.10	.34	27
28	.56		.35	.04	.06	.06					.06	.10	28
29	.18		.26	.04	.01		.13				.22	.85	29
30	.08	~~X~~	.27	.31	1".42	.03	.06		.45		.39	.27	30
31	.03	~~X~~	.03	~~X~~	.03	~~X~~		.03	~~X~~	.34	~~X~~	.02	31
TOTAL	3-18	2-22	4-94	5-63	5-94	2-56	4-48	1-40	2-29	3-50	1-37	3-73	41"-24
Days with .01 in. or more	21	13	20	29	20	15	25	13	11	10	10	20	207
Days with .04 in. or more	15	9	17	27	12	11	21	9	10	10	7	15	163
YEAR'S TOTAL													41"-24

RI

DENBIGH.

Kept at LLANBEDRin the County of DEby George A. C.

1911-1918

5 in.

Ground 1 ft. in 2

Sea Level 451 ft.

AM

Name RuthinDistance 2 1/2 Direction W

Jan. 1, following.

IMPORTANT NOTE. Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	—	—	.04	.02	.02	—	.15	.02	—	.30	—	.02	2
3	—	—	—	.01	.42	—	—	—	.10	—	.07	.03	3
4	—	—	.06	—	—	—	—	.45	.02	—	.16	.06	4
5	.09	—	—	—	—	—	—	.65	—	.02	.02	.02	5
6	.19	—	.07	—	—	—	—	.06	—	.01	.24	.16	6
7	—	—	—	—	—	—	—	—	—	—	.27	—	7
8	.26	—	.26	—	—	—	—	—	—	—	.10	.18	8
9	.01	—	.03	—	—	—	—	—	—	—	.20	.10	9
10	—	.07	.05	—	—	—	—	—	—	—	.03	.32	10
11	.14	—	—	—	.10	—	—	—	—	—	.39	.06	11
12	—	—	.32	—	—	—	—	—	1.87	—	.15	.01	12
13	.01	—	—	—	—	—	—	—	—	—	.02	.22	13
14	.01	—	.09	—	—	—	.04	—	.02	—	—	.08	14
15	—	.04	.02	—	.05	.02	—	—	—	.02	.07	.03	15
16	—	.02	.02	.08	—	.05	.02	—	—	.01	.07	.02	16
17	—	—	—	—	—	.60	—	—	—	—	.37	.07	17
18	—	.25	—	.08	—	.07	—	.01	—	—	—	.13	18
19	—	.01	—	.06	—	.56	.02	—	.11	.02	—	.32	19
20	—	.02	—	.08	—	—	—	1.40	.09	.01	.34	.07	20
21	—	.21	—	—	—	.01	.04	—	—	.12	—	.01	21
22	—	.03	—	—	—	—	—	—	—	.49	.03	.80	22
23	—	.20	.01	—	—	.07	—	.03	.14	.16	—	.09	23
24	—	.01	.02	—	—	1.86	—	—	—	.15	—	.10	24
25	—	.12	—	.04	—	.24	—	.05	.52	.18	—	.03	25
26	—	.18	—	.05	—	.05	—	.01	.01	.10	.19	.04	26
27	—	.08	.12	.05	—	—	—	.60	.80	—	—	.08	27
28	—	.16	—	—	—	—	—	.03	.02	—	—	.01	28
29	—	—	—	.04	—	.03	.39	—	.09	.28	—	.04	29
30	—	—	—	—	—	.13	.03	—	—	.19	—	—	30
31	—	—	.28	—	.01	—	—	—	—	—	—	—	31
Total	0.71	1.40	1.42	0.51	0.60	3.69	0.82	3.53	3.79	2.06	2.83	3.12	TOTAL for year 24.48
No. of Rain Days	7	14	15	10	5	12	8	12	12	15	18	28	156

R1

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Blanchard Hall, Ruthin
in the County of Denbighshire
by George A. Rice - Calvert

Pattern
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 451 ft.
Time of Observation 9 AM
Nearest Railway Station { Name Ruthin
Distance 2 1/2 Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	—	—	.04	.02	.02	—	.15	.02	—	.30	—	.02	2
3	—	—	—	.01	.42	—	—	—	.10	—	.07	.03	3
4	—	—	.06	—	—	—	—	.45	.02	—	.16	.06	4
5	.09	—	—	—	—	—	—	.65	—	.02	.02	.02	5
6	.19	—	.07	—	—	—	—	.06	—	.01	.24	.16	6
7	—	—	—	—	—	—	—	—	—	—	.27	—	7
8	.26	—	.26	—	—	—	—	—	—	—	.10	.18	8
9	.01	—	.03	—	—	—	—	—	—	—	.20	.10	9
10	—	.07	.05	—	—	—	—	—	—	—	.03	.32	10
11	.14	—	—	—	.10	—	—	—	—	—	.39	.06	11
12	—	—	.32	—	—	—	—	—	1.87	—	.15	.01	12
13	.01	—	—	—	—	—	—	—	—	—	.02	.22	13
14	.01	—	.09	—	—	—	.04	—	.02	—	—	.08	14
15	—	.04	.02	—	.05	.02	—	—	—	.02	.07	.03	15
16	—	.02	.02	.08	—	.05	.02	—	—	.01	.07	.02	16
17	—	—	—	—	—	.60	—	—	—	—	.37	.07	17
18	—	.25	—	.08	—	.07	—	.01	—	—	—	.13	18
19	—	.01	—	.06	—	.56	.02	—	.11	.02	—	.32	19
20	—	.02	—	.08	—	—	—	1.40	.09	.01	.34	.07	20
21	—	.21	—	—	—	.01	.04	—	—	.12	—	.01	21
22	—	.03	—	—	—	—	—	—	—	.49	.03	.80	22
23	—	.20	.01	—	—	.07	—	.03	.14	.16	—	.09	23
24	—	.01	.02	—	—	1.86	—	—	—	.18	—	.10	24
25	—	.12	—	.04	—	.24	—	.05	.52	.18	—	.03	25
26	—	.18	—	.05	—	.05	—	.01	.01	.10	.19	.04	26
27	—	.08	.12	.05	—	—	—	.60	.80	—	—	.08	27
28	—	.16	—	—	—	—	—	.03	.02	—	—	.01	28
29	—	—	—	.04	—	.03	.39	—	.09	.28	—	.04	29
30	—	—	—	—	—	.13	.03	—	—	.19	—	—	30
31	—	—	.28	—	.01	—	—	—	—	—	—	—	31
Total	0.91	1.40	1.42	0.51	0.60	3.69	0.82	3.53	3.79	2.06	2.83	3.12	TOTAL for year 24.48
No. of Rain Days	7	14	15	10	5	12	8	12	12	15	18	28	156

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
6-JAN-1913

Kept at Manfred Hall Ruthin

in the County of Denbigh 2

by George A. Grace-Catwell

Pattern
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 451 ft.
Time of Observation 9 AM
Nearest Railway Station { Name Ruthin
Distance 2 1/2 Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.02	.05	—	.01	.01	.13	.07	.14	—	—	.03	1
2	—	—	.26	—	.01	.26	.03	—	—	—	—	.04	2
3	.08	—	—	—	.01	.30	—	.78	.05	—	—	.04	3
4	.20	—	.61	—	.02	.16	—	.32	.03	—	.06	—	4
5	.07	—	—	—	.10	.19	—	.07	.06	—	.02	—	5
6	.33	.05	.02	—	.01	—	—	.19	.15	—	—	—	6
7	—	.02	.03	—	—	.17	.14	.05	.02	—	—	.04	7
8	.28	.12	.10	.07	—	.10	—	.01	.11	—	—	—	8
9	.04	.01	.15	.22	—	.83	—	.02	—	—	—	.03	9
10	.10	.01	—	—	—	.35	.02	.22	—	—	.52	—	10
11	.02	.02	—	—	.02	—	.06	.02	—	—	.05	.34	11
12	—	.76	.04	—	—	.17	—	.27	—	—	—	.05	12
13	.01	—	—	—	—	—	—	.05	—	.10	.01	.08	13
14	.02	—	.11	—	—	.06	—	.14	.05	—	—	.01	14
15	.15	.03	.33	—	.11	.09	—	.02	—	—	.07	.08	15
16	.16	.10	.06	—	.03	—	—	—	.02	.16	.01	—	16
17	.32	.23	.03	—	.01	.16	.01	.86	—	—	.09	.28	17
18	.10	—	—	—	—	—	—	.10	—	.03	.01	.01	18
19	.01	.08	.02	—	.10	—	.01	.16	—	.03	—	.01	19
20	.01	—	.14	—	.49	—	.03	.09	—	.31	.09	.01	20
21	—	—	.06	—	.52	—	—	.17	—	.27	.03	.05	21
22	.02	.03	—	—	—	—	.01	.44	—	—	—	.08	22
23	—	—	.12	—	—	.04	.13	.41	—	.01	.13	.01	23
24	.05	—	.01	—	—	.11	.02	.07	—	—	.14	.16	24
25	—	—	.07	—	—	.05	—	—	—	—	.44	.59	25
26	—	.11	.05	—	—	.10	.10	.50	—	.84	.21	.01	26
27	—	—	.05	—	—	.16	.64	—	—	.25	.11	.15	27
28	—	.09	—	.04	—	.05	.20	.05	.11	.26	.43	—	28
29	—	.03	.09	—	—	—	.07	.09	.42	.07	—	.02	29
30	.02	—	.10	—	.88	.23	.01	—	—	.34	.33	—	30
31	—	—	.20	—	.38	—	.77	.06	—	.01	—	.06	31
Total	1.99	1.71	2.70	0.33	1.82	3.59	2.38	5.23	1.16	2.68	2.75	1.98	TOTAL for year
No. of Rain Days.	19	16	23	3	14	20	17	26	11	13	18	23	28.32
													20.3

REGISTER OF RAINFALL IN 1913.

Form A2.
BRITISH RAINFALL
2-JAN 1914

Kept at Manbees Hall Rulton

in the County of Denbighshire

by Genl A Crae-Cahut

Pattern
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 450 ft.
Time of Observation 9 AM
Nearest Railway Station { Name Rulton
Distance 2 1/2 Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.06	.05	.05	.61	—	—	—	—	—	.07	—	1
2	—	.11	.11	.03	.06	—	—	—	—	—	.09	—	2
3	—	—	.28	—	.84	—	—	—	.02	—	.06	.65	3
4	.36	.05	.02	—	.21	—	.01	—	—	.25	.01	.64	4
5	.34	.06	.09	—	.03	.13	.35	.26	—	.65	—	.05	5
6	—	.16	.24	—	.10	.09	.61	—	—	.34	.04	.13	6
7	—	.30	.01	—	.16	.43	.28	—	—	.50	.10	—	7
8	—	.11	.02	.02	.23	.05	—	.10	.04	.02	.01	—	8
9	—	.17	.02	.15	.07	.22	.09	.11	.01	—	.01	.01	9
10	.15	—	.03	.01	.24	—	.03	.28	—	.02	.33	—	10
11	.40	—	—	.44	.03	.10	—	.23	—	.08	.14	—	11
12	—	—	.01	—	.04	.03	—	.01	.49	—	.52	—	12
13	—	—	.19	—	—	—	—	.06	.05	—	.43	—	13
14	.18	.01	.25	.03	—	—	—	.16	.07	.16	.06	—	14
15	.06	.02	.41	.52	—	—	—	—	.07	—	.05	—	15
16	—	—	.13	.02	—	—	—	—	—	—	.01	.03	16
17	.01	—	.03	.13	.02	—	.11	—	—	—	.05	—	17
18	.01	—	.27	.15	.13	—	.10	—	—	—	—	—	18
19	.09	—	.03	—	.01	.16	—	—	—	.20	.01	—	19
20	.15	—	.25	.01	—	—	—	—	.01	.26	.38	—	20
21	.01	—	.14	.03	.07	—	.15	.04	—	.01	.02	—	21
22	.15	—	1.00	—	—	.30	—	.88	.30	—	—	—	22
23	—	—	.02	.12	—	.02	—	.03	.05	.01	.08	.12	23
24	.17	—	—	.04	—	.03	—	—	—	—	.01	.05	24
25	—	—	—	.20	—	—	—	—	.18	.06	—	.06	25
26	—	.03	—	.73	—	.02	—	—	.25	—	—	.36	26
27	.01	—	—	.17	—	—	—	—	—	.75	.01	.16	27
28	.06	—	.10	.20	—	—	—	—	—	.07	—	.26	28
29	—	—	.29	.34	.12	—	—	.09	—	.10	.02	—	29
30	.23	—	—	—	.06	—	—	—	—	.08	.03	—	30
31	.03	—	.26	—	—	—	—	—	—	.01	—	—	31
Total	2.41	1.08	4.25	3.39	3.03	1.58	1.73	4.95	1.54	3.57	2.54	2.52	TOTAL for year
No. of Rain Days.	17	11	25	20	18	12	9	12	12	18	24	12	29.89 on 190

REGISTER OF RAINFALL IN 1915

Kept at Planhedy Hall Ruthin
in the County of Denbighshire
by Genl A. Race-Calvert

Lat. 50.7 Long. 3.16
Time of Observation 9 AM
Nearest Railway Station Ruthin
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 450 ft.

BRITISH RAINFALL
FORM A.
JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.05	—	—	.06	.63	.27	—	.10	—	.38	1
2	—	—	—	—	—	—	.82	.06	—	.01	.19	.40	2
3	—	—	.06	.06	.19	—	.01	—	—	—	—	.69	3
4	.15	—	.03	.10	.15	—	.03	.06	—	—	.36	.30	4
5	.15	—	.18	.08	.12	.07	.05	.04	—	.04	.14	.02	5
6	.05	.04	.02	.08	.02	.07	—	—	—	—	.06	.18	6
7	.01	.10	.14	.04	.23	.22	.02	.07	—	—	—	.40	7
8	.04	—	—	.05	.37	.28	—	.24	.08	.02	—	.05	8
9	.48	.04	.28	.10	.10	.71	—	.02	.26	—	.10	—	9
10	.06	.02	.41	.10	.01	.13	—	—	.44	—	.02	—	10
11	—	.11	.09	—	.34	.78	1.69	—	.07	—	.57	.87	11
12	—	.34	.10	—	—	.06	.13	—	.28	—	.20	.71	12
13	—	.04	.09	—	—	—	.01	—	.03	.43	.20	.06	13
14	—	.41	.01	—	—	—	—	—	—	.17	.16	.01	14
15	—	.04	.30	—	—	—	—	—	.01	—	.02	.10	15
16	—	.08	.02	—	—	—	.04	—	.33	—	—	.10	16
17	.06	.15	.16	—	—	—	.15	—	.38	—	—	.42	17
18	—	—	.01	—	—	—	—	—	.26	.01	—	.10	18
19	—	.01	.01	—	—	—	.25	—	.49	—	.02	.11	19
20	—	.18	.25	—	—	.92	.28	—	—	—	—	.20	20
21	—	.27	—	—	—	.19	—	.28	—	—	—	.05	21
22	—	.30	—	—	.25	.01	—	.07	—	—	—	—	22
23	—	—	.04	—	.01	—	.08	—	—	—	.01	—	23
24	.01	—	.02	.03	—	—	.18	.03	—	.01	.15	.01	24
25	.13	—	—	—	—	—	.28	.14	—	.44	.03	.20	25
26	.48	—	.16	—	—	—	.33	.02	—	.15	.07	.16	26
27	.08	—	—	—	—	—	—	—	—	.05	.26	.78	27
28	.24	.08	.03	—	.01	—	—	—	—	.06	.08	.44	28
29	.08	—	.01	—	.08	—	—	—	—	.10	.11	—	29
30	—	—	.01	—	—	—	—	—	—	.01	.33	.18	30
31	.22	—	—	—	.02	—	.16	—	—	.10	—	.06	31
Total	1.76	2.21	2.48	0.64	1.90	3.50	5.14	1.30	2.33	1.70	3.08	6.98	33.02
Rain Days.	14	16	24	9	14	12	18	12	11	15	20	26	191
													YEAR'S TOTAL

REGISTER OF RAINFALL IN 1915

Kept at Alnwick Hall, Rulith
 in the County of Denbigh
 by Genl A Cree-Calvert

Lat. 50.7 N Long. 3.16 W
 Time of Observation 9 AM
 Nearest Railway Station Rulith
 Diameter of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. in.
 " " " " Sea Level 450 ft.

FORM A.
 BRITISH RAINFALL
 1911-1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.47	.06	.04	—	.37	—	—	.08	.26	.12	—	.10	1
2	.10	.33	.05	.21	—	—	—	2.59	.12	—	—	.02	2
3	.24	.04	—	.06	—	—	.14	—	—	—	—	.11	3
4	—	.20	—	—	.20	—	—	—	—	—	—	1.11	4
5	.02	.13	.14	—	.07	—	—	—	—	—	—	.19	5
6	.10	.05	.01	.05	—	—	.24	—	—	—	—	.22	6
7	.31	.20	—	.03	—	—	.57	.12	—	—	.01	.15	7
8	.21	.20	—	trace	—	—	—	.26	—	—	.04	.015	8
9	.09	.14	—	.38	—	—	—	—	—	—	.07	.40	9
10	.36	—	.03	.25	—	—	—	.19	—	.015	.08	.06	10
11	—	—	.06	.11	.17	—	.08	—	—	—	.79	.17	11
12	.06	.01	—	—	.16	—	—	—	—	.13	2.10	—	12
13	—	.61	.01	.11	.01	—	—	—	—	—	2.54	.08	13
14	.12	.01	—	.01	.02	—	.10	.07	.03	—	.16	.12	14
15	.47	—	—	—	.01	—	—	—	—	—	.30	.09	15
16	.18	.13	—	—	.32	—	.47	1.05	—	—	.2	.02	16
17	—	.40	.09	—	.46	—	—	—	—	—	—	.02	17
18	.02	.25	.06	—	—	—	—	—	—	—	—	—	18
19	—	—	—	.05	.02	—	.12	.02	—	—	—	—	19
20	.02	.01	—	.03	—	—	—	.02	—	—	—	.12	20
21	.31	—	—	.05	—	—	.22	—	—	—	—	.18	21
22	.01	.16	.10	—	—	.09	.05	—	—	.005	.015	.01	22
23	—	.47	.01	.06	—	—	.12	—	—	.79	—	—	23
24	—	—	.08	.08	—	—	.10	—	.02	.44	—	.22	24
25	—	—	—	—	—	.34	.04	—	—	—	.42	.12	25
26	—	.11	—	—	—	—	.08	—	.21	.18	—	.35	26
27	—	.10	—	—	—	—	.17	—	—	.18	—	.23	27
28	—	.07	.02	—	—	.08	—	.37	—	.04	—	.05	28
29	—	X	—	—	.13	.22	.38	.09	.18	—	trace	.11	29
30	.10	X	—	.07	—	—	—	—	.04	.27	.01	.12	30
31	.11	X	—	X	—	X	.07	.15	X	.33	X	.32	31
Total	3.30	3.68	.70	1.55	1.94	0.73	2.95	5.01	0.86	2.32	4.33	4.70	32.07
Rain Days.	19	21	13	15	12	4	16	12	7	19	12	27	168

REGISTER OF RAINFALL IN 1916

Kept at Glanchester Hall Ruthin
 in the County of Denbigh
 by George A. Price - Calcutt

Lat. 50° 7' N Long. 3° 16' W
 Time of Observation 9 AM
 Nearest Railway Station Ruthin
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft.
 " " " " Sea Level 450 ft.

FORM A.
 BRITISH RAINFALL
 2 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.39	—	.18	—	—	.08	.24	—	—	—	.11	—	1
2	.16	.04	.50	—	—	—	.02	—	1.01	.88	.06	—	2
3	—	.07	—	.18	—	—	.43	—	1.03	.15	.10	.08	3
4	.07	—	.09	.01	.47	.20	.09	—	.05	—	.16	—	4
5	—	.08	.02	—	.13	.04	—	—	—	.41	.05	—	5
6	.08	.40	.01	—	.11	—	.22	—	—	.10	.19	.03	6
7	.02	—	.15	—	.12	.04	.02	—	—	.05	.19	.39	7
8	.07	.015	.30	—	.04	—	—	—	—	—	.02	.17	8
9	.02	.22	.01	—	.20	—	—	—	.11	—	.09	.06	9
10	—	.54	.05	.02	.03	.23	—	—	.01	.01	—	.08	10
11	.08	.20	.20	.07	.02	—	—	—	.12	—	—	.01	11
12	.02	.01	.05	.02	.40	—	.08	.04	.05	.11	—	—	12
13	.05	.09	.06	.15	.02	—	—	.36	—	.14	—	.01	13
14	—	.04	—	.02	.06	—	—	.16	—	.03	—	.02	14
15	—	.32	.37	.11	—	—	.15	.09	.05	.12	—	—	15
16	—	.02	—	.09	—	—	.03	.10	—	.15	—	—	16
17	.03	.08	—	.40	—	—	.01	.01	.29	.40	—	—	17
18	—	.19	—	.30	—	—	—	.01	.58	.04	.66	.05	18
19	.08	—	.24	.08	—	—	—	.03	—	—	.62	—	19
20	.07	—	.80	.09	—	—	—	—	—	—	.02	.04	20
21	.09	—	.15	—	.01	—	—	—	—	—	.06	—	21
22	—	—	—	—	—	.04	—	—	—	.01	—	.04	22
23	.02	—	.1	—	—	—	—	.10	—	.04	gauge upset	.22	23
24	—	.23	—	—	1.01	.02	—	.25	—	.13	—	.04	24
25	—	.06	.1	—	.13	.13	—	.29	—	.01	.47	—	25
26	.02	.015	.01	—	.11	—	.22	—	—	.29	.14	—	26
27	—	.08	—	—	.02	—	—	.02	.20	.46	—	—	27
28	—	.30	—	—	—	—	—	—	—	.16	—	.09	28
29	—	.63	—	—	—	.21	—	—	—	.17	—	.23	29
30	—	X	—	—	—	.10	—	—	—	.52	—	—	30
31	—	X	—	X	.07	X	—	.03	X	.39	X	.01	31
Total	1.27	3.63	3.39	1.54	2.95	1.09	1.51	1.49	3.50	4.82	2.94	1.57	YEAR'S TOTAL 29.70
Rain Days.	16	21	19	13	17	10	11	14	11	23	16	17	188

REGISTER OF RAINFALL IN 1917

Kept at Blanchard Hall, Ruthin
in the County of Denbigh
by George A. Race - Calvert

Lat. 50° 7' N Long. 3° 16' W
Time of Observation 9 A.M.
Nearest Railway Station Ruthin
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 445 ft.

FORM A.
BRITISH RAINFALL
JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	.80	—	.15	—	.41	.06	—	.19	.21	1
2	.07	—	—	.01	—	.01	—	.14	—	.05	—	.11	2
3	—	.10	—	—	—	—	—	.06	—	.07	—	.09	3
4	.04	.12	.11	—	—	—	—	.04	—	.82	.02	—	4
5	.17	—	.20	.11	—	—	—	.30	.01	.63	.13	—	5
6	.06	—	.16	—	—	.01	—	—	—	.11	.31	—	6
7	.60	—	—	—	—	—	—	.04	—	.07	.07	.04	7
8	.12	—	—	.14	.14	.02	—	.26	.03	.51	.05	.09	8
9	—	—	—	.20	.12	—	—	.18	—	.20	.48	.03	9
10	.34	—	.77	.45	.02	—	—	.08	—	.09	—	—	10
11	.24	—	—	.11	—	—	—	.16	.01	.17	.07	—	11
12	.03	—	—	.17	.53	—	—	—	.06	.18	—	—	12
13	—	—	—	—	—	—	—	.40	.05	.23	.01	.03	13
14	.07	—	—	.02	.10	—	—	.06	—	.16	—	.02	14
15	.03	—	—	—	—	—	.24	—	—	.05	—	.08	15
16	.02	.01	—	(.78)	—	—	—	.14	—	—	—	.51	16
17	.01	—	.10	—	.37	—	.25	1.11	.11	.03	—	—	17
18	—	—	.01	—	.02	—	.09	.02	.33	.29	—	—	18
19	—	.37	.26	—	—	.18	—	—	—	—	—	—	19
20	.01	.01	—	—	.12	1.07	.22	.01	.09	—	.49	—	20
21	—	.03	.13	—	.05	0.19	—	—	—	—	.06	—	21
22	—	.01	—	—	—	—	—	.46	.01	.05	.02	—	22
23	—	.15	—	—	.05	.21	.02	.03	.02	.20	—	.07	23
24	—	—	.08	—	—	.09	.01	—	—	.31	.11	.06	24
25	—	.09	.08	—	—	.06	.02	—	—	.02	.17	—	25
26	—	—	—	—	.03	—	—	.48	.11	.12	.32	—	26
27	—	—	.04	—	1.37	.17	.18	.41	—	.01	—	—	27
28	—	—	.06	—	—	—	.10	.64	—	.30	—	.05	28
29	—	—	.02	—	—	—	—	—	—	.40	—	.14	29
30	—	X	.57	—	—	—	—	.29	—	.03	.02	—	30
31	—	X	.24	X	.03	X	.02	.24	X	—	X	.01	31
Total	1.81	0.89	2.83	2.47	2.81	2.16	1.15	5.96	0.89	4.49	2.52	1.54	YEAR'S TOTAL 28.96 30.13
Rain Days.	14	9	15	16	12	11	10	23	12	25	16	15	178

REGISTER OF RAINFALL IN 1918

Kept at Llanbedr Hall, Ruthin

in the County of Denbigh

by A. Morrison Davis

Lat. 53° 7' 45" N Long. 3° 16' 30" W
Time of Observation 9am
Nearest Railway Station Ruthin
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 450 ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.02	—	.14	.02	—	—	.06	.17	.01	.29	—	1
2	.01	—	—	.01	—	—	.03	.11	.02	—	—	.15	2
3	—	—	—	—	.43	—	—	.20	.21	.08	—	—	3
4	—	.01	—	—	—	—	—	.06	.39	.11	.38	.05	4
5	—	.01	.02	.08	.13	—	—	.15	.05	.15	—	—	5
6	.04	.32	—	.29	—	—	—	.03	.06	.36	—	—	6
7	.08	—	—	.04	.11	—	—	—	.14	.07	.11	—	7
8	.01	.23	—	—	—	—	.13	—	.12	.11	—	—	8
9	—	.56	—	.26	—	—	—	—	.75	.10	.01	.03	9
10	.09	.01	—	.30	—	—	.17	—	.20	.01	.09	—	10
11	.01	—	—	—	.05	(1.60)	.06	.01	.03	—	—	.10	11
12	.03	.11	—	.01	.10	—	.22	—	.06	—	—	—	12
13	.04	.09	—	.05	.01	—	—	—	.21	.05	—	—	13
14	.34	—	—	—	—	—	.09	—	.26	.08	—	.20	14
15	.15	—	—	—	—	—	.45	—	.55	.38	—	.19	15
16	—	.02	—	.08	—	—	.34	.04	.25	.50	—	.23	16
17	.15	.05	—	—	—	—	.21	—	.06	.07	—	.16	17
18	.34	.01	.02	—	—	—	—	—	.23	—	—	.11	18
19	.04	.53	.05	.10	—	—	.25	—	.06	.08	—	.43	19
20	.08	.14	—	.36	.09	—	—	—	.24	—	—	.70	20
21	.09	—	—	.35	.20	—	—	—	.26	—	—	.06	21
22	.01	—	—	—	.32	—	—	.01	.10	—	.01	.45	22
23	—	.09	—	—	—	—	.33	—	.16	—	—	.05	23
24	—	—	—	—	.83	—	.06	.21	.02	.01	.16	.27	24
25	—	—	—	—	.27	—	.47	.41	.05	.01	.01	—	25
26	—	.28	—	—	.01	.07	.22	.16	.03	.01	—	.01	26
27	—	.06	.17	—	—	—	—	.44	.10	—	.11	.15	27
28	—	—	.13	—	—	.04	—	—	—	—	.62	.12	28
29	—	—	.06	—	—	—	—	—	.24	—	—	.03	29
30	—	X	.04	—	—	—	—	.02	.17	—	.04	.30	30
31	—	X	.08	X	(—)	X	—	.12	X	.01	X	.02	31
Total	1.51	2.54	.57	2.07	2.57	(1.71)	3.03	2.02	5.29	2.20	1.83	3.81	YEAR'S TOTAL (29.15)
Rain Days	16	17	8	13	13	(13)	14	15	29	19	11	21	(189)

Cor. 1

DENBIGH.

RUTHIN.

"TYMAWR"

1911-1920

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912
p 6 in.
above Ground 1 ft. - in.
Sea Level 400 ft.
9 a.m.
Name Eganth
Distance 1 1/2 mi. Direction N.E.

Kept at Tynmawr
in the County of De
by General C

IMPORTANT NOTE. Rainfall should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	---	---	0.06	0.02	---	---	0.07	0.02	---	0.03	0.16	0.02	1
2	---	---	0.05	---	0.06	---	---	0.05	---	0.22	0.02	0.03	2
3	---	---	---	---	0.57	---	0.10	0.44	0.07	---	0.08	0.05	3
4	---	---	0.06	---	0.02	---	---	0.58	0.02	---	2.22	(-10)	4
5	0.10	---	0.03	---	---	---	---	0.07	---	0.02	0.05	---	5
6	0.23	---	0.06	---	---	---	---	---	---	0.02	0.20	0.42	6
7	0.03	---	---	---	---	---	---	---	---	---	0.33	0.02	7
8	0.25	---	0.05	---	---	---	---	---	---	---	0.25	0.30	8
9	0.03	---	0.07	---	---	---	---	---	---	---	0.28	0.15	9
10	---	0.07	0.08	---	---	---	---	---	---	---	0.03	0.39	10
11	0.12	0.05	0.01	---	0.04	---	---	---	0.04	---	0.39	0.12	11
12	0.04	---	0.29	---	---	---	---	---	1.90	---	0.24	---	12
13	---	0.02	---	---	---	---	---	---	0.01	---	0.09	0.23	13
14	---	---	0.10	---	---	---	0.04	---	0.04	---	---	0.11	14
15	0.05	0.07	0.02	---	0.03	---	---	---	---	0.02	0.11	0.04	15
16	---	0.05	(-0.3)	---	---	---	---	---	---	---	0.08	---	16
17	---	---	---	0.04	---	0.06	---	---	---	0.01	0.35	0.08	17
18	---	0.34	---	0.14	---	0.37	---	---	0.02	---	0.29	0.22	18
19	---	0.01	---	0.12	---	0.08	0.05	---	0.17	0.03	---	0.25	19
20	---	0.06	---	0.15	---	0.79	0.01	1.52	0.04	0.02	0.30	---	20
21	---	0.34	---	---	---	---	0.05	---	---	0.11	0.03	0.09	21
22	---	0.12	---	0.03	---	0.04	---	---	---	0.37	0.02	0.93	22
23	---	0.27	---	---	---	---	0.01	---	0.15	0.12	---	0.15	23
24	---	0.04	0.02	---	---	0.03	---	0.08	0.07	0.13	---	0.10	24
25	---	0.15	---	0.04	---	1.54	---	---	0.51	0.16	0.09	0.06	25
26	---	0.10	---	0.08	---	0.18	---	0.03	0.40	---	---	---	26
27	---	0.15	0.08	0.07	---	0.03	---	0.60	0.20	---	---	0.11	27
28	---	0.23	---	0.02	---	0.05	---	0.06	0.03	---	---	---	28
29	---	---	---	0.05	---	0.03	0.70	0.01	0.08	0.33	---	0.06	29
30	---	---	---	---	---	0.07	0.07	---	---	(-18)	0.28	0.02	30
31	---	---	0.17	---	0.02	---	---	---	---	0.02	---	---	31
Total	0.85	2.07	1.18	0.76	0.74	3.27	1.10	3.46	3.75	1.79	3.63	4.03	TOTAL for year 26.63
No. of Rain Days.	8	16	16	11	6	12	9	11	16	16	22	23	Actual 186

Kept at *Lymington, Hants*in the County of *Dorsetshire*by *General Camp*

RAIN GAUGE Diameter of top *6* in.
 Height of top above Ground *1* ft. *in.*
 " " " Sea Level *400* ft.
 Time of Observation *9 a.m.*
 Name *Eyart*
 Nearest Railway Station { Distance *1 1/2* Direction *Went*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	---	---	0.06	0.02	---	---	0.07	0.02	---	0.03	0.16	0.02	1
2	---	---	0.05	---	0.06	---	---	0.05	---	0.22	0.02	0.03	2
3	---	---	---	---	0.57	---	0.10	0.44	0.07	---	0.08	0.05	3
4	---	---	0.06	---	0.02	---	---	0.58	0.02	---	2.22	(-10)	4
5	0.10	---	0.03	---	---	---	---	0.07	---	0.02	0.05	---	5
6	0.23	---	0.06	---	---	---	---	---	---	0.02	0.20	0.42	6
7	0.03	---	---	---	---	---	---	---	---	---	0.33	0.02	7
8	0.25	---	0.05	---	---	---	---	---	---	---	0.25	0.30	8
9	0.03	---	0.07	---	---	---	---	---	---	---	0.28	0.15	9
10	---	0.07	0.08	---	---	---	---	---	---	---	0.03	0.39	10
11	0.12	0.05	0.01	---	0.04	---	---	---	0.04	---	0.39	0.12	11
12	0.04	---	0.29	---	---	---	---	---	1.90	---	0.24	---	12
13	---	0.02	---	---	---	---	---	---	0.01	---	0.09	0.23	13
14	---	---	0.10	---	---	---	0.04	---	0.04	---	---	0.11	14
15	0.05	0.07	0.02	---	0.03	---	---	---	---	0.02	0.11	0.04	15
16	---	0.05	(-0.3)	---	---	---	---	---	---	---	0.08	---	16
17	---	---	---	0.04	---	0.06	---	---	---	0.01	0.35	0.08	17
18	---	0.34	---	0.14	---	0.37	---	---	0.02	---	0.29	0.22	18
19	---	0.01	---	0.12	---	0.08	0.05	---	0.17	0.03	---	0.25	19
20	---	0.06	---	0.15	---	0.79	0.01	1.52	0.04	0.02	0.30	---	20
21	---	0.34	---	---	---	---	0.05	---	---	0.11	0.03	0.09	21
22	---	0.12	---	0.03	---	0.04	---	---	---	0.37	0.02	0.93	22
23	---	0.27	---	---	---	---	0.01	---	0.15	0.12	---	0.15	23
24	---	0.04	0.02	---	---	0.03	---	0.08	0.07	0.13	---	0.10	24
25	---	0.15	---	0.04	---	1.54	---	---	0.51	0.16	0.09	0.06	25
26	---	0.10	---	0.08	---	0.18	---	0.03	0.40	---	---	---	26
27	---	0.15	0.08	0.07	---	0.03	---	0.60	0.20	---	---	0.11	27
28	---	0.23	---	0.02	---	0.05	---	0.06	0.03	---	---	---	28
29	---	---	---	0.05	---	0.03	0.70	0.01	0.08	0.33	---	0.06	29
30	---	---	---	---	---	0.07	0.07	---	---	(-18)	0.28	0.02	30
31	---	---	0.17	---	0.02	---	---	---	---	0.02	---	---	31
Total	0.85	2.07	1.18	0.76	0.74	3.27	1.10	3.46	3.75	1.79	3.63	4.03	TOTAL for year
No. of Rain Days.	8	16	76	11	6	12	9	11	16	16	22	23	26.63

Total 166

REGISTER OF RAINFALL IN 1912

BRITISH RAINFALL
FORM A.
3-JAN-1913

Kept at *Sydney*
in the County of *Newburgh*
by *General Carey*

Date *1912* Long. *9. a m.*
Time of Observation *Two miles*
Nearest Railway Station *5* in.
Diameter of Rain Gauge *1* ft. in.
Height of top of Gauge above Ground *400* ft.
Sea Level

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	--	0.05	0.06	--	--	0.32	0.15	0.08	--	--	--	0.09	1
2	--	0.00	0.22	--	0.01	--	0.03	0.70	--	--	--	0.05	2
3	0.05	0.10	0.02	--	0.03	0.16	0.09	--	0.08	--	--	0.06	3
4	0.27	--	0.70	--	0.02	0.20	--	0.38	0.03	--	0.09	--	4
5	0.06	0.01	0.02	--	0.13	0.22	--	0.08	0.04	--	0.04	0.02	5
6	0.35	0.04	0.01	--	0.02	0.19	--	0.50	0.10	--	--	--	6
7	--	0.03	0.02	--	0.02	--	0.09	0.04	0.02	--	--	0.13	7
8	0.34	0.18	0.15	0.08	--	0.23	--	0.03	0.05	--	0.01	--	8
9	--	0.04	0.18	0.23	--	0.15	--	0.03	0.05	--	0.02	0.03	9
10	0.13	--	--	--	--	0.75	--	0.17	--	--	0.55	--	10
11	0.04	0.06	--	--	0.03	0.26	0.03	0.01	--	--	0.12	0.39	11
12	--	0.47	0.04	--	--	--	--	0.29	--	--	--	0.15	12
13	0.02	--	--	--	--	0.37	--	0.02	--	0.14	0.02	0.14	13
14	0.03	--	0.14	--	--	0.07	--	0.08	0.04	--	--	--	14
15	0.25	0.05	0.17	--	0.13	0.09	--	0.01	--	--	--	0.13	15
16	0.11	0.14	0.08	--	0.05	--	--	0.04	--	--	0.02	0.03	16
17	0.29	0.27	0.05	--	0.02	0.16	0.02	0.30	--	0.12	0.05	0.43	17
18	0.25	--	--	--	--	--	--	0.10	0.01	0.04	0.01	0.02	18
19	--	0.12	0.08	--	--	--	0.03	0.02	--	0.06	--	0.02	19
20	0.02	--	0.13	--	0.03	--	0.04	0.07	--	0.32	0.09	0.05	20
21	--	--	0.08	--	0.38	--	0.02	0.10	--	0.33	0.06	0.04	21
22	0.03	0.04	--	--	0.55	--	0.01	0.37	--	--	--	0.04	22
23	--	--	0.12	--	--	--	0.12	0.44	--	0.02	0.03	0.19	23
24	0.06	--	--	--	--	0.09	0.03	0.15	--	--	0.19	0.08	24
25	--	--	0.15	--	--	--	--	0.08	--	--	0.59	0.23	25
26	--	0.12	--	--	--	0.07	0.08	0.30	--	0.92	0.37	0.07	26
27	--	--	0.07	--	--	0.06	0.48	--	--	0.29	0.09	0.14	27
28	--	0.08	0.05	0.07	--	0.12	0.32	0.12	0.14	0.31	0.39	--	28
29	--	0.04	0.05	--	--	0.06	0.08	0.10	0.41	0.13	--	0.06	29
30	--	--	0.14	--	--	0.19	0.02	--	--	0.28	0.37	0.02	30
31	--	--	0.20	--	0.32	--	0.67	0.09	--	0.02	--	0.03	31
Total	2.30	1.84	2.93	0.38	1.74	3.76	2.22	4.70	0.97	2.98	3.16	2.62	29.55
Rain Days.	16	18	24	3	14	19	17	28	11	13	19	25	207

REGISTER OF RAINFALL IN 1913.

Kept at Spinaun, Mulline
in the County of Westmeath
by General Carey

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Mulline 2½ miles
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 400 ft.

BRITISH RAINFALL
FORM A.
4-JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.13	0.08	0.15	0.44	--	--	--	--	--	0.12	--	1
2	0.01	0.14	0.15	0.05	0.08	--	--	--	--	--	0.13	--	2
3	0.38	0.01	0.33	--	0.72	--	--	--	0.02	0.02	--	0.42	3
4	0.38	0.07	0.05	--	0.24	--	0.02	--	--	0.24	0.05	0.92	4
5	0.02	0.07	0.09	--	0.04	--	0.17	--	--	0.42	0.02	0.08	5
6		0.15	0.30	--	0.11	0.09	0.53	0.22	--	0.24	0.04	0.10	6
7		0.30	0.02	--	0.13	0.06	0.35	--	--	0.43	0.09	0.01	7
8		0.11	--	0.03	0.24	0.38	0.02	--	0.03	0.15	--	--	8
9		0.08	0.05	0.16	0.10	0.08	0.10	--	0.03	--	0.04	0.10	9
10	0.18	0.01	--	0.02	0.23	0.29	0.04	0.03	--	0.04	0.18	--	10
11	0.15	--	--	0.42	0.05	--	--	0.14	--	0.05	0.13	--	11
12	--	0.01	--	--	0.07	0.06	--	0.34	0.29	--	0.56	--	12
13	--	--	0.13	0.02	--	--	--	0.19	0.08	0.01	0.55	--	13
14	0.18	0.02	0.36	0.16	--	0.03	--	--	0.05	0.15	0.06	--	14
15	0.07	0.04	0.47	0.64	--	--	--	0.05	0.04	--	0.15	0.04	15
16	--	--	0.14	--	--	--	--	0.12	--	--	0.02	0.03	16
17	0.04	--	0.04	0.23	0.02	--	0.09	--	--	--	0.08	--	17
18	0.02	--	0.30	0.17	0.07	0.06	0.06	0.04	--	--	--	--	18
19	0.10	--	0.05	--	--	--	0.01	--	0.02	0.26	0.04	--	19
20	0.20	--	0.24	0.04	--	--	--	--	--	0.25	0.46	--	20
21	0.03	--	0.25	0.05	0.20	0.07	0.15	0.08	0.02	--	0.02	--	21
22	0.28	--	0.74	--	--	--	--	0.86	0.25	--	--	0.07	22
23	0.02	--	0.05	--	--	0.35	--	--	0.05	--	0.09	0.04	23
24	0.16	0.02	--	0.08	--	--	--	--	--	--	0.02	0.06	24
25	--	0.01	--	0.26	--	--	--	--	0.25	0.06	0.02	0.47	25
26	--	--	--	0.19	--	0.04	--	--	0.22	--	--	0.14	26
27	--	0.02	--	0.83	--	--	--	--	--	0.81	--	0.26	27
28	0.04	--	0.09	0.19	--	--	--	--	--	0.08	0.01	0.02	28
29	--	--	0.25	0.38	0.15	--	--	0.08	--	0.15	0.01	--	29
30	0.29	--	--	--	0.12	--	--	--	--	0.08	0.06	--	30
31	0.03	--	0.29	--	0.02	--	--	--	--	0.05	--	--	31
Total	2.58	1.19	4.47	4.07	3.03	1.50	1.54	2.16	1.35	3.49	2.95	2.71	YEAR'S TOTAL 31.04
Rain Days.	19	16	22	19	18	11	11	11	13	18	24	15	197

REGISTER OF RAINFALL IN 19/4

Kept at Ignace W. H. H. H.
in the County of New Brunswick
by C. R. Cary

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station St. John
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. - in.
" " " " Sea Level 400 ft.

14 MAY 1915
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—		0.13				0.56	0.30		0.04		0.41	1
2	—	0.02	0.01				0.86	0.16		0.03	0.20	0.54	2
3	—	0.03	0.08	0.09	0.20		0.03					0.44	3
4	0.12	0.18	0.02	0.09	0.20		0.01	0.02			0.28	0.81	4
5	0.19	0.06	0.17	0.15	0.24		0.03			0.05	0.10	0.33	5
6	0.10	0.03	0.02	0.08	0.04	0.06	0.04				0.07	0.04	6
7	0.03	0.18	0.17	0.04	0.20	0.05	0.07	0.09				0.19	7
8	0.05	0.06	—	0.07	0.40	0.21		0.19	0.03	0.03		0.35	8
9	0.34	0.08	0.15	0.08	0.07	0.33		0.04	0.15			0.04	9
10	0.11	0.11	0.19	0.11	0.01	0.64			0.13		0.10		10
11		0.13	0.10		0.17	0.11	1.68	—	0.05		0.30	0.85	11
12		0.56	0.11			0.40	0.19		0.20			0.45	12
13		0.14	0.14			0.03	0.02			0.32	0.27	0.11	13
14		0.52	0.02							0.20	0.20		14
15		0.03	0.40						0.05		0.21	0.08	15
16		0.09	0.02				0.04		0.39		0.26	0.05	16
17	0.04	0.18	0.20				0.05		0.34			0.58	17
18		0.03	0.02				0.14		0.22	0.03		0.15	18
19		0.02	0.02				0.15		0.46	0.02		0.11	19
20		0.21	0.25					0.02				0.15	20
21		0.16	0.02			0.80	0.12	0.25			0.06	0.12	21
22		0.38	0.07		0.39	0.17		0.15					22
23		0.52	0.04				0.05						23
24	0.02		0.06	0.04			0.27	0.08					24
25	0.19		0.11				0.25	0.26	0.00	0.51	0.18	0.21	25
26	0.01		0.00				0.25	0.06		0.12	0.04	0.22	26
27	0.07		0.00				0.12			0.02	0.07	0.77	27
28	0.24	0.08	0.06		0.12			0.03			0.28	0.41	28
29	0.07	0.00	0.02		0.05					0.13	0.05		29
30	0.01	X	0.03								0.21	0.39	30
31	0.20	X		X	0.05	X	0.25	0.01	X	0.18	X		31
Total	1.79	3.03	2.63	0.75	2.14	2.80	5.18	1.66	2.02	1.68	2.88	7.80	YEAR'S TOTAL 34.36
Rain Days.	16 days	21	27	9 day	13	10	21	14	10	13	17	24	195

REGISTER OF RAINFALL IN 1915

Kept at *I. M. Owen. Methuen*
in the County of *Deerfield*
by *C. L. Cary.*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Lyonsville*
Diameter of Funnel of Rain Gauge *6* in.
Height of top of Gauge above Ground *1* ft. _____ in.
" " " " Sea Level *400* ft.

FORM A.
BRITISH RAINFALL
JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.52	0.10	0.21	--	0.43	--	--	0.08	0.35	0.11	--	0.19	1
2	0.14	0.46	0.08	0.12	--	--	--	2.23	0.07	0.03	--	0.02	2
3	0.28	0.06	--	0.18	--	--	0.14	0.06	--	--	--	0.10	3
4	0.02	0.21	--	--	0.18	--	0.02	--	0.03	--	0.01	0.76	4
5	0.05	0.22	0.11	--	0.04	--	--	--	0.02	--	--	0.25	5
6	0.16	0.04	0.03	0.03	--	0.03	0.24	0.01	--	--	0.01	0.32	6
7	0.24	0.19	--	0.07	--	--	0.50	0.10	--	--	0.02	0.21	7
8	0.23	0.21	--	--	--	--	--	0.17	--	--	0.07	0.05	8
9	0.20	0.24	--	0.42	--	--	0.02	0.01	--	--	0.09	0.43	9
10	0.46	--	0.05	0.19	--	--	--	0.13	--	--	0.15	0.05	10
11	0.02	--	0.06	0.21	0.08	--	0.11	--	--	0.02	0.57	0.06	11
12	0.06	--	--	0.08	0.10	--	--	0.04	--	0.19	1.59	0.05	12
13	0.01	0.30	0.02	0.05	0.02	--	--	--	--	--	0.44	0.05	13
14	0.17	--	--	0.02	0.02	--	--	0.04	0.08	--	0.20	0.15	14
15	0.66	--	--	--	0.01	--	0.03	--	--	--	0.15	0.09	15
16	0.33	0.12	--	--	0.14	--	0.46	1.01	--	--	0.30	0.04	16
17	0.03	0.43	0.08	--	0.47	--	--	--	--	--	--	0.02	17
18	--	0.40	0.02	--	--	--	--	--	--	--	--	0.01	18
19	0.05	0.02	0.01	0.01	0.03	--	0.10	0.01	--	--	--	0.02	19
20	0.30	--	--	0.09	--	--	--	0.01	--	--	--	0.10	20
21	--	0.06	--	0.01	--	--	0.19	--	--	--	--	0.13	21
22	0.07	0.13	0.01	--	--	0.05	0.07	--	--	0.04	--	0.05	22
23	--	0.52	0.02	0.06	--	--	0.14	--	--	0.59	--	0.07	23
24	0.01	--	0.07	0.09	--	0.03	0.05	--	0.05	0.66	0.08	0.35	24
25	--	0.13	0.01	--	--	0.30	0.08	--	0.01	--	0.04	0.11	25
26	--	--	--	--	--	--	0.33	--	0.11	--	--	0.33	26
27	--	0.07	--	--	--	--	--	--	--	0.20	0.02	0.36	27
28	--	0.05	0.01	--	--	0.32	0.03	0.20	--	0.08	0.03	0.03	28
29	--	--	--	--	0.12	--	0.51	0.06	0.13	0.01	0.03	0.09	29
30	0.12	~~X~~	~~X~~	0.03	~~X~~	~~X~~	~~X~~	0.01	0.08	0.21	0.02	0.13	30
31	0.06	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	0.15	0.20	~~X~~	0.22	~~X~~	0.35	31
Total	4.19	3.96	0.79	1.66	1.64	0.73	3.17	4.37	0.93	2.36	3.82	4.97	YEAR'S TOTAL 32.59 197
Rain Days.	23	20	15	16	12	5	18	17	10	12	18	31	

REGISTER OF RAINFALL IN 1916

Kept at *Tymaur. Nuttall*
in the County of *Down*
by *C. R. Long*

Lat. _____ Long. _____
Time of Observation *9.4 m.*
Nearest Railway Station *1 3/4 miles*
Diameter of Rain Gauge *6* in.
Height of top of Gauge above Ground *1* ft. in.
" " " " Sea Level *400* ft.

4217
FORM A.
BRITISH RAINFALL
5 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.43	—	0.19	—	—	0.15	0.41	—	—	—	0.10	—	1
2	0.18	0.05	0.33	—	—	0.02	0.05	0.00	1.05	0.83	0.08	—	2
3	—	0.14	0.09	0.16	—	—	0.92	—	1.57	0.18	0.14	0.09	3
4	0.09	0.03	0.07	0.03	0.49	0.16	0.20	0.02	0.09	0.05	0.14	—	4
5	—	0.03	0.09	0.04	0.11	0.08	—	—	—	0.50	0.06	—	5
6	0.09	0.46	0.17	—	0.15	—	0.21	—	—	0.12	0.13	0.04	6
7	0.03	—	—	—	0.12	0.06	0.02	—	—	0.08	0.28	0.38	7
8	0.08	0.02	0.19	—	—	—	—	—	—	0.01	0.07	0.13	8
9	0.03	0.08	0.07	—	0.27	0.11	—	—	0.18	—	0.10	0.03	9
10	0.01	0.54	0.02	0.04	0.05	0.25	—	—	—	0.06	—	0.10	10
11	0.08	0.28	0.11	0.08	0.06	—	—	—	0.11	0.08	—	0.04	11
12	0.04	0.03	0.07	0.04	0.39	—	0.10	0.03	0.12	—	—	0.01	12
13	0.04	0.19	0.06	0.15	0.03	—	—	—	—	0.30	—	0.14	13
14	—	0.04	—	0.06	0.06	—	—	0.36	—	0.08	—	0.02	14
15	—	0.32	0.23	0.12	—	—	0.16	0.25	0.02	0.12	—	—	15
16	—	0.03	—	0.15	—	—	0.04	0.05	—	0.16	—	—	16
17	0.06	0.10	—	0.44	—	—	0.02	—	0.30	0.35	—	—	17
18	—	0.25	0.01	0.26	—	—	—	0.03	0.57	0.06	0.35	0.02	18
19	0.09	—	0.18	0.14	—	—	—	0.05	—	—	0.55	—	19
20	0.10	—	0.48	0.09	—	—	—	—	—	—	0.02	0.09	20
21	0.12	—	0.25	0.04	—	—	—	—	—	—	0.08	0.01	21
22	—	—	—	—	—	0.04	—	—	—	0.05	0.01	0.06	22
23	0.05	—	—	0.01	—	—	—	0.14	—	0.02	0.08	0.21	23
24	—	0.10	0.07	—	0.91	—	—	0.24	—	0.22	—	0.07	24
25	—	0.08	0.13	—	0.19	0.10	—	0.38	0.02	0.01	0.45	—	25
26	0.04	0.07	—	—	0.09	0.05	0.14	—	—	0.21	0.08	—	26
27	—	—	0.02	—	0.05	—	—	—	0.22	0.45	—	0.02	27
28	—	0.31	—	—	0.01	0.01	—	0.02	—	0.14	—	0.17	28
29	—	0.54	—	—	—	0.26	—	—	—	0.24	0.02	0.22	29
30	—	X	—	—	—	0.11	—	—	—	0.43	—	—	30
31	—	X	—	X	0.06	X	0.04	0.03	X	0.41	X	0.03	31
Total	1.56	3.79	2.76	1.85	3.04	1.40	2.31	1.60	4.25	5.16	2.74	1.88	YEAR'S TOTAL 32.34
Rain Days.	17	21	20	16	16	13	12	12	11	25	18	20	221

REGISTER OF RAINFALL IN 1917

Kept at *Tymawr Mithun*
in the County of *Denbighshire*
by *General Carey*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Egryn*
Diameter of Funnel of Rain Gauge *6* in.
Height of top of Gauge above Ground *1* ft. _____ in.
" " " " Sea Level *400* ft.

BRITISH FORM
JAN 1918
RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.02	—	—	0.02	—	0.07	—	0.46	0.06	—	0.26	0.19	1
2	0.07	—	—	—	—	0.02	—	0.16	—	—	0.02	0.15	2
3	0.01	0.09	—	0.04	—	—	—	0.08	—	0.11	—	0.09	3
4	—	0.20	—	0.01	—	—	—	0.15	—	0.91	0.02	—	4
5	0.25	—	0.15	0.12	—	—	—	0.45	—	0.54	0.25	—	5
6	—	—	0.07	—	—	—	—	—	—	0.09	0.36	—	6
7	0.52	—	—	—	—	0.02	—	—	—	0.11	0.22	0.07	7
8	0.20	—	—	0.19	—	—	—	0.19	0.09	0.52	—	0.08	8
9	—	—	—	0.10	0.05	0.06	—	0.17	—	0.20	0.50	—	9
10	0.30	—	0.40	0.15	—	—	—	0.09	—	0.11	0.01	—	10
11	0.19	—	—	0.10	—	—	—	0.19	—	0.17	0.08	0.03	11
12	0.10	—	—	0.20	0.50	—	—	0.02	0.08	0.12	—	—	12
13	0.04	—	—	0.05	—	—	—	0.37	0.07	0.23	—	0.09	13
14	—	—	—	0.08	0.10	0.05	—	0.05	—	0.11	—	0.05	14
15	—	0.03	—	0.03	—	—	0.27	0.01	—	0.06	—	0.11	15
16	0.03	0.03	—	0.20	—	—	—	0.90	0.02	0.03	0.02	0.25	16
17	0.04	—	0.10	0.29	0.33	—	0.30	0.06	0.12	0.04	—	—	17
18	—	—	—	0.32	0.03	—	0.09	—	0.34	0.22	—	0.01	18
19	0.09	0.23	0.24	—	—	0.15	—	—	—	—	—	0.02	19
20	0.10	0.03	—	0.02	0.09	1.16	0.35	—	0.05	—	0.35	—	20
21	0.12	0.05	0.05	—	0.04	0.26	—	—	—	0.02	0.11	—	21
22	—	0.05	—	—	—	—	—	0.40	0.06	0.09	0.02	—	22
23	—	0.07	—	—	0.08	0.19	0.04	0.07	0.02	0.08	—	0.06	23
24	—	—	0.09	—	—	0.16	0.04	0.03	—	0.34	0.16	—	24
25	—	0.10	0.11	—	—	0.02	0.07	—	—	0.09	0.22	0.04	25
26	—	—	—	—	—	0.06	0.02	0.35	0.12	0.09	0.35	—	26
27	—	—	0.09	0.01	1.33	0.14	0.24	0.33	—	—	0.06	—	27
28	—	—	0.16	—	—	—	—	0.53	—	0.22	—	0.13	28
29	—	—	0.06	—	—	—	0.10	0.03	—	0.47	—	0.10	29
30	—	X	0.34	—	0.01	—	—	0.31	—	0.10	0.08	0.01	30
31	—	X	0.21	X	0.05	X	0.06	0.20	X	0.01	X	0.03	31
Total	1.77	0.88	2.07	1.93	2.61	2.36	1.58	5.60	1.03	5.08	3.03	1.51	YEAR'S TOTAL 29.43
Rain Days.	12	10	13	17	11	13	11	24	11	26	17	18	183

REGISTER OF RAINFALL IN 1918

Kept at Izmaur, Yuthur
in the County of Denbighshire
by Major General Camp

Lat. _____ Long. _____
Time of Observation 9 a.m. (first time)
Nearest Railway Station Hatfield 2 1/2 miles
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.01		0.07	0.02		0.05	0.04		0.08	0.46		1
2		--		0.02				0.08		0.01	0.01	0.20	2
3		--			0.33			0.17	0.24	0.09			3
4	0.03	0.03						0.12	0.40	0.12	0.34	0.12	4
5	0.05	0.04	0.05		0.17	0.15		0.15		0.25	0.02	0.01	5
6	0.05	0.40						0.19	0.05	0.35			6
7	0.03	0.03		0.46	0.13			0.01	0.20	0.03	0.11		7
8	0.02	0.17		0.05			0.12		0.15	0.13	0.06		8
9	0.08	0.68		0.17					0.74	0.11	0.01	0.04	9
10	0.01	0.03		0.04		0.79	0.17		0.34	0.06	0.12		10
11	0.03	0.09	0.01	0.21	0.04	0.01	0.05		0.06		0.01	0.06	11
12	0.08	0.04			0.09	0.09	0.21		0.08				12
13	0.03				0.02	0.08			0.18	0.43		0.02	13
14	0.37						0.20		0.19	0.05		0.24	14
15	0.21					0.08	0.42		0.66	0.44		0.25	15
16	0.01			0.18		0.20	0.53		0.28	0.36		0.60	16
17	0.15	0.04			0.02		0.22	0.06	0.08	0.07		0.15	17
18	0.35	0.03	0.03			0.05	0.03	0.01	0.25	0.09		0.15	18
19	0.05	0.52		0.10	0.03		0.25		0.08	0.02		0.45	19
20	0.11	0.16			0.03	0.12	0.15		0.27	0.10		0.70	20
21	0.10		0.05	0.65			0.25		0.36			0.08	21
22	0.02				0.38	0.05			0.11			0.38	22
23	0.02				0.76	0.02	0.46		0.15			0.12	23
24		0.07					0.09		0.03		0.18		24
25					0.38	0.04	0.53	0.20			0.03	0.18	25
26					0.01		0.33	0.35	0.15	0.05	0.01	0.03	26
27		0.33	0.24			0.02		0.10	0.14	0.01	0.01		27
28		0.11	0.16					0.40			0.12	0.16	28
29			0.09						0.14		0.34	0.10	29
30		~~X~~	0.07						0.12		0.04	0.21	30
31		~~X~~	(0.09)	~~X~~		~~X~~		0.09	~~X~~	0.03	~~X~~	0.02	31
Total	1.80	2.78	0.79	1.90	2.41	1.70	4.06	1.97	5.50	2.43	1.87	4.25	YEAR'S TOTAL 31.46
Rain Days.	20	17	8	10	14	13	17	14	25	20	16	22	197

REGISTER OF RAINFALL IN 1919.

Kept at *Ty Mawr, Merthyr*
in the County of *Deeshephshire*
by *C. L. Cary*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Swansea*
Diameter of Funnel of Rain Gauge, *6* in.
Height of top of Gauge above Ground *1* ft. _____ in.
" " " " Sea Level *400* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.17	0.02	0.01	0.05	0.20	—	0.35	—	0.03	0.23	—	0.44	1
2	0.04	—	0.01	—	—	—	0.15	0.07	0.07	0.10	0.05	0.06	2
3	0.05	—	0.32	—	—	0.30	0.23	0.10	—	—	0.12	0.04	3
4	—	0.04	0.51	—	—	0.14	0.22	0.19	0.03	—	0.01	0.19	4
5	0.09	0.04	0.05	0.03	—	—	—	0.01	—	—	0.11	0.21	5
6	0.07	—	0.20	—	0.09	—	—	—	—	0.02	—	0.24	6
7	0.08	—	0.08	0.03	—	—	—	—	—	—	—	—	7
8	0.25	—	0.03	—	—	0.13	—	—	—	—	—	—	8
9	0.74	—	0.01	0.07	—	—	—	—	—	—	0.03	—	9
10	—	—	0.10	—	—	0.02	—	—	—	0.10	—	0.02	10
11	0.04	—	1.40	0.03	—	—	0.12	—	0.01	0.02	—	0.04	11
12	—	—	0.48	0.04	—	—	—	—	0.02	0.29	0.17	0.01	12
13	0.18	—	—	0.08	—	0.31	0.18	—	—	0.53	0.01	0.01	13
14	0.30	—	—	0.20	—	—	0.35	0.03	—	0.60	—	—	14
15	0.31	0.01	0.01	0.44	0.75	—	0.01	—	—	0.14	—	0.62	15
16	0.15	1.06	0.05	0.05	—	0.07	—	—	—	—	0.31	0.01	16
17	0.06	0.79	0.68	0.03	—	0.03	0.07	0.09	—	—	0.32	—	17
18	0.04	0.20	0.52	—	0.05	—	0.03	0.83	0.23	—	—	0.12	18
19	0.02	—	0.38	—	—	0.18	—	0.22	0.28	—	0.18	0.06	19
20	0.11	0.08	0.32	—	—	0.14	—	—	0.37	—	0.59	0.13	20
21	0.19	0.11	0.03	—	—	0.32	0.32	—	0.08	—	0.01	0.12	21
22	—	0.19	—	—	—	—	0.10	0.03	1.33	—	0.05	0.92	22
23	—	—	—	0.03	—	0.03	—	0.01	—	0.96	0.28	0.05	23
24	0.02	—	—	0.09	0.21	—	—	—	0.01	0.59	0.17	0.12	24
25	0.06	0.01	—	0.22	0.01	0.27	—	0.26	0.07	0.02	0.08	0.08	25
26	0.04	0.09	0.20	0.21	—	0.15	—	0.10	0.01	0.03	—	0.18	26
27	0.09	0.04	0.04	0.31	—	0.03	—	0.10	0.16	—	0.04	—	27
28	0.04	—	—	0.25	—	—	—	0.87	—	0.03	0.02	0.27	28
29	0.06	—	0.25	0.20	—	0.02	—	0.16	—	0.09	0.06	0.29	29
30	0.01	~~—~~	0.10	0.19	—	0.23	—	—	—	—	—	0.13	30
31	0.02	~~—~~	0.54	~~—~~	—	~~—~~	0.07	0.10	~~—~~	~~—~~	~~—~~	0.19	31
TOTAL	3.23	2.68	6.32	2.55	1.31	2.37	2.20	3.17	2.70	3.68	2.61	4.55	YEAR'S TOTAL
Days with 0.1 in. or more	26	13	24	19	6	16	13	16	14	15	19	25	37.37

REGISTER OF RAINFALL IN 1920.

Kept at T. Mawr. Puthur
in the County of Madras
by C. L. Camp

Lat. _____ Long. _____
Time of Observation 9. a.m.
Nearest Railway Station Puthur
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	--	--	0.10	0.21	0.16	--	0.35	0.04	0.13	0.11	--	0.19	1
2	--	--	--	0.16	0.05	--	0.10	0.06	0.13	0.24	--	--	2
3	--	0.10	--	0.22	0.06	--	0.72	0.05	0.14	0.23	--	--	3
4	--	--	--	--	0.04	0.05	0.10	0.36	0.07	0.27	0.02	--	4
5	0.03	--	0.11	--	0.05	--	0.14	0.10	0.13	0.05	--	0.15	5
6	0.22	--	0.39	0.05	--	--	0.03	--	--	0.27	--	--	6
7	0.21	0.11	0.02	0.04	0.06	--	0.25	--	--	--	0.02	0.12	7
8	--	0.02	0.03	0.33	0.14	--	--	0.08	--	--	--	0.01	8
9	0.23	0.22	0.04	0.48	--	--	0.14	0.15	0.05	--	--	--	9
10	0.31	0.48	--	0.01	--	0.05	0.29	--	--	--	--	--	10
11	0.58	0.04	0.10	0.18	0.10	0.15	0.01	0.06	--	--	--	--	11
12	0.15	0.01	0.15	0.27	--	1.35	0.04	--	0.03	--	0.12	--	12
13	0.10	0.07	0.17	0.12	--	0.02	--	--	--	--	0.17	--	13
14	0.01	0.05	0.52	0.15	--	0.28	0.01	--	0.83	0.10	0.47	--	14
15	--	--	0.14	0.38	--	--	--	--	--	0.16	--	0.04	15
16	0.01	--	0.01	0.09	0.30	0.08	0.23	--	0.12	0.28	--	--	16
17	--	--	--	0.01	0.10	0.32	0.01	0.08	0.14	0.02	--	--	17
18	0.30	0.03	--	0.05	0.27	0.45	--	0.10	0.04	--	--	0.02	18
19	--	1.00	--	0.09	0.13	0.07	--	0.24	0.05	--	0.02	--	19
20	0.04	0.02	--	0.39	--	--	0.05	--	0.08	--	--	0.02	20
21	--	--	--	0.04	--	--	0.55	0.20	--	--	--	0.24	21
22	0.09	--	--	0.09	--	--	0.17	0.39	--	--	--	--	22
23	0.01	--	0.07	--	--	--	0.20	0.09	--	--	--	0.30	23
24	0.04	--	0.40	0.03	--	--	0.07	0.10	--	--	0.02	0.28	24
25	0.01	0.13	0.20	0.07	0.32	--	0.65	--	--	--	--	0.03	25
26	0.13	0.04	0.69	0.20	0.01	0.03	0.14	--	--	--	--	0.04	26
27	0.12	0.05	0.47	0.25	0.15	0.25	--	--	--	--	0.04	0.10	27
28	0.85	--	0.37	0.12	0.02	0.01	--	--	--	--	0.18	0.12	28
29	0.11	0.01	0.27	0.06	0.25	0.02	0.20	--	--	--	0.09	0.00	29
30	0.13	~~X~~	0.37	0.12	0.02	0.04	--	--	0.35	--	0.12	0.12	30
31	0.09	~~X~~	0.03	~~X~~	0.04	~~X~~	0.03	0.07	~~X~~	0.39	~~X~~	--	31
TOTAL	3.77	2.41	4.65	4.21	2.27	3.17	4.48	2.17	2.14	2.12	1.27	2.38	YEAR'S TOTAL
Days with 0.1 in. or more	52	50	42	32	31	21	23	16	14	11	4	16	35.34
Days with 0.4 in. or more	17	14	17	24	16	11	18	16	13	10	7	12	42
													172

by

14AF0D - YR - ONKSL

1911

Sea Level ft.

1., and the result entered to the
st universal rule, he is earnestly
ing year in the space provided
asurement of rain,
he British Rainfall
e on application to

Jan. 1, following.

Jan. 1, following

IMPORTANT
previous day. If
requested to add
for it at the end
the selection and
Organization are g
Dr. H. R. MILL, 6

1911 - 1920

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2			36				07	18		03	29	16	2
3			15		14		03	06		40		32	3
4			02		82			05	12		14	27	4
5			15		05		01	61	02	02	26	25	5
6	15		03	03	05			1.60		04	09		6
7	26		14					37		01	62	30	7
8	02										32		8
9	32		25								26	43	9
10	02		10								96	55	10
11	07	21	09								03	56	11
12					09						21	40	12
13			30						1.67		31	02	13
14	32		07					11			14	13	14
15		07	02								10	10	15
16	01	20	27							04	33	14	16
17		25	05	12		32				02	14	17	17
18		07				62					48	13	18
19		56	17			07	36			03	11	68	19
20		06	42			10	40		36	01	60	37	20
21		05	34			09		98	19	11	01	36	21
22		03		03	13			03	08	13	05	14	22
23	02	44	01	10	02	12				38	06	42	23
24		(82)				07			12	44		20	24
25	08	09	02	03		1.48		09		29		18	25
26	06	20		21		26		06	68	12		14	26
27		07		21			12	23	18	33	27	10	27
28		47	07	61		13		66	57		09	04	28
29		35		07		18		05				06	29
30						14	62		28	56		15	30
31						11			03	36	04		31
			11		39					13		04	
	1.33	(394)	2.21	2.31	1.59	3.82	161	5.08	4.30	3.45	5.91	6.81	TOTAL for year
	143	16	18	11	8	14	78	14	12	19	24	28	42.36

REGISTER OF RAINFALL IN 1911

Kept at *Glafod-yz. Cnen*
in the County of *Denbigh*
by *H. J. Lloyd* *J. H. Parkin*

Pattern _____
RAIN Diameter of top _____ in.
GAUGE Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			36				07	18		03	29	16	1
2			15		14		03	06		40		32	2
3			02		82			05	12		14	27	3
4			15		05		01	61	02	02	26	25	4
5	15		03	03	05			1.60		04	09		5
6	26		14					37		01	62	30	6
7	02										32		7
8	32		25								26	43	8
9	02		10								96	53	9
10	07	21	09								03	56	10
11					09						21	40	11
12			30						1.67		31	02	12
13	32		07					11			14	13	13
14		07	02								10	10	14
15	01	20	27							04	33	14	15
16		25	05	12		32				02	14	17	16
17		07				62					48	13	17
18		56		17		07	36			03	11	68	18
19		06		42		10	40		36	01	60	37	19
20		05		34		09		98	19	11	01	36	20
21		03			03	13		03	08	13	05	14	21
22	02	44	01	10	02	12				38	06	42	22
23		(82)				07			12	44		20	23
24	08	09	02	03		1.48		09		29		18	24
25	06	20		21		26		06	68	12		14	25
26		07		21			12	23	18	33	27	10	26
27		47	07	61		13		66	57		09	04	27
28		35		07		18		05				06	28
29						14	62		28	56		15	29
30						11			03	36	04		30
31			11		39					13		04	31
Total	1.33	(344)	2.21	2.31	1.59	3.82	161	5.08	4.30	3.45	5.91	6.81	TOTAL for year
No. of Rain Days	14	16	18	11	8	14	78	14	12	19	24	28	423

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
14 MAR 1914

Kept at Hafod yr Oran
in the County of Denbigh
by _____

RAIN GAUGE
Pattern _____
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 1175 ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	.02	.11	.52		.02	.15	.03					.09	2
3	.12		.06	.03	.05	.19		.78	.27			.12	3
4	.46	.04	1.02		.03	.18		.50			.13	.09	4
5	.02	.05	.05	.01	.10	.04	.04	.03	.06		.03	.06	5
6	.29	.07	.06	.02	.10			.37					6
7	.12	.17	.07		.02	.14	.17	.14	.06			.08	7
8	.57	.13	.18	.21	.03	.09		.07	.15				8
9	.12	.05	.17	.40		.30	.01	.01			.11	.17	9
10	.04			.02		.11	.10	.11			.60	.02	10
11	.09	.03					.09				.41	.67	11
12	.05	.46	.02				.07	.10				.34	12
13	.02					.02		.04		.30	.17	.58	13
14	.03		.27			.14		.20	.03	.02	.02	.50	14
15		.07	.10		.08	.31				.03		.37	15
16		.09	.11					.12		.29	.03	.17	16
17	1.02	.50	.06		.02	.52		.26			.13	.49	17
18		.03	.28			.07		.09		.17	.05	.07	18
19		.13	.11			.08	.02	.20		.18		.03	19
20			.12		.07	.10	.02	.10		.40	.08	.05	20
21	.02				.33			.07		.56	.01	.10	21
22		.15	.63	.17	.28	.04	.03	.65		.02		.12	22
23		.03				.20	.18	.61		.02	.41	.06	23
24		.04				.21	.04	.05			.10	.34	24
25	.03		.24			.34		.02			.41	.35	25
26		.21	.20			.05	.11	.63		1.34	.47	.17	26
27		.08	(.33)			.40	1.02			.29	.28	.37	27
28		.15	.05			.11	.30	.23	.04	.19	.20		28
29		.09	.04	.01		.12	.31	.13	.35	.38		.12	29
30	.04		.59			.22	.08			.55	.12	.08	30
31	.03				.13		.60	.10		.14		.13	31
Total	3.09	2.68	(5.66)	.87	1.26	4.19	3.69	5.75	1.02	4.88	3.76	6.01	TOTAL for year 42.86
No. of Rain Days	21	21	27	8	13	25	19	26	8	16	19	28	231

REGISTER OF RAINFALL IN 1912

Form A2.
BRITISH RAINFALL

Kept at _____
in the County of Denbigh 1.
by _____

RAIN GAUGE Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station 2 1/2 } Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	0	38	20	0	6	47	14	6	0	0	27	1
2	2	11	52	0	2	15	3	0	0	0	0	9	2
3	12	0	6	0	5	19	0	38	27	0	0	12	3
4	46	4	102	3	3	18	0	50	0	0	13	9	4
5	2	5	5	0	10	4	4	3	6	0	3	6	5
6	21	7	6	1	10	0	0	37	0	0	0	0	6
7	12	17	7	2	2	14	14	14	6	0	0	8	7
8	57	13	18	0	3	9	0	4	5	0	0	0	8
9	12	5	17	21	0	30	1	1	0	0	11	14	9
10	4	0	0	40	0	11	10	11	0	0	60	2	10
11	9	3	0	2	0	0	9	0	0	0	41	67	11
12	5	46	2	0	0	0	4	10	0	0	0	34	12
13	2	0	0	0	0	2	0	4	0	30	17	58	13
14	3	0	27	0	0	14	0	20	3	2	2	50	14
15	2	7	10	0	8	37	0	0	0	3	0	37	15
16	22	9	14	0	0	0	0	12	0	29	3	17	16
17	104	50	6	0	2	52	0	26	0	0	13	49	17
18	24	3	28	0	0	7	0	9	0	17	5	4	18
19	11	13	11	0	0	8	2	20	0	18	0	3	19
20	0	0	12	0	7	10	2	10	0	40	8	5	20
21	2	0	0	0	32	0	0	7	0	56	1	10	21
22	0	15	63	0	28	4	3	65	0	2	0	12	22
23	0	3	463	17	0	20	18	61	0	2	41	6	23
24	0	4	55	0	0	21	4	5	0	0	10	34	24
25	3	0	24	0	0	34	0	2	0	0	41	85	25
26	0	21	20	0	0	5	11	63	0	134	47	17	26
27	0	8	33	0	0	40	102	0	0	29	28	34	27
28	0	15	5	0	0	11	30	23	19	20	0	0	28
29	0	9	4	0	0	12	31	13	35	30	0	12	29
30	4	0	30	1	0	22	8	0	0	55	12	8	30
31	3	0	26	0	13	60	10	14	14	13	13	13	31
Total	309	268	566	87	126	419	369	575	102	488	376	601	232
No. of Rain Days.	21	21	27	9	13	25	19	26	8	16	19	28	232

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL.

Kept at *Hafod yr Onen*
in the County of *Pembrokeshire*

by

Pattern
RAIN GAUGE Diameter of top *5* in.
Height of top above Ground *1* ft. *0* in.
" " " Sea Level *1175* ft.
Time of Observation
Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. .02	in. .38	in. .17	in. .34	in. .02	in.	in.	in.	in.	in. .01	in. .03	in.	1
2	.04	.13	.44	.04	.30	.03				.02	.04	.12	2
3	.03	.07	.20		.50				.02			.56	3
4	} .69	.27	.08		.23					.19	.03	.49	4
.08		.25		.09	.78	.32	.03		.75	.02	.08	5	
.16		.24		.03	.14	.40		.09	.02	.07	6		
7	.15	.60	.04		.30	.37	.08			.29	.06	.02	7
8		.15		.02	.23		.02	} .49	.06	.58	.09	.04	8
9		.18	.10	.10	.06	.81	.17		.05		.08	.19	9
10	.10		.06		.03		.03			.01	.10		10
11	.26			.35	.02	.18				.07	.26	.09	11
12	.03		.02		.09	.14	.04		1.10	.01	.74		12
13	.01		.31		.02	.07	.03	.16	<u>.21</u>		.31		13
14	.04		.42	.15					.01	.23	.20		14
15	} .28	.05	(.69)	(.64)				.02		.02	.31	.08	15
.21		.29		.02	.03		.09		16			16	
			.29		.08	.08	.02		.29			17	
18			} (.60)	.14	.13	.02	.07				.11		18
19	.10			.05	.02	.23		.04	.22	.16		19	
20	.10		.31	.05	.05	.01		.05	.17	.75		20	
21	} .51		.17	.15	.11		.18	.04		.06	.05		21
.77				.24		.61	.41		.03	22			
23	.24		.01		.04	.06		.21	.25	.02	.11	.04	23
24	.17			.12		.03					.04	.02	24
25				.28					.18	.04	.03	.60	25
26		.07		1.00					.28			.43	26
27	} .19	.03		(.69)						.43		.23	27
.03		.04	.08		.01	.08		.27	28				
29			.28	.34	.11		.02		.70	.11			29
30	.45				.07			.01		.23	.09		30
31	.12		.12		.11					.07			31
Total	3.54	2.20	5.58	5.07	2.56	3.11	1.46	1.68	2.69	4.29	4.12	3.36	TOTAL for year 39.66
No. of Rain Days	23	13	24	18	21	14	13	10	14	22	25	17	214

and for 5 to 15.1.14
REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL.

Kept at Hafod yr Euen

in the County of _____

by _____

Patten
RAIN GAUGE
Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level 1175 ft.

Time of Observation _____

Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. 3	in. 38	in. 14	in. 34	in. 2	in. 0	in. 0	in. 0	in. 0	in. 1	in. 3	in. 0	1
2	4	13	44	4	30	3	0	0	0	2	4	12	2
3	3	7	20	0	50	0	0	0	2	0	0	56	3
4	4	27	58	0	23	0	0	0	0	19	3	49	4
5	29	8	25	0	9	48	32	3	0	45	2	8	5
6	33	16	24	0	3	14	40	0	0	9	2	4	6
7	15	60	4	0	30	34	8	0	0	29	6	2	7
8	0	15	0	2	23	0	2	0	6	58	9	4	8
9	0	18	10	10	6	81	14	0	5	0	8	19	9
10	10	0	6	0	3	0	3	49	0	1	10	0	10
11	26	0	0	35	2	18	0	0	0	4	26	9	11
12	3	0	2	0	9	14	4	0	110	1	44	0	12
13	1	0	31	0	2	4	3	16	21	0	31	0	13
14	4	0	42	15	0	0	0	0	1	23	20	0	14
15	2	5	(-69)	(64)	0	0	0	2	0	2	31	8	15
16	5	0	21	29	0	0	1	3	0	0	9	0	16
17	28	0	29	29	0	0	8	8	2	0	29	0	17
18	0	0	22	14	13	2	4	0	0	0	11	0	18
19	10	0	5	0	2	23	0	0	4	22	16	0	19
20	10	0	31	5	5	1	0	0	5	14	45	0	20
21	0	0	14	15	11	0	18	4	0	6	5	0	21
22	51	0	44	0	0	24	0	61	41	0	0	3	22
23	24	0	1	0	4	6	0	21	25	2	11	4	23
24	17	0	0	12	0	3	0	0	0	0	4	2	24
25	0	0	0	28	0	0	0	0	18	4	3	60	25
26	0	4	0	100	0	0	0	0	28	0	0	43	26
27	0	3	0	(69)	0	0	0	0	0	43	0	23	27
28	19	3	4	8	0	0	0	0	1	8	0	24	28
29	0		28	34	11	0	2	0	0	40	11	0	29
30	45		0	0	4	0	0	1	0	23	9	0	30
31	12		12		11		0	0		4		0	31
Total	354	220	(558)	(507)	256	311	146	168	269	429	412	336	214
No. of Rain Days	23	13	24	18	21	14	13	10	14	22	25	17	214

REGISTER OF RAINFALL IN 1914.

BRITISH RAINFALL FORM A.
8 JAN 1915

Kept at Hafod yr Oner.

in the County of Denbigh

by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 1175 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0	2	11	0	0	4	81	37	0	6	2	65	1
2	0	8	4	1	2	0	66	28	0	4	20	52	2
3	11	0	25	5	38	0	0	0	0	0	1	107	3
4	38	0	19	20	50	0	25	0	0	0	42	41	4
5	24	0	82	42	43	8	11	0	0	6	25	15	5
6	14	9	10	18	13	15	0	3	0	0	9	18	6
7	6	11	32	12	42	22	16	24	0	0	3	40	7
8	9	0	0	21	94	51	0	67	2	0	3	27	8
9	23	13	13	42	12	136	0	7	6	0	27	0	9
10	4	19	6	11	5	3	0	0	11	0	43	0	10
11	0	14	31	0	8	62	197	0	12	0	36	40	11
12	0	56	14	0	1	11	0	0	35	0	81	24	12
13	0	20	19	6	0	0	3	0	24	112	26	15	13
14	0	81	4	0	1	0	0	0	0	15	14	0	14
15	0	5	62	0	0	0	0	0	9	0	2	25	15
16	0	12	7	0	0	0	11	0	44	0	0	13	16
17	8	10	22	0	0	0	2	0	37	0	0	98	17
18	0	0	44	0	0	16	0	0	29	7	0	15	18
19	0	3	11	0	0	0	22	0	28	0	9	43	19
20	0	30	52	0	0	44	0	0	0	0	0	22	20
21	0	17	5	0	0	4	4	0	0	10	0	2	21
22	0	39	2	2	10	14	0	15	0	0	0	0	22
23	0	2	12	4	0	0	15	0	0	0	0	0	23
24	34	5	0	4	0	0	24	0	0	3	17	0	24
25	27	0	4	0	3	0	21	18	0	55	3	33	25
26	4	0	0	0	0	0	28	45	0	33	33	40	26
27	12	2	0	0	0	0	0	0	0	3	28	128	27
28	42	9	11	0	8	0	0	0	1	21	33	45	28
29	45		8	0	1	0	0	0	0	23	26	2	29
30	5		28	0	0	0	0	2	0	3	51	47	30
31	(21)		4		1		29	0		21		2	31
Total	324	367	542	188	332	390	555	246	238	322	534	959	5050
Rain Days.	17	21	27	13	17	13	16	10	12	15	23	25	207

REGISTER OF RAINFALL IN 1915

Kept at Hafod yr Bren
 in the County of Denbigh
 by John Hughes

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	3.8	2.4	0	0	6.6	0	0	9	3.3	1.8	0	8	1
2	4.0	6.0	2.4	4.3	0	0	2.4	13.3	0	2	0	6	2
3	3	1.5	2	1.5	0	0	1.2	0	2	1	1	1.9	3
4	2	1.5	0	0	1.6	4	0	0	0	0	0	10.0	4
5	5	1.5	4.6	0	1.2	2	0	0	0	0	0	4.9	5
6	3.0	1.6	4	2.2	0	0	2.9	5	0	0	0	4.4	6
7	6.3	4.5	0	1.1	0	0	6.4	2.9	0	0	2.1	3.5	7
8	5.9	2.3	0	0	0	0	0	1.9	0	0	4.6	0	8
9	2.8	4.5	0	4.6	0	0	4	0	0	3	4	5.6	9
10	8.4	4	3	2.6	0	0	2	1.6	0	6	4.5	2.1	10
11	1.0	0	1.0	5	0	0	1.3	1.0	0	1.1	0	1.6	11
12	1.0	0	0	0	3.2	0	0	0	0	5	9.9	6	12
13	4	1.56	3	0	0	0	0	1.5	0	0	3.9	1.4	13
14	4.2	0	0	0	0	0	0	4	9	2	2.0	1.4	14
15	8.0	4	0	5	3	0	0	0	8	0	2.6	9	15
16	3.5	3.4	0	0	3.6	0	9.5	4.6	0	0	0	6	16
17	0	6.4	0	0	4.3	0	0	0	0	0	0	2	17
18	4	4.4	1.5	0	0	0	5	0	0	0	0	0	18
19	2	1.1	9	2.3	1.4	0	2.4	0	0	0	0	0	19
20	4.6	2	0	5	0	0	0	1.3	0	0	0	3.3	20
21	4.5	1.4	0	0	3	0	3.9	0	0	1	0	1.4	21
22	2.1	1.8	4	0	0	4	1.4	0	0	5	0	1.4	22
23	0	1.4	3	5	0	2.0	2.3	0	9	0	4	8	23
24	0	0	5	9	0	0	0	0	1.0	5.6	0	4.6	24
25	0	0	0	0	0	2.3	1.1	0	2	0	2.3	2.1	25
26	0	2.5	0	0	0	0	1.2	0	2.0	0	0	4.4	26
27	0	1.9	0	0	0	0	3.5	0	5	3.4	0	4.1	27
28	0	1.1	0	0	0	3	0	2.0	0	4	0	1	28
29	0		4	0	1.0	0	0	3	4.0	0	5	8	29
30	5.0	X	0	1.5	0	0	1.5	5	2.1	1.4	2.1	2.6	30
31	9	X	0	X	0	X	2.0	3.4	X	1.4	X	5.4	31
Total	71.0	72.0	13.8	23.0	23.8	5.9	44.4	36.1	15.9	22.9	33.4	42.4	43.4
Rain Days.	23	23	14	13	14	6	18	15	11	15	14	28	192

REGISTER OF RAINFALL IN 1916

Kept at *Flapod yr. Cnen*
in the County of *Denbigh*
by _____

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. _____ in.
" " " " Sea Level *1175* ft.

4213
432
FORM A.
BRITISH RAINFALL
30 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
[]

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.50	.09	.22			.33	.75	.03		.03	.11		1
2	.50	.20	.57			.03	.01		.93	.85	.17		2
3	.01	.33		.08			.16	.01	1.83	.28	.10	.16	3
4	.24	.05	.03	.09	.56	.61	.12		.08	.24	.22		4
5	.04	.37	.02		.16	.14	.02		.01	.72	.11		5
6	.37	.46			.25	.10	.20			.37	.29	.07	6
7	.02	.07			.16	.09	.02			.27	.24	.32	7
8	.10	.11			.12					.06	.28	.04	8
9	.07	.08			.19				.02		.11	.05	9
10	.04	.54		.12	.03	.05				.14	.04	.03	10
11	.09	.36	.08	.26	.06				.12			.02	11
12	.10	.09	.05	.39	.24		.30	.10	.01	.36		.03	12
13	.04	.16	.04	.35	.02			.65		.63		.01	13
14	.01	.18			.28			.40	.13	.14		.02	14
15		1.07	.26	.21	.02		.07	.19	.13	.30			15
16		.04		.28			.01	.45		.08			16
17	.09	.14		.73				.17	.61	.23			17
18	.02	.53		.65				.04	.59	.14	.41	.10	18
19	.32		.17	.09				.13	.01		.39	.02	19
20	.25		.67	.05							.07	.22	20
21	.60		.08			.03				.02	.18		21
22				.06		.06				.08	.03	.05	22
23			.07	.07				.16		.42	.26	.22	23
24		.19		.09	.68	.12		.15		.13	.03	.09	24
25		.13	.25		.66	.15	.02	.39		.08	.56		25
26	.11	.05	.03		.28	.19	.02	.06		.12	.43		26
27		.04			.06			.07	.28	.68		.02	27
28	.01	.22			.27	.10				.60	.04	.63	28
29		.37	.01			.32				.30		.32	29
30		~~X~~				.19		.08		.39	.02	.24	30
31		~~X~~		~~X~~	.08	~~X~~	.01	.05	~~X~~	.71	~~X~~	.02	31
Total	3.53	5.87	2.96	3.52	4.12	2.51	1.71	3.13	4.75	8.37	4.09	2.68	47.24
Rain Days.	21	24	16	15	18	15	13	17	13	27	21	21	224

REGISTER OF RAINFALL IN 1917

Kept at Hafod yr Onen
in the County of Denbigh
by John Hughes

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

4036
FORM A.
BRITISH RAINFALL.
17 JAN 1919

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	0	0	1	0	4	0	26	23	0	26	29	1
2	14	0	2	4	0	0	0	12	2	4	02	13	2
3	11	10	0	2	0	9	0	5	0	29	03	6	3
4	0	13	7	0	0	0	0	0	0	94	-	0	4
5	48	0	9	16	0	0	0	6	3	56	35	1	5
6	8	0	29	0	0	2	0	0	0	24	52	8	6
7	95	0	0	5	0	0	0	3	1	10	28	9	7
8	7	0	0	29	0	4	0	15	11	69	32	26	8
9	0	0	4	11	9	0	0	27	1	23	78	28	9
10	29	0	46	40	1	0	0	10	0	32	-	0	10
11	17	0	0	0	0	0	0	18	3	40	10	0	11
12	23	4	1	24	43	0	0	3	8	13	-	1	12
13	8	0	0	35	2	0	0	32	21	22	-	9	13
14	6	0	0	5	6	0	0	1	0	10	02	0	14
15	13	0	0	11	0	0	26	7	2	17	-	22	15
16	1	0	0	23	0	0	0	36	2	10	06	23	16
17	3	3	24	55	20	0	29	168	18	24	-	0	17
18	2	0	14	21	5	0	39	15	29	19	-	0	18
19	1	45	38	1	0	14	0	4	5	0	05	0	19
20	0	2	0	0	16	90	18	6	24	2	32	0	20
21	0	4	6	0	0	0	0	3	2	10	05	0	21
22	0	16	0	0	0	3	0	55	18	8	02	0	22
23	0	9	0	0	10	44	2	22	2	13	03	16	23
24	0	0	11	0	0	14	3	33	0	64	19	8	24
25	0	15	20	0	0	1	14	1	5	15	22	0	25
26	0	0	0	0	0	0	19	66	30	16	61	4	26
27	0	0	5	0	106	17	28	54	0	4	08	0	27
28	0	2	23	0	0	0	7	93	0	21	09	0	28
29	0		13	0	0	0	0	8	0	62	03	8	29
30	1	X	23	0	0	0	0	30	0	28	10	6	30
31	0	X	19	X	19	X	2	46	X	1	X	0	31
Total	287	123	330	319	267	211	190	811	213	749	453	217	4170
Rain Days.	17	11	18	16	11	11	11	29	20	29	23	17	213

REGISTER OF RAINFALL IN 1918

Kept at Hafod yr Owen
in the County of Denbigh
by John Hughes

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 175 ft.

FORM A.
BRITISH RAINFALL
4-1-19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	2	1	0	3 6	6	0	3	2	15	7	19	3	1
2	2	3	0	2	0	0	0	12	12	3	2	3 4	2
3	0	5	0	0	5 3	0	0	1	25	3 5	0	0	3
4	2	4	0	0	0	0	0	0	55	42	58	7	4
5	0	5	4	1 7	19	0	0	30	9	79	0	0	5
6	8	6 1	0	4 4	0	9	0	1	14	36	0	5	6
7	0	6	0	19	15	0	0	3	30	17	24	4	7
8	11	35	0	0	0	0	32	0	25	8	3	1	8
9	0	70	0	18	0	138	2	0	68	21	6	11	9
10	12	23	2	5	0	0	17	0	32	13	25	3	10
11	8	13	4	0	14	0	5	0	17	1	0	18	11
12	2	32	0	1	28	0	3	0	14	0	1	5	12
13	5	5	0	7	3	4	0	0	29	2	0	25	13
14	66	0	0	0	0	23	32	3	25	3	0	26	14
15	21	0	0	0	0	0	39	0	130	22	0	23	15
16	0	0	0	0	0	12	31	9	17	14	0	27	16
17	29	0	0	0	0	30	6	5	17	19	0	42	17
18	49	0	5	0	0	10	16	0	15	3	0	49	18
19	18	2	3	10	0	6	35	2	22	5	0	82	19
20	44	48	0	35	32	5	5	0	46	0	0	18	20
21	12	92	0	25	0	4	4	0	63	0	0	6	21
22	9	8	0	0	118	8	8	1	32	0	0	53	22
23	13	0	0	0	80	3	29	0	23	0	3	5	23
24	7	26	0	0	0	0	40	34	8	0	31	17	24
25	0	0	0	0	26	9	37	93	17	1	3	2	25
26	6	8	0	0	0	0	46	6	17	3	0	11	26
27	0	18	29	0	0	6	0	53	36	2	35	65	27
28	0	5	46	0	0	3	0	1	3	1	49	48	28
29	0		13	0	0	0	0	0	42	0	0	8	29
30	0	X	6	0	0	0	0	11	28	4	1	24	30
31	0	X	23	X	0	X	0	6	X	3	X	4	31
Total	326	470	135	219	394	270	390	273	886	347	260	622	4596
Rain Days.	20	21	10	12	11	15	19	18	30	24	14	29	223

REGISTER OF RAINFALL IN 1919

Kept at Hafod yr Oren
in the County of Denbigh
by John Hughes

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	30	0	4	3	60	0	40	0	34	30	1	39	1
2	15	0	45	0	0	0	14	4	4	5	0	23	2
3	2	0	1	0	6	21	20	0	0	0	3	19	3
4	1	4	40	0	3	4	13	10	0	0	12	38	4
5	10	9	0	10	0	0	1	0	12	0	0	38	5
6	2	0	32	0	2	0	0	0	0	2	7	35	6
7	4	0	18	9	0	0	0	0	0	0	1	3	7
8	21	0	4	2	0	26	0	0	0	2	11	0	8
9	78	0	12	17	0	0	0	0	0	0	4	2	9
10	3	0	47	4	0	3	0	0	0	0	0	12	10
11	1	0	67	12	7	0	10	0	0	21	0	11	11
12	3	0	28	11	0	51	0	0	8	76	25	0	12
13	25	2	0	16	0	0	8	0	2	110	0	4	13
14	32	0	0	42	0	0	31	3	0	47	0	7	14
15	45	6	0	84	45	0	0	0	0	39	0	43	15
16	12	67	3	0	0	9	0	0	0	0	41	0	16
17	4	53	2	0	0	6	3	10	0	0	108	2	17
18	4	0	67	0	2	0	16	90	57	0	4	18	18
19	2	48	41	2	0	20	0	17	39	0	28	17	19
20	7	12	62	0	0	19	0	0	38	0	8	55	20
21	2	29	1	0	0	0	25	0	12	0	1	24	21
22	0	28	0	0	0	6	5	9	150	0	5	179	22
23	0	1	0	5	0	34	0	0	0	108	9	15	23
24	0	0	0	9	23	4	0	0	11	95	49	34	24
25	23	0	0	65	0	5	0	32	19	3	19	2	25
26	14	9	46	16	0	12	0	44	2	4	3	35	26
27	22	1	20	29	0	0	0	3	39	0	0	0	27
28	0	0	2	5	0	2	0	123	8	8	0	47	28
29	6		2	23	0	13	0	20	1	14	0	36	29
30	2	X	5	15	0	39	0	2	0	2	35	52	30
31	0	X	42	X	0	X	4	11	X	3	X	14	31
Total	370	264	691	379	148	274	190	378	436	569	374	804	(48.77)
Rain Days.	26	13	23	20	8	17	13	14	16	17	20	27	214

REGISTER OF RAINFALL IN 1920

Kept at *Haydon - yr - Owen*
in the County of *Denbighshire*
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		06	17	50	37		38	10	20	20	02	17	1
2	02	17		11	03		12	03	07	23		18	2
3		13	02		16		110	12	12	46			3
4				12	02		07	45	17	11			4
5			17		13		11	32	30	10			5
6			43	05	11		04			03	01	10	6
7	12	12	08	08	07		19				05		7
8	27		02	37	29		21	24				06	8
9	52	72	03	57			17	37	08		03	04	9
10	102	88	04				12					12	10
11	45	02	22	21	20	41	07	06					11
12	35	07	04	17		98	08	01			14		12
13	17	30	24	23		06					23		13
14	03	04	37	41		27	05		90	13	87		14
15	03	25	05	27	01	07	06		04	12	03		15
16		01	03	21	22	05	38		28		05		16
17	12		03	03	24	06	01	23	49	10			17
18	66			14	100			38	22	07			18
19	03	124		22	45	10		26	05				19
20	15	01		56		02	07	03	33	03		12	20
21				03			54	22				25	21
22	14			06		09	45	47				17	22
23	07		08	01			37					31	23
24	07		59	15			16	08				58	24
25	05	13	39	14	37	05	126					04	25
26	18	15	81	37	03	04	38		02		08	06	26
27	36	16	77	48	15	31	06				03	12	27
28	48	05	53	09	02	12	02				05	21	28
29	12	01	19	11	22	07	45				12	83	29
30	21		71	25	15	06		36	01	19		20	30
31	25		06		01		05	05		47		03	31
TOTAL	587	452	607	594	425	276	697	342	363	206	190	359	5098
Days with 01 in. or more	24	19	24	27	21	16	27	17	15	13	14	18	235
Days with 04 in. or more	20	15	19	24	15	15	25	14	14	10	9	17	197
YEAR'S TOTAL													

REGIS

DENBIGH.
TAL-Y-CARN.
BODNANT HALL.

FORM A2.
BRITISH RAINFALL.

Kept at Bodnant
in the County of Denbigh
by Geo. Gurney

1912-1918

8-1-6 1913
120 ft.
el 120 ft.

Tal-y-Carn
Direction East

IMPORTANT NOTE.—Rain should be measured on the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		4	38			2	7	17	8			11	1
2		26	58		2	20	2					4	2
3	18		1		2	10		62	13			1	3
4	33		124	2	2	16		78	3		22	15	4
5	11	2			1	2			17		5	10	5
6	49	4						24					6
7		32	3		1	14	25	3	1			12	7
8	51	19	8	14		38		42	10				8
9	4	13		24		58		1			1	9	9
10	17			1		23	4	21			27		10
11	1				3		14				9	46	11
12	3	33	3			10	4	3			16	5	12
13	1	3				1		7	1	19		56	13
14	15		2					22		2	3	21	14
15	6	5	10		22	9		2			2	24	15
16	1	15	17					8		17	3	8	16
17	6	47	2		1	36		20			9	27	17
18	59	2	3			2		21		24	1	3	18
19		9	24			1		34		19	2	2	19
20			13		19			20		47	8	16	20
21		1	30		41		6	2		24	2	8	21
22	1	21			18	2	4	43				2	22
23			29			12	3	43		2	23	1	23
24		1	3			32	10			3	35	25	24
25			5			25	12			1	66	28	25
26		14	12			1	23	50		122	91	17	26
27			16			38	120			31	5	48	27
28		22				7	12	26		32	74		28
29		13	2		3	2	36	7	49	24		3	29
30	1		14			31	3			31	7	2	30
31	3		36		6		310	4		13		11	31
Total	280	286	453	41	121	392	595	560	102	411	411	415	TOTAL for year 4267
No. of Rain Days.	18	20	23	4	13	24	17	24	8	16	21	27	215

REGIS

FORM A2.
BRITISH RAINFALL.

Kept at *Bohman-Gardens*
in the County of *Deubighshire 3*
by *Geo. Gurney*

RAIN GAUGE Diameter of top *8* in.
Height of top above Ground *120* ft.
Sea Level *120* ft.
Time of Observation *9.9 a.m.*
Nearest Railway Station { Name *Salz-Cafu*
Distance *1 mile* Direction *West*

8-JAN-1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		4	38			2	7	17	8			11	1
2		26	58		2	20	2					4	2
3	18		1		2	10		62	13			1	3
4	33		124	2	2	16		78	3		22	15	4
5	11	2			1	2			17		5	10	5
6	49	4						24					6
7		32	3		1	14	25	3	1			12	7
8	51	19	8	14		38		42	10				8
9	4	13		24		58		1			1	9	9
10	17			1		23	4	21			27		10
11	1				3		14				9	46	11
12	3	33	3			10	4	3			16	5	12
13	1	3				1		7	1	19		56	13
14	15		2					22		2	3	21	14
15	6	5	10		22	9		2			2	24	15
16	1	15	17					8		17	3	8	16
17	6	47	2		1	36		20			9	27	17
18	59	2	3			2		21		24	1	3	18
19		9	24			1		34		19	2	2	19
20			13		19			20		47	8	16	20
21		1	30		41		6	2		24	2	8	21
22	1	21			18	2	4	43				2	22
23			29			12	3	43		2	23	1	23
24		1	3			32	10			3	35	25	24
25			5			25	12			1	66	28	25
26		14	12			1	23	50		122	91	17	26
27			16			38	120			31	5	48	27
28		22				7	12	26		32	74		28
29		13	2		3	2	36	7	49	24		3	29
30	1		14			31	3			31	7	2	30
31	3		36		6		310	4		13		11	31
Total	280	286	453	41	121	392	595	560	102	411	411	415	TOTAL for year 4067
No. of Rain Days.	18	20	23	4	13	24	17	24	8	16	21	27	215

REGISTER OF RAINFALL IN 1913

Kept at *Bodnant Garden*
 in the County of *Denbighshire*
 by *George Gurney*

Lat. _____ Long. _____
 Time of Observation *9 a.m.*
 Nearest Railway Station *Taly-Cafu*
 Diameter of Rain Gauge *8* in.
 Height of top of Gauge above Ground _____ ft. *18* in.
 " " " " Sea Level _____ ft.

FORM A
 BRITISH RAINFALL
 16 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1	4	27	19	—	—	—	—	—	—	19	—	1
2	8	13	15	8	7	6	—	—	—	—	46	—	2
3	22	2	33	—	44	—	2	—	—	8	—	78	3
4	45	6	5	—	15	—	4	—	—	2	6	47	4
5	48	10	17	—	17	15	18	—	—	26	7	2	5
6	17	23	52	—	13	26	36	—	—	3	14	13	6
7	5	80	1	—	26	38	13	—	—	28	9	2	7
8	—	16	5	—	10	—	2	5	9	7	—	—	8
9	—	11	11	12	5	48	7	43	10	—	9	22	9
10	12	1	3	—	4	1	3	12	—	—	8	—	10
11	48	—	—	37	4	9	1	1	—	6	22	1	11
12	3	1	1	—	12	11	—	—	187	—	77	—	12
13	—	1	30	3	24	—	7	8	28	1	28	—	13
14	6	—	17	9	—	—	—	7	6	20	3	—	14
15	26	4	28	85	—	—	—	—	—	1	9	3	15
16	—	—	2	9	—	—	—	—	—	—	2	—	16
17	6	—	10	10	—	—	6	—	6	—	28	—	17
18	1	—	48	24	15	1	8	—	27	—	26	—	18
19	8	—	1	—	—	27	—	—	2	48	9	—	19
20	2	—	16	3	1	—	3	—	1	10	41	—	20
21	—	—	6	7	9	1	49	5	—	8	7	—	21
22	29	—	93	—	—	24	—	80	30	—	—	—	22
23	3	—	2	—	—	6	—	13	13	—	2	2	23
24	33	—	—	10	—	11	—	—	—	—	8	3	24
25	—	1	—	9	—	—	—	—	9	1	1	9	25
26	1	1	—	95	—	—	—	—	39	2	—	60	26
27	—	—	—	15	—	—	—	—	—	16	—	5	27
28	15	—	5	12	—	—	—	—	—	25	—	12	28
29	1	—	5	58	6	—	—	1	—	61	3	4	29
30	71	—	—	—	3	—	—	—	—	5	10	—	30
31	15	—	3	—	—	—	—	—	—	6	—	—	31
Total	426	174	436	425	215	224	159	175	367	284	394	263	3542
Rain Days.	24	15	25	18	17	14	14	10	13	20	24	15	209

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1914

Kept at Poduauit Garden
in the County of Denbighshire
by George Gurney

Lat. _____ Long. _____
Time of Observation 9-a.m.
Nearest Railway Station Jellicote
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground _____ ft. 18 in.
" " " " Sea Level 120 ft.

FORM A.
BRITISH RAINFALL
7 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1	21	2			14	111	23		1		57	1
2		1	1		2		35	6		2	6	48	2
3	2		33	2	30		-					190	3
4	37		6	22	15		7				15	47	4
5	6		12	6	10	2	3	1		9	24	7	5
6	4	5	4	7	8	2		2			14	35	6
7		30	14	3	35	9	13	9				33	7
8	14	2		15	66	23		29	6		1	20	8
9	39	8	12	30	11	148		4	1		15		9
10	3	47	9	2		2			17	1	1		10
11		11	39		9	31	18		32		70	38	11
12		47	14		3	5	6		25		30	7	12
13		7	24				3			11	26	9	13
14		60	6						7	2	31	1	14
15		5	24						2		17	14	15
16		3	-				1		101			5	16
17	2	44	13			2	5		31	3		92	17
18		4	33						10	7		21	18
19		1	24				12		37		3	28	19
20		56	32			28	12	6				23	20
21		7				1		2		4			21
22		41		4	16	5		9					22
23		1	3	1	1		7	3			1		23
24	3			2			30				10		24
25	21	1					26	29		48	4	30	25
26		1					46	23		21	20	55	26
27	6									25	41	55	27
28	14	13	7		6				2	3	13	43	28
29	23		21		5			6		14	30	63	29
30	6	X	13					2		3	43	63	30
31	41	X	2	X	2	X	46		X	11	X	4	31
Total	222	416	348	94	219	272	381	154	271	165	415	925	YEAR'S TOTAL 3882
Rain Days.	16	23	23	11	15	13	17	15	12	16	21	24	206

REGISTER OF RAINFALL IN 1915

Kept at *Poduaut Hall, Taly-Capn*
in the County of *Denbighshire*
by *George Gueney*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Taly-Capn*
Diameter of Rain Gauge *8* in.
Height of top of Gauge above Ground *1* ft. *6* in.
" " " " Sea Level *120* ft.

4303
BRITISH RAINFALL
FORM A.
4-FEB 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	57	9	-	-	36	-	1	25	47	19	-	5	1
2	36	52	6	23	-	-	11	65	26	-	-	1	2
3		18	1	12	-	-	19	2	15	-	-	35	3
4	1	5	-	-	24	1	-	1	5	-	-	100	4
5	1	11	15	4	8	-	-	2	-	-	-	99	5
6	8	50	6	31	-	-	25	1	-	-	-	29	6
7	31	63	-	2	-	-	58	11	-	-	-	14	7
8	15	35	-	-	-	-	-	59	-	18	58	-	8
9	22	23	-	35	-	-	-	-	-	-	2	23	9
10	45	15	1	30	-	-	-	4	-	5	2	18	10
11	1	-	-	3	21	-	6	31	-	7	57	19	11
12	4	-	-	32	20	-	1	21	-	17	209	14	12
13		36	-	1	-	-	6	-	1	-	24	12	13
14	8	-	-	-	4	-	-	14	5	-	40	8	14
15	59	-	-	1	-	-	1	-	1	-	18	7	15
16	1	72	-	1	21	-	45	35	-	-	-	9	16
17		65	17	-	53	-	-	-	-	-	-	2	17
18	1	43	7	-	-	-	-	-	-	-	-	-	18
19		-	3	31	15	-	10	-	-	-	-	2	19
20	12	-	-	5	-	-	-	2	-	-	-	26	20
21	34	3	-	-	-	-	6	-	-	2	-	17	21
22	23	9	2	-	-	12	5	-	-	1	-	22	22
23	1	30	12	2	-	49	7	-	2	36	3	5	23
24		-	3	12	-	-	16	-	3	16	-	45	24
25		-	1	-	-	20	-	-	14	-	8	33	25
26		40	-	-	-	22	23	-	14	-	-	74	26
27		8	-	-	-	-	26	-	-	32	-	75	27
28		4	-	-	-	10	-	57	7	3	-	1	28
29		-	-	-	6	25	-	2	11	-	2	7	29
30	17	-	-	1	-	-	-	2	2	5	19	26	30
31	9	-	-	-	-	-	15	30	-	4	-	110	31
Total	386	591	74	226	208	139	281	364	153	165	442	838	38'67
Rain Days.	21	20	12	17	10	7	18	18	14	13	12	29	191

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916

Kept at Rodnant Hall
in the County of Denbighshire
by George Gurney

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Tal-y-Cafn
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
Sea Level 120 ft.

FORM A.
BRITISH RAINFALL
17 JUL 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	43	—	18	—	—	10	54	—	—	1	11	—	1
2	19	34	86	—	—	1	12	—	90	88	11	1	2
3	—	76	—	13	2	1	46	—	107	14	49	17	3
4	16	6	3	13	71	46	—	—	6	8	18	—	4
5	—	30	—	—	24	11	—	—	—	44	11	—	5
6	20	39	—	—	25	—	17	—	—	15	52	2	6
7	1	8	5	—	23	3	3	—	—	15	26	23	7
8	5	1	27	—	6	—	—	—	—	1	31	1	8
9	1	10	—	—	21	—	—	—	9	—	17	2	9
10	1	50	—	12	1	—	2	—	—	16	—	—	10
11	5	17	15	14	6	1	—	—	5	—	—	4	11
12	10	19	7	10	11	—	28	—	2	10	—	—	12
13	2	8	5	20	—	—	—	21	—	19	—	2	13
14	—	25	—	1	14	—	—	12	—	16	—	4	14
15	—	10	36	13	7	—	6	40	5	14	—	—	15
16	1	5	—	8	—	—	1	28	1	12	—	—	16
17	6	9	—	63	—	—	—	—	33	28	—	—	17
18	5	31	—	47	—	—	—	4	24	6	46	4	18
19	32	—	12	15	—	—	—	6	—	—	51	12	19
20	25	—	58	1	—	—	—	—	—	—	5	29	20
21	17	—	11	—	1	1	—	—	—	—	8	—	21
22	—	—	—	—	—	7	—	—	—	9	—	2	22
23	19	—	2	12	—	11	—	12	—	19	39	24	23
24	—	26	—	32	68	—	—	12	—	6	1	3	24
25	—	6	12	—	45	15	—	32	—	2	36	1	25
26	14	3	18	—	—	5	—	1	—	5	6	—	26
27	1	14	—	—	15	3	—	8	29	59	—	1	27
28	2	19	2	—	26	18	—	—	—	35	—	23	28
29	—	84	—	—	—	25	—	—	—	23	—	26	29
30	—	X	—	—	—	13	—	—	—	126	—	2	30
31	—	X	—	X	5	X	—	4	X	74	X	—	31
Total	245	530	317	274	371	171	169	180	311	605	418	183	YEAR'S TOTAL 3774
Rain Days.	21	23	16	15	18	16	9	12	11	26	17	20	204

REGISTER OF RAINFALL IN 1917.

Kept at Bodnant Gardens, Tal-y-cafn
 in the County of Denbighshire
 by George Gubney

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Tal-y-cafn
 Diameter of Funnel of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. _____ in.
 " " " " Sea Level 120 ft.

FORM A.
 BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	35	-	7	-	13	19	-	19	16	1
2	5	-	-	-	-	1	-	4	-	14	1	9	2
3	2	13	-	1	-	3	-	-	-	17	-	3	3
4	-	30	1	-	-	-	-	-	-	82	-	1	4
5	13	-	-	19	-	-	-	2	1	48	38	-	5
6	6	-	12	-	-	3	-	-	-	14	29	2	6
7	54	-	-	-	-	-	-	4	1	17	7	4	7
8	4	-	-	17	-	-	-	27	-	59	12	28	8
9	-	-	1	6	8	-	-	7	-	17	37	6	9
10	22	-	115	63	1	-	-	12	-	17	-	-	10
11	6	-	-	3	3	-	-	9	-	38	6	-	11
12	10	-	-	15	87	-	-	-	2	43	-	-	12
13	-	-	-	13	-	-	-	5	17	41	3	17	13
14	-	-	-	4	2	-	8	14	-	13	-	8	14
15	12	-	-	-	1	-	1	13	-	13	-	41	15
16	-	3	15	33	-	-	-	60	1	4	1	69	16
17	6	1	5	35	21	-	10	81	2	11	-	-	17
18	-	-	-	7	1	-	27	2	5	3	-	-	18
19	-	26	36	-	-	-	-	-	1	-	-	-	19
20	-	5	-	-	10	113	2	-	25	6	48	-	20
21	-	3	14	-	-	1	-	5	-	2	1	-	21
22	-	3	-	-	-	-	-	54	6	10	1	-	22
23	-	3	-	-	3	38	2	15	2	10	-	3	23
24	-	-	2	-	-	-	-	9	-	26	12	3	24
25	-	10	10	-	-	25	11	13	-	10	6	-	25
26	-	-	-	-	-	5	-	32	17	12	44	2	26
27	-	-	5	-	112	2	21	60	-	7	-	-	27
28	-	-	20	-	-	-	3	85	-	23	-	1	28
29	-	-	4	-	-	-	-	2	-	75	-	6	29
30	-	X	43	-	-	-	-	16	-	9	10	-	30
31	-	X	46	X	45	X	-	54	X	-	X	3	31
Total	140	97	329	251	294	198	85	598	99	641	275	222	3229
Rain Days.	11	10	15	13	12	10	9	25	13	28	17	18	181

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1918

Kept at Boquant Garden
in the County of Denbighshire
by George Gurney

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Valley-Capn
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		4		10	7			33	16		21		1
2	14	14		2				2			2	18	2
3		18			60				13	31			3
4		3			4			1	33	76	69	7	4
5		10	4	4	21			33	5	42	2	5	5
6	2	67		24		5		2	1	53		14	6
7	8	5		5	11			1	60	23	44	4	7
8	24	31				4	33		35	4	1		8
9		77		20		95			53	14	3	9	9
10	13	27	2	3			21		20	9	34	8	10
11	6	2	10		4		16		3	5		11	11
12	2	33			27		57		5				12
13	3	10			8	1			52	4			13
14	101					6	18		21			35	14
15	27			3			55		116	42		50	15
16						16	18	2	25	9		31	16
17	17						13		13	33		27	17
18	22	10	1			9			5	7		46	18
19	21	2	1	13			29		22	6		50	19
20	77	49		17	67	8	5		24			5	20
21	43	29		13		3	3		90			3	21
22	1				59	12	12		12			47	22
23	2				146	2	18		9		2	4	23
24	7	27						24	1		14	28	24
25					47	1	3	61	15	5	4	1	25
26	6	1					12	3	25		1		26
27		16	23			10		16	24		18	32	27
28		27	33					1			34	15	28
29			5						58			6	29
30		X	4					2	13	6		16	30
31		X	12	X		X		5	X	3	X	1	31
Total	396	462	95	114	461	172	307	186	769	372	249	473	YEAR'S TOTAL 4056
Rain Days.	19	21	10	11	12	13	15	14	28	18	14	25	200

WDens
Kept at Greenfield
in the County of ...
by Lt Colonel

DENBIGH.
TREFNANT
"GREENFIELD"
1912

3
g. 9 A.M.
Trefnant - $\frac{1}{4}$ mile
e. fur in.
above Ground 6 ft. 6 in.
" Sea Level 220 ft.
and the result entered to the
universal rule, he is earnestly

FORM A.
BRITISH RAINFALL
11 JAN 1912
Jan. 1, following.
(10)

IMPORTANT
previous day. If an Observer prefers
requested to add the reading at 9 a.m. on 1st January of the following year in the space provided
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			.02			.14	.10	2.06	.07		.03		1
2			.05			.05	.24	.06	.11			.22	2
3		.14	.11			.18	.07		.01			.07	3
4	.23					.14		.88	.06			.05	4
5	.21		.60	.02	.09	.18		.61	.01		.05	.03	5
6	.15				.11	.03		.02	.10		.04		6
7	.33	.03	.01		.04			.20	.04				7
8		.09			.02	.15	.04	.06	.05			.04	8
9	.25	.07	.11	.04		.15		.07	.19				9
10	.12	.01	.07	.26		.57						.08	10
11	.03		.01			.31	.02	.21			.82	.01	11
12	.04				.04		.04				.07	.48	12
13		.21	.02			.18		.04				.04	13
14		.01				.01		.24		.11	.05	.05	14
15			.08					.08		.01		.05	15
16	.14	.01	.29	.05	.05	.10		.04			.03	.09	16
17	.08	.02	.02	.0	.05			.01		.26	.03	.01	17
18			.01			.23		.22			.08	.15	18
19	~~snail~~ .55	(51)						.01		.09	.01		19
20	~~snail~~ .08					.02		.13		.17	.02	.01	20
21	.02		.05		.06		.02	.18		.38	.03	.02	21
22			.07		.49		.10	.20		.35	.04	.05	22
23					.37	.02	.04	.48				.05	23
24			.23			.02	.12	.40			.12	.01	24
25	.02		.03			.06	.02	.14		.05	.02	.24	25
26	.01		.06			.18					.50	.20	26
27		.08	.08			.07	.68	.40		.89	.24	.17	27
28			.11			.18	.91			.28		.09	28
29		.06				.01	.14	.05		.20	.34	.01	29
30							.07	.18	.25	.18		.03	30
31	.01		.16				.86	.07		.17		.01	31
Total	2.27	1.24	2.40	.32	1.32	2.95	2.62	6.97	.89	3.14	2.52	2.26	28.90
Rain Days	16	(16)	22	3	10	22	16	25	10	13	18	26	196

Kept at Greenfield, Trefnant
in the County of Denbigh
by Lt Colonel J. H. Hamerley

Time of Observation 9 A.M.
Nearest Railway Station Trefnant - 1/4 mile
Diameter of Rain Gauge four in.
Height of top of Gauge above Ground 6 ft.
" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
(-10)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			.02			.14	.10	2.06	.07		.03		1
2			.05			.05	.24	.06	.11			.22	2
3		.14	.11			.18	.07		.01			.07	3
4	.23					.14		.88	.06			.05	4
5	.21		.60	.02	.09	.18		.61	.01		.65	.03	5
6	.15				.11	.03		.02	.10		.04		6
7	.33	.03	.01		.04			.20	.04				7
8		.09			.02	.15	.04	.06	.05			.04	8
9	.25	.07	.11	.04		.15		.07	.19				9
10	.12	.01	.07	.26		.57						.08	10
11	.03		.01			.31	.02	.21			.82	.01	11
12	.04				.04		.04				.07	.48	12
13		.21	.02			.18		.04				.04	13
14		.01				.01		.24		.11	.05	.05	14
15			.08					.08		.01		.05	15
16	.14	.01	.29	.05	.05	.10		.04			.03	.09	16
17	.08	.02	.02	.0	.05			.01		.26	.03	.01	17
18			.01			.23		.22			.08	.15	18
19	Snow .55							.01		.09	.01		19
20	Snow .08					.02		.13		.17	.02	.01	20
21	.02		.05		.06		.02	.18		.38	.03	.02	21
22			.07		.49		.10	.20		.35	.04	.05	22
23					.37	.02	.04	.48				.05	23
24			.23			.02	.12	.40			.12	.01	24
25	.02		.03			.06	.02	.14		.05	.02	.24	25
26	.01		.06			.18					.50	.20	26
27		.08	.08			.07	.68	.40		.89	.24	.17	27
28			.11			.18	.91			.28		.09	28
29		.06				.01	.14	.05		.20	.34	.01	29
30							.07	.18	.25	.18		.03	30
31	.01		.16				.01			.17		.01	31
Total	2.27	1.24	2.40	.32	1.32	2.95	2.62	6.97	.89	3.14	2.52	2.26	28.90
Rain Days.	16	(16)	22	3	10	22	16	25	10	13	18	26	196
	2.27	1.26	2.38	.32	1.46	2.91	4.58	4.98	.82	3.17	2.49	2.36	29.00

slip made
Kept at Maes Elwy
in the County of Denbigh
by late Maj R. F. B.

REGIST

DENBIGH
TREFNANT

"MAES-ELWY"

1915-1920

4296
Form A.
BRITISH RAINFALL

in.
nd 1 ft. 3 in.
Level 150 ft.

IMPORTANT NOTE.—
previous day. If an Observer

requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

result entered to the
rule, he is earnestly

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.22	.3	.7		.35			.11	.49			.5	1
2	.8	.36	.12	.17			.28	1.22					2
3	.10	.3		.4								.6	3
4		.14			.16							.75	4
5		.4	.13		.17			.14				.29	5
6	.15	.9	.2	.23								.40	6
7	.35	.18					.53					.8	7
8	.17	.16						.13			.30	.12	8
9	.4	.28		.35							.10	.6	9
10	.39			.30						.4	.5	.29	10
11				.2	.19		.7				.33	.8	11
12	.7			.13	.19			.43			1.05	.13	12
13	.4	.46		.2							.19	.3	13
14		.5			.4							.7	14
15	.58				.3			.60				.9	15
16	.6	.14			.3		.48						16
17		.37	.9		.20								17
18		.34			.5								18
19			.9	.12									19
20	.5			.3								.16	20
21	.21			.5			.7					.15	21
22	.2	.6	.10			.10						.2	22
23		.41	.7	.3		.11				.43		.20	23
24				.14						.35	.25	.37	24
25			.13			.28	.4					.17	25
26		.9										.6	26
27		.17				.15	.13		.47	.10			27
28		.10						.25					28
29						.26		.5					29
30	.11	X		.4					.21		.6	.20	30
31	.14	X		X		X	.36	X		X		.28	31
Total	2.78	3.50	.82	1.70	1.81	.90	1.67	3.29	1.17	1.22	2.63	4.11	YEAR'S TOTAL 25.60
Rain Days.	17	19	9	14	10	5	8	9	3	4	8	23	129

REGIST

Kept at *Mass Bluff*
in the County of *Dunkirk*
by *Lat. 42° 7' N. Long. 71° 15' W.*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Interp. and*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *3* in.
" " " " Sea Level *150* ft.

Form A.
BRITISH RAINFALL
JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.22	.3	.7		.35			.11	.49			.5	1
2	.8	.36	.12	.17			.28	1.22					2
3	.10	.3		.4								.6	3
4		.14			.16							.75	4
5		.4	.13		.17			.14				.29	5
6	.15	.9	.2	.23								.40	6
7	.35	.18					.53					.8	7
8	.17	.16						.13			.30	.12	8
9	.4	.28		.35							.10	.6	9
10	.39			.30						.4	.5	.29	10
11				.2	.19		.7				.33	.8	11
12	.7			.13	.19			.43			1.25	.13	12
13	.4	.46		.2							.19	.3	13
14		.5			.4							.7	14
15	.58				.3			.60				.9	15
16	.6	.14			.3		.48						16
17		.37	.9		.20								17
18		.34			.5								18
19			.9	.12									19
20	.5			.3								.16	20
21	.21			.5			.7					.15	21
22	.2	.6	.10			.10						.2	22
23		.41	.7	.3		.11				.43		.20	23
24				.14						.35	.25	.37	24
25			.13			.28	.4					.17	25
26		.9										.6	26
27		.17				.15	.13		.47	.10			27
28		.10						.25					28
29						.26		.5					29
30	.11	X		.4					.21		.6	.20	30
31	.14	X		X		X	.4	.36	X		X	.28	31
Total	2.78	3.50	.82	1.70	1.81	.90	1.67	3.29	1.17	1.22	2.63	4.11	YEAR'S TOTAL 25.60
Rain Days.	17	19	9	14	10	5	8	9	3	4	8	23	129

REGISTER OF RAINFALL IN 1916

Kept at

Mass Hwy. 81 Asaph

in the County of

Franklin

by

[Signature] M Birch

Lat.

Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge

in.

Height of top of Gauge above Ground

ft.

in.

Sea Level

ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.35		.12			.4	.18				.18		1
2	.8	.10					.32		.93	.92	.8		2
3		.15	.33						1.50	.21	.5	.9	3
4		.42	.9	.14	.52				.15	.8	.13		4
5		.33		.2	.15					.19	.6		5
6	.14	.7			.32		.25			.7	.19	.4	6
7	.8				.44		.4			.9	.17	.31	7
8	.3		.15		.3	.11					.15		8
9	.2	.17	.2		.29				.7		.4		9
10		.55	.3	.11	.4		.13						10
11	.11	.21	.11	.21	.17				.8				11
12	.3	.4	.3	.5	.39								12
13		.14	.4				.28	.21		.26			13
14		.12			.9			.9		.9			14
15		.21	.20	.12 ^x	.5		.6	.32		.23			15
16		.7		.17 ^x			.7	.41		.35		.11	16
17		.8		.59					.58	.37			17
18	.2	.26		.29				.10	.30	.6	.19		18
19	.11		.14	.21				.17		.8	.31		19
20			.42	.5				.12			.19		20
21			.11					.30			.6		21
22						.11					.8		22
23										.10	.11		23
24		.5	.2	.78						.14		.11	24
25		.16	.19	.28		.27							25
26			.7		.12	.12		.3		.9	.7	.28	26
27		.2			.6			.2	.22	.53	.4		27
28		.17			.6			.3		.30		.21	28
29		.41				.33				.9		.13	29
30		X				.13				.66			30
31		X		X		X			X	.5	X	.3	31
Total	1.16	3.73	2.07	3.02	2.73	1.69	1.33	1.80	3.83	4.96	1.83	1.58	29.73
Rain Days.	12	20	16	13	14	10	8	11	8	21	15	11	159

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1917

Kept at Maesbury St Asaph
in the County of H Flint Denbigh
by William Birch

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
JAN. 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.29		.3		.50			.19		1
2				.5				.10			.5	.33	2
3	.2							.12		.17		.4	3
4	.4		.11					.2		.65			4
5	.20							.11		.35			5
6	.2									.69	.58		6
7	.64		.31							.26	.17		7
8	.3		.4	.28					.10	.84	.13		8
9				.18				.26		.28	.48		9
10	.15		.52	.31				.10		.18			10
11				.9						.23	.5		11
12	.4			.18	.10			.21		.75			12
13				.8				.9		.20	.7	.17	13
14				.6	.12					.8		.7	14
15				.11				.2	.3	.10			15
16				.14				.10		.5		.15	16
17			.16	.32			.29	.98		.17		.32	17
18			.13	.12	.36		.23		.4				18
19		.35	.20			.9		.3					19
20		.10			.29			.13	.5	.13			20
21		.2	.10							.11	.42		21
22		.3						.23		.9			22
23		.13					.4			.21	.9	.7	23
24			.4		.15		.27			.25	.15		24
25		.17	.9					.7		.6	.14		25
26								.93		.19	.27		26
27			.2		1.37			.52		.4	.10		27
28			.15				.7	.88		.38		.8	28
29		.2					.13	.5	.10	.50			29
30		X	.67		.7			.10		.5	.7		30
31		X	.39	X		X		.31	X		X		31
Total	1.17	1.32	2.96	2.21	2.56	.12	1.03	5.86	.35	6.32	2.96	1.23	28.09
Rain Days.	8	7	14	13	9	2	6	22	5	26	15	8	135

REGISTER OF RAINFALL IN 1918

Kept at Maesbury
in the County of Devon
by Mrs Birch

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Plymouth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 195 ft.

Jan. 1, following.

8

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1				11	6			4	39		25		1
2													2
3					39				27	14			3
4		2							13	25	11		4
5	6	6		2	25			6	3	20			5
6		41		20		10		9	8	23			6
7				5	16				11	14	16		7
8	8	10					11		33	30	3		8
9	2	6		7		60			72	26		2	9
10	9	5		35			27		8	5	11	4	10
11		7			8		9		2			6	11
12		22	11						9				12
13					29				22	12			13
14	19					14	15		48	3		22	14
15	28					8	30		65	45		36	15
16						95	55		20	5		31	16
17	42					3	3		3	15		20	17
18	25					4			15			28	18
19	5			10			23		6	5		57	19
20	19	57		31		7			19			64	20
21	11	23		11	31		2		13			15	21
22					10		15		28			31	22
23	2				98		24		8			10	23
24		21			111		1	23	15		45	79	24
25							12	65	1		31	5	25
26							18	14	4			11	26
27		19	27			17		24	29		8	25	27
28			18									32	28
29			6					2	15		10	3	29
30		X	5					15	25		14	11	30
31		X	26	X		X		12	X	5	X	2	31
Total	1.76	2.78	.93	1.32	3.73	2.18	2.45	1.80	5.60	2.46	1.74	4.34	31.09
Rain Days.	12	12	6	9	10	9	14	11	28	15	10	21	157

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1920.

Kept at Mars-Eury, Hampshire
 in the County of Portsmouth
 by M. Birch

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Portsmouth
 Diameter of Funnel of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft. _____ in.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain; the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			15	9	14		21	6		29		9	1
2					7		39	8	23	38		8	2
3	3	17		37	3	3	94		14	15		2	3
4					7		5	21	5	24			4
5			8		2		12	9	21	2			5
6			35	2						37		8	6
7		11	2	6	5		24			2			7
8	20			35	10		1						8
9	14			56			7	17	5				9
10	28	59		4			8						10
11	17	5	8	18	15	12	1	9			11		11
12	15	2	13		7	11	2	2			2		12
13	19	17	7	1		12					2		13
14		4	45	6					18	1	26		14
15		13	7	8					2				15
16			3	9	24	4	23		8	19			16
17				7	27	28	62		13				17
18	32			11	18	31		9	74				18
19	5	126		4	11	9		15	2				19
20	2			21			5	29	80			8	20
21				3			55	3				23	21
22	8			6			12	73					22
23				3			55	2				25	23
24	8		56				1					25	24
25		16	22	12	81		127					2	25
26	8	3	77	23	23	7	2				7		26
27	30	6	61	36	28	27	2						27
28	46	2	50	7		7					22	11	28
29	11		16	8	114		30				5	61	29
30	9		46	36		5			32		12	6	30
31	11							9		12			31
TOTAL	2.91	2.81	4.73	3.62	3.83	2.47	5.89	2.12	3.57	1.69	2.87	2.06	36.57
Days with 0.1 in. or more	51	42	84	70	56	21	22	14	13	10	17	15	183

FORM A. 1. METEOROLOG
REG

Kept at Trefnant N. 4
in the County of Denb
by Head Teacher

TREFNANT
TRINITY SCHOOL
DENBIGHSHIRE

1920

4313/5 31 JUN 1921
ANIZATION
DENBIGH L.E.A.
Received 11 JUN 1921
Ack.
Trefnant L.N.W.R.
Gauge 3 in.
e Ground 1 ft 3 in.
Sea Level ft.
tered to the previous day.

IMPORTANT NOTE.—R
If an Observer prefers not to c
the reading at 9 a.m. on 1st Ja
this paragraph. Full instruction
and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers,"
sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden
Square, London, N.W. 1.

Jan. 1, following.
-10-

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.2				.13		.12		.11	.18	1
2				.25	.20		.10		.22	.50			2
3					.27		.30	.10	.20	.30			3
4					.04	.03	.80	.01	.10	.46			4
5					.01		.20	.27	.00	.15			5
6					.02		.13	.11	.19	.30			6
7			.3				.02			.05			7
8			.2				.22	.01					8
9								.01					9
10					.18		.25	.22	.05				10
11													11
12					.25		.11	.13			.02		12
13						.25	.05	.01					13
14													14
15			.08			.11			.75		.46		15
16			.11				.03						16
17					.27		.01		.20				17
18					.25	.57		.07	.25				18
19				.17	.80	.35	1.04	.15	.30				19
20				.10		.13		.44	.34				20
21				.23	.18		.07		.49				21
22				.08			.70	.30			.50	.50	22
23				.05				.52				.20	23
24							.80	.01				.30	24
25													25
26		.16		.16	.30		1.30						26
27		.14		.19	.23								27
28				.38	.46	.31				.25			28
29				.01		.03					.18	.30	29
30				.25	.75	.02					.18	.49	30
31					.01							.20	31
TOTAL	(3.00)	.30	7	2.06	3.42	2.80	6.26	2.36	3.21	2.00	1.45	2.17	YEAR'S TOTAL (36.93)
Days with '01 in. or more		2	3	13	16	9	18	15	12	7	6	7	26.73

REGISTER OF RAINFALL IN 1920

4313/5 31 JUN 1921

DENBIGH L.E.A.

Received 11 JUN 1921

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Trefnant L.N.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

Sea Level ft.

Kept at Trefnant N.P. School.
in the County of Denbigh.
by Head Teacher

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

-10-

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.2				.13		.12		.11	.18	1
2				.25	.20		.10		.22	.50			2
3					.27		.30	.10	.20	.30			3
4					.04	.03	.80	.01	.10	.45			4
5					.01		.20	.27	.00	.15			5
6					.02		.13	.11	.19	.30			6
7			.3				.02			.05			7
8			.2				.22	.01					8
9								.01					9
10					.18		.25	.22	.05				10
11													11
12					.25		.11	.13			.02		12
13						1.25	.05	.01					13
14													14
15				.08		.11			.75		.46		15
16				.11			.03						16
17					.27		.01		.20				17
18					.25	.57		.07	.25				18
19				.17	.80	.35	1.04	.15	.30				19
20				.10		.13		.44	.34				20
21				.23	.18		.07		.49				21
22				.08			.70	.30			.50	.50	22
23				.05				.52				.20	23
24							.80	.01				.30	24
25													25
26		.16		.16	.30		1.30						26
27		.14		.19	.23								27
28				.38	.46	.31				.25			28
29				.01		.03					.18	.30	29
30				.25	.75	.02					.18	.49	30
31					.01							.20	31
TOTAL	(3.00)	.30	7	2.06	3.42	2.80	6.26	2.36	3.21	2.00	1.45	2.17	YEAR'S TOTAL (36.93)
Days with .01 in. or more	2	3	13	16	9	18	15	12	7	6	7		26.73

REG

DENBIGH.
WREXHAM.
BROUGHTON.

Kept at

in the County of

by

in.

und 1 ft. in.

Level 500 ft.

ne Res Power C.W.12.

tance $\frac{1}{2}$ Mile Direction SSE.FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

No rain

1912

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.07				.07	.03		.01	.09	.05	1
2			.09		.11		.24			.16		.23	2
3				.03	.39		.03		.06		.05		3
4			.02		.03			.10	.07		.14	.33	4
5	.07							.53		.14	.01	.01	5
6	.14		.06					.13		.02	.23	.65	6
7											.36		7
8	.21		.20								.08	.70	8
9											.14	.17	9
10		.05	.03						.08		.02	.55	10
11	.09								.05		.73	.04	11
12			.27						<u>.00</u>		.40		12
13											.08	.09	13
14		.08	.05				.01					.45	14
15		.05	.03		.16					.03	.05	.12	15
16			.02	.04		.21				.05	.07	.10	16
17					.04	.66					.35	.17	17
18		.30		.21		.10				.07	.08	.36	18
19		.03		.17		.08	.01		.20	.35	.32	.38	19
20		.10		.08			.01	.60	.02	.08		.22	20
21		.62				.03	.02	.03		.23		.02	21
22		.01								.32	.02	.38	22
23		.22	.17			.05			.36	.05		.18	23
24		.05	.02			1.00	.01	.11		.13		.06	24
25		.11		.08		.21		.01	.48	.13		.08	25
26		.47		.12	.03	.06	.01	.01		.22	.09	.07	26
27		.15	.03	.15				.70	.45		.01	.12	27
28		.14		.02				.07	.01			.01	28
29						.06	.17		.10	.42		.04	29
30						.04	.18			.21	.01		30
31			.16		.01		.02			.05			31
Total	0.61	2.38	1.17	0.90	0.77	2.50	0.78	2.32	3.93	2.67	3.32	5.81	TOTAL for year
No. of Rain Days.	4	14	14	9	7	11	12	11	12	18	21	26	159

REG

FORM A2.
BRITISH RAINFALL.

Kept at

Keroughton

in the County of

Donbush

by

J. H. Hall

Pattern *Circular*
 RAIN Diameter of top 5 in.
 GAUGE Height of top above Ground 1 ft. — in.
 " " " Sea Level 500 ft.
 Time of Observation 9.2 AM.
 Nearest Railway Station { Name *Pea Power C.W.R.*
 Distance $\frac{1}{2}$ mile Direction, *SS.E.*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

No rain

1912

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.07				.07	.03		.01	.09	.05	1
2			.09		.11		.24			.16		.23	2
3				.03	.39		.03		.06		.05		3
4			.02		.03			.10	.07		.14	.33	4
5	.07							.53		.14	.01	.01	5
6	.14		.06					.13		.02	.23	.65	6
7											.36		7
8	.21		.20								.08	.70	8
9											.14	.17	9
10		.05	.03						.08		.02	.55	10
11	.09								.05		.73	.04	11
12			.27						<u>2.02</u>		.40		12
13											.08	.09	13
14		.08	.05				.01					.45	14
15		.05	.03		.16					.03	.05	.12	15
16			.02	.04		.21				.05	.07	.10	16
17					.04	.66					.35	.17	17
18		.30		.21		.10				.07	.08	.36	18
19		.03		.17		.08	.01		.20	.35	.32	.38	19
20		.10		.08			.01	.60	.02	.08		.22	20
21		.62				.03	.02	.03		.23		.02	21
22		.01								.32	.02	.38	22
23		.22	.17			.05			.36	.05		.18	23
24		.05	.02			1.00	.01	.11		.13		.08	24
25		.11		.08		.21		.01	.48	.13		.08	25
26		.47		.12	.03	.06	.01	.01		.22	.09	.07	26
27		.15	.03	.15				.70	.48		.01	.12	27
28		.14		.02				.07	.01			.01	28
29						.06	.17		.10	.42		.04	29
30						.04	.18			.21	.01		30
31			.16		.01		.02			.05			31
Total	0.61	2.38	1.17	0.90	0.77	2.50	0.78	2.32	3.93	2.67	2.32	5.81	TOTAL for year
No. of Rain Days.	4	14	14	9	7	11	12	11	12	18	21	26	159

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

Kept at

Broughton

in the County of

Donbigh

by

J. H. Hall

RAIN
GAUGE

Pattern

Round

Diameter of top 5 in.

Height of top above Ground 1 ft. — in.

„ „ „ Sea Level 500 ft.

Time of Observation

9 a.m.

Nearest Railway Station

Name

Plan Power SWR

Distance

1 1/2 miles Direction S.S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		.03	.15			.07	.21	.06	.03			.16	1
2		.05	.28	.01		.12	.08					.04	2
3	.10		.08		.03	.38		1.20	.04			.09	3
4	.31		.82		.12	.14		.42	.01		.18	.02	4
5	.13	.05			.04	.18		.17	.05		.01		5
6	.55	.17	.02		.02			.35	.02				6
7		.11	.08		.03	.44	.03		.06			.06	7
8	.45	.21	.20	.08	.01	.09		.15	.11			.01	8
9	.10	.02	.41	.31		1.16		.03			.01	.05	9
10	.13		.03	.23		.21		.19		.01	.50	.01	10
11	.04	.05			.01		.04	.01			.08	.31	11
12	.01	.20	.12			.05	.06	.39				.16	12
13	.03	.02				.01		.02		.07		.01	13
14	.05		.14			.05		.03	.01	.04			14
15	.34	.07	.17		.22	.15		.01				.07	15
16	.94	.02	.18		.15			.03		.10			16
17	.75	.22	.23		.01	.16		.26			.06	.52	17
18	.34	.02	.03					.10		.03	.02	.01	18
19	.05	.07	.06			.03	.01	.24		.08	.01	.02	19
20	.07	.02	.16		.05	.04	.04	.04		.37	.06	.03	20
21			.20		.91		.05	.04		.39		.09	21
22	.01	.05			1.09	.02	.11	.63		.01		.06	22
23	.01		.51		.01	.07	.43	.30			.20	.03	23
24	.12		.02			.20	.07	.13		.03		.33	24
25		.02	.01			.03		.03		.01	.41	.28	25
26		.16	.06			.04	.18	.46		1.32	.10	.13	26
27						.22	.40			.48	.07	.13	27
28		.07		.01		.09	.23	.14	.11	.25	.60		28
29		.07	.04			.02	.07	.07	.55	.09			29
30	.06		.06			.26	.03	.01		.17	.30		30
31	.03		.11		.47		.71	.07		.03			31
Total	4.61	1.70	4.17	.44	3.17	4.23	2.74	5.58	.99	3.47	2.61	2.51	TOTAL for 1912
No. of Rain Days.	22	24	25	5	15	25	17	28	10	17	16	23	23

REGISTER OF RAINFALL IN 1913

Kept at

in the County of

by

Broughton
Dunbragh
J. Hance

Lat. 53 Long. 3 WEST
Time of Observation 9 a.m.
Nearest Railway Station Plas Power 9.10 p.m.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 500 ft.

BRITISH RAINFALL
FORM A
4-JAN

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.02	.15	.04	.01				.04		.20		1
2	.01	.14	.10	.03		.03				.01	.07		2
3	.02		.20		.54							.42	3
4	.59	.09			.10	.03	.01			.24	.02	.72	4
5	.37	.04	.03		.15	.42	.05	.07		.80	.01	.02	5
6	.13	.10	.24		.24	.11	.89			.35	.02	.25	6
7	.08	.45	.01		.30	.30	.06			.41	.26	.02	7
8	.02	.12	.05	.02	.16	.05	.02	.04	.04	.07	.05		8
9		.20	.03	.11	.10	.06	.40	.03	.04		.24	.13	9
10	.13		.01	.06	.27	.02	.01	.28		.29	.12		10
11	1.89	.02		.57	.10	.07		.14		.04	.22		11
12			.01		.13	.03		.02	.03		.27		12
13			.19				.13	.04	.13	.01	.20		13
14	.18		.37	.01				.18	.01	.07	.03		14
15	.05	.02	.34	.48					.02		.14		15
16	.02		.08	.03							.02		16
17	.04		.02	.05	.04		.05				.08		17
18			.32	.14	.11	.02	.05			.01			18
19	.08		.06		.05	.05				.14	.03		19
20	.24		.16	.08		.02			.05	.20	.34		20
21	.02		.12	.03	.19		.16	.01			.01		21
22	.36		.78			.24		.70	.69				22
23			.01			.01		.04	.19		.09	.17	23
24	.25			.02		.01					.07	.03	24
25				.18					.25	.10	.02	.01	25
26		.01		1.15				.02	.07			.41	26
27		.02		.17						.30		.17	27
28	.23		.11	.40	.01					.93		.12	28
29	.01		.38	.40	.17			.03		.41	.08		29
30	.25									.11	.05		30
31	.08		.29		.12					.02			31
Total	4.75	1.23	4.06	3.97	7.79	1.47	1.83	1.60	1.56	4.49	2.64	2.47	32.86
Rain Days.	22	12	24	19	18	16	11	13	12	19	24	12	202

REGISTER OF RAINFALL IN 1914

Kept at

in the County of

by

Lat. 53 N Long. 3 West

Time of Observation 9 am

Nearest Railway Station Pen Tomen 8.12.15

Diameter of Rain Gauge Five in.

Height of top of Gauge above Ground 111 ft. - in.

Sea Level 500 ft.

FORM A
BRITISH RAINFALL
JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.05	-	-	.07	.83	.55	-	-	-	.31	1
2	-	-	.01	-	-	-	1.07	.05	-	-	.44	.36	2
3	-	-	.21	.10	.20	-	.05	.02	-	-	.01	.82	3
4	.17	-	.04	.25	.15	-	.10	.01	-	-	.63	.20	4
5	.25	-	.12	.19	.23	.02	.16	-	-	.04	.26	.07	5
6	.04	.05	.01	.02	.16	.09	.30	.01	-	-	.09	.32	6
7	.01	.14	.25	.02	.25	.25	.18	.15	-	-	-	.23	7
8	.08	-	-	.11	.46	.18	.17	.11	.04	.01	-	.07	8
9	.24	.06	.16	.23	.09	.63	-	.06	.06	-	.04	-	9
10	.03	.32	.24	.11	.03	.25	-	.02	.14	-	-	-	10
11	-	.20	.19	-	.10	.29	.07	-	.08	-	.64	.68	11
12	-	.91	.15	-	-	.03	.09	-	.26	-	.17	.37	12
13	-	.10	.12	-	-	-	.08	-	.01	.28	.37	.24	13
14	-	.25	.05	-	-	-	-	-	-	.18	.34	-	14
15	-	.03	.40	-	-	-	-	.02	.02	-	.01	.04	15
16	-	.08	.08	-	-	-	.02	-	.30	-	-	.07	16
17	.01	.10	.20	-	-	-	.04	-	.43	-	-	.39	17
18	-	-	.02	-	-	.13	-	-	.19	.01	-	.11	18
19	-	-	.09	-	-	-	.40	.02	.28	-	.01	.12	19
20	-	.31	.20	-	-	.35	.37	-	-	-	-	.27	20
21	-	.21	-	-	-	.08	-	.07	-	.12	-	.18	21
22	-	.16	.02	-	.11	.05	-	.16	-	.01	-	-	22
23	-	-	.06	.01	.15	-	.04	-	-	-	.01	-	23
24	-	.01	.27	.01	-	-	.25	.14	-	.04	.12	-	24
25	.16	.01	-	-	-	-	.38	.17	-	.59	.14	.16	25
26	.01	-	.02	-	-	-	.09	.01	-	.10	.08	.50	26
27	.04	.01	-	-	-	.01	-	-	-	.01	.32	1.07	27
28	.33	.08	.16	-	.13	-	-	.02	-	.02	.02	.36	28
29	.08	-	.03	-	.05	-	-	-	-	.05	.17	-	29
30	.01	X	.03	-	-	-	-	-	-	.01	.21	.24	30
31	.11	X	-	X	.01	X	.30	-	X	.07	X	.01	31
Total	1.57	3.03	3.18	1.05	2.12	2.38	4.99	1.59	1.81	1.54	4.08	7.19	34.53
Rain Days.	.15	18	26	10	14	14	20	17	11	15	20	24	204
YEAR'S TOTAL													204

REGISTER OF RAINFALL IN 1915

Kept at *Broughton St Wrexham*
in the County of *Denbigh*
by *Jas Hall*

Lat. *53* Long. *3 West 4*
Time of Observation *9.2 AM*
Nearest Railway Station *Pla Power S.W.R.*
Diameter of Funnel of Rain Gauge *Five* in.
Height of top of Gauge above Ground *the* ft. *—* in.
" " " " Sea Level *500* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.36	.10	.06		.21		.01	.14	.20	.16		.32	1
2	.01	.18	.30	.29		.06		1.20		11		.03	2
3	.55	.14		.11			.31		.05			.34	3
4	.01	.22			.24		.04					1.09	4
5	.06	.28	.26	.02			.01	.03				.70	5
6	.13	.12	.02	.09			.32					.30	6
7	.23	.50					.26	.31				.26	7
8	.32	.23		.03				.19			.13		8
9	.23	.13		.31			.01				.28	.69	9
10	.60	.01		.16			.01	.02		.19	.16	.04	10
11	.03		.02	.02	.13		.10	.18		.01	1.26	.07	11
12	.08			.04	.49		.01	.19		.06	1.08	.05	12
13		.17		.02	.05						.40	.01	13
14	.13			.02	.02				.03		.17	.28	14
15	.53			.01	.04		.02	.03			.37	.07	15
16	.26	.62			.49		1.33	.49				.01	16
17		.40	.08		.75			.01				.05	17
18	.02	.44	.04							.02			18
19		.03	.04	.03	.09		.15						19
20	.13			.04	.03		.01	.01				.09	20
21	.34	.04					.32					.09	21
22		.28	.14				.09			.05		.08	22
23		.31	.09			.03	.10		.01	1.27	.04	.07	23
24			.17	.07					.11	.57		.17	24
25			.02			.46	.05				.06	.12	25
26		.08					.40		.14			.59	26
27		.05					.07		.01	.33		.59	27
28		.12				.24	.17	.22		.05		.01	28
29					.04	.62	.10	.08	.03		.07	.10	29
30	.15	X		.08		.03	.10	.02	.01	.18	.02	.23	30
31	.22	X		X		X	.13		X	.01	X	.44	31
Total	4.39	4.45	1.24	1.34	2.58	1.44	4.12	3.12	.59	3.00	4.64	6.89	37.80
Rain Days.	20	21	12	16	12	6	24	15	9	13	12	28	188

REGISTER OF RAINFALL IN 1916

Kept at *Broughton 1/2 Wretham*
in the County of *Denbigh*
by *Jar Hall*

Lat. *53* Long. *3. W*
Time of Observation *9. a.m.*
Nearest Railway Station *Plan Power 9.1/2 P.*
Diameter of Funnel of Rain Gauge *Five* in.
Height of top of Gauge above Ground *0.11* ft. *Sea Level* *500* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.27		.25			.19	.36			.05	.13		1
2	.10	.07	.60			.04	.10		1.06	.89	.02		2
3		.37		.01		.02	.14		.39	.29	.26	.23	3
4	.02	.04	.01		.65	.28	.10		.01	.01	.40		4
5		.02	.01		.33	.12				.58	.15		5
6	.10	.35	.01		.20		.88			.11	.53	.03	6
7	.12	.01	.01		.05	.01	.42			.05	.11	.21	7
8	.24	.01	.27		.01					.02	.05	.35	8
9	.01	.06			.30				.20		.05	.12	9
10	.01	.52	.08	.05	.03	.13	.02		.08			.01	10
11	.04	.20	.11	.12	.11	.01			.01			.06	11
12	.02		.08	.08	.24		.11	.16	.01	.10			12
13	.07	.16	.21	.14				.20	.01	.15		.02	13
14		(09)	.04	.11	.07			.10		.05		.02	14
15		.23	.49	.12	.02		.02	.32	.08	.11			15
16		.03		.04	.01		.02	.06		.11			16
17	.08	.14		.72			.01	.57	.40	.34		.02	17
18		.34	.05	.44				.01	.49	.07	.57	.30	18
19	.01	.01	.23	.05				.01		.04	.70		19
20	.09		.84	.01								.12	20
21	.05		.20	.05							.15	.05	21
22			.01	.01		.04				.24		.15	22
23			.01					.11		.03	.15	.21	23
24		.30			1.20	.31		.49		.37		.08	24
25		.05	.20		.27	.08		.25		.03	.57		25
26		.01			.06	.08			.02	.15	.16		26
27		.08			.01				.10	.51		.01	27
28		.35			.12					.24	.03	.10	28
29		.20				.41				.37		.21	29
30		X				.15				.25		.01	30
31		X		X		X		.02	X	.58	X	.02	31
Total	1.23	3.64	3.71	1.95	3.68	1.92	2.18	2.30	2.96	5.74	4.03	2.33	35.57
Rain Days.	15	23	20	14	17	14	11	12	13	26	16	21	302

REGISTER OF RAINFALL IN 19/7

Kept at Broughton
 in the County of Denbigh
 by Jas Hall

Lat. 53 N. Long. 3 W.
 Time of Observation 9.27 AM
 Nearest Railway Station Plan Power 8.1/2
 Diameter of Funnel of Rain Gauge Five in.
 Height of top of Gauge above Ground Five ft. — in.
 " " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.02	.60		.03		.44	.07		.17	.25	1
2	.01		.01			.05		.13			.16	.14	2
3		.04						.02		.15	.10		3
4	.11	.04	.20					.15		1.02	.03	.04	4
5	.35		.30	.08				.21	.01	.50	.09		5
6	.08		.18			14				.11	.26		6
7	.49									.28	.25	.07	7
8	.38			.20		.03		.98	.01	.86	.18	.08	8
9			.30	.20	.08			.08		.05	.71		9
10	.17		.65	.70	.13			.09		.05			10
11	.31			.10				.17		.25	.02		11
12	.07			.02	.70			.17	.22	.11			12
13	.01			.08	.01			.53	.04	.12	.01	.05	13
14				.03	.04			.05		.05	.02	.06	14
15	.03				.05		.10	.12		.08		.12	15
16				.24				.06				.14	16
17			.03	.23	.44	.14	.26	.88	.15	.05	.01		17
18	.02		.01	.10	.10		.39	.09	.28	.24		.01	18
19		.60	.45		.10	.14			.01				19
20	.02	.14	.01		.26	.87	.08		.03		.32	.05	20
21			.20		.14	.16		.03		.04	.02	.06	21
22								.50	.01	.03		.12	22
23		.18		.01	.08	.02	.03	.16	.01	.45		.01	23
24			.03			.08	.02	.04		.21	.25		24
25		.04	.11			.21	.04			.12	.12		25
26		.01						.39		.24	.75		26
27					1.28	.29	.21	.87					27
28			.17				.01	.50		.22			28
29			.03				.12	.05		.54		14	29
30		X	.45				.04	.39		.06	.05		30
31		X	.58	X	.14	X	.01	.27	X	.01	X	.01	31
Total	2.05	1.05	3.93	2.59	3.55	2.16	1.31	7.37	0.84	5.84	3.52	1.35	35.56
Rain Days.	13	7	18	13	14	12	12	26	11	25	19	16	186

YEARS TOTAL

REGISTER OF RAINFALL IN 19/8

Kept at Old Wroughton Billery
in the County of Denbigh
by J. A. Hall

Lat. 53 N Long. 3 W
Time of Observation 9 a.m.
Nearest Railway Station Plan Power & W. 17
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 500 ft.

BRITISH RAINFALL
FORM A.
1.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.10		.09	.02		.01	.11	.22	.05	.48		1
2		.02		.06				.61	.07		.01	.25	2
3		.04			1.00			.05	.22	.02	.01		3
4	.02	.06			.01			.02	1.20	.11	.53	.16	4
5		.05	.03	.12	.20			.32	.40	.13	.02	.01	5
6	.04	.30	.02	.23		.12		.03	.01	.36		.01	6
7	.04	.03		.05	.11				.20	.03	.24	.02	7
8	.09	.18					.13		.24	.27	.03		8
9		.65		.27		.58	.01		.82	.22	.06	.08	9
10	.12	.01		.38			.13		.22	.03	.06	.04	10
11	.06	.03		.02	.03		.05		.14			.04	11
12		.13		.03	.13		.22		.07				12
13	.09			.04	.01	.01			.30	.03			13
14	.30				.01	.12	.30		.32	.04		.21	14
15	.50					.02	.75		.87	.17	.03	.37	15
16				.08		.13	.11	.04	.25	.12		.16	16
17	.28				.17	.25	.05		.02	.08		.21	17
18	.10		.03			.24	.04		.33			.27	18
19	.06		.05	.03			.25		.09	.04		.50	19
20	.29	.42		.40	.13	.05	.02		.28			1.05	20
21	.16	.03		.18	.02	.03	.01		.35			.13	21
22	.02				.79	.01	.23		.08		.01	.53	22
23	.01				.57		.19		.16		.02	.03	23
24		.05					.04	.32	.04		.20	.19	24
25					.10	.13	.29	.55	.06	.01	.02		25
26					.01		.11	.12	.04	.01	.01	.03	26
27		.31	.07			.05		.41	.13		.20	.05	27
28		.05	.30					.01			.22	.21	28
29			.07						.26		.02	.01	29
30		X	.19					.02	.12	.02		.30	30
31		X	.14	X		X		.15	X	.02	X	.01	31
Total	2.13	2.46	0.90	1.98	3.31	1.74	2.94	2.76	7.51	1.76	2.17	4.87	34.58
Rain Days.	16	17	9	14	16	13	18	14	29	19	18	25	209

REGISTER OF RAINFALL IN 1919.

Kept at Old Broughton Colliery
in the County of Denbigh
by Jas Hall

Lat. 53° N Long. 3° W.
Time of Observation 9 a.m.
Nearest Railway Station Plan Power & W. R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1' 6" in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.16		.01	.01	.17		.35		.12	.26		.48	1
2	.11		.04				.12	.14	.12	.03	.05	.10	2
3				.05	.03	.12	.11		.01		.09	.03	3
4		.04	.39			.03	.78	.05	.09		.01	.35	4
5	.04	.30			.03		.01				.04	.27	5
6	.01		.20		.15							.45	6
7	.07		.05	~~.04~~					.01			.04	7
8	.39		.02	.04		.02							8
9	.87			.08							.03		9
10	.03		.12							.11	.01	.18	10
11	.01		1.94	.06			.10					.03	11
12			.48	.04		.54	.03		.20	.48	.06	.02	12
13	.15		.01	.17			.05		.01	.75		.02	13
14	.23	.02		.26			.14		.02	.53		.06	14
15	.20	.11	.01	.84	.33					.09		.64	15
16	.12	.85		.01		.02	.02				.18	.01	16
17	.03	.42		.01		.10		.13				.02	17
18			.94		.07		.03	.83	.22			.12	18
19	.15	.40	.97	.03		.08	.06	.14	.26		.19	.03	19
20	.20	.02	.21			.11			.20		.45	.35	20
21	.07	.26	.01				.22		.04		.02	.12	21
22		.02				.01	.04	.04	1.09		.02	1.50	22
23						.23				1.26	.02	.10	23
24				.04	.20	.01				.79	.25	.14	24
25	.04			.21	.02			.83	.01		.26	.10	25
26		.02	.24	.18		.09	.05	.13	.02	.01	.20	.51	26
27	.03	.05	.01	.17				.06	.04		.01	.01	27
28	.02	.02	.02	.05				1.44		.02		.39	28
29	.03		.20	.08		.04		.11		.16		.25	29
30	.01	~~X~~	.08	.14		.19					.18	.22	30
31		~~X~~	.06	~~X~~		~~X~~	.03	.01	~~X~~		~~X~~	.22	31
TOTAL	2.97	2.53	6.01	2.17	1.00	1.59	2.14	3.91	2.40	4.49	2.07	6.76	YEAR'S TOTAL 38.10
Days with .01 in. or more	22	13	21	19	8	14	16	12	16	12	18	29	200

REGISTER OF RAINFALL IN 1920.

Kept at Old Parnaghan Colliery

in the County of Down

by J. Hall, for the Parnaghan & Plas Power
Coal & Limestone Works

Lat. 53 N. Long. 3 W.

Time of Observation 9 a.m.

Nearest Railway Station Plas Power S.W. RR.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.18	.40	.25	.03	.14	.16			.29	1
2	.02			.13	.01	.23		.08	.03			.24	2
3	.05	.06		.64	.07	.03	.55	.03	.19	.40		.33	3
4				.03			.08	.33	.07	.74	.01		4
5		.01	.15				.12	.08	.38	.20			5
6		.01	.43	.03			.02			.79		.06	6
7		.07	.07	.04	.03		.48				.02		7
8	.39			.47	.17		.02	.08	.07				8
9	.34	.04		.62			.10	.10	.04			.01	9
10	.32	.26	.04			.01	.57					.06	10
11	.56	.04	.23	.26	.27	.35	.01					.01	11
12	.16		.11	.38	.02	1.36	.06	.08			.10	.08	12
13	.10	.16	.30	.12		.03					.15		13
14	.01	.04	.67	.51		.61	.05		.79	.18	.23		14
15		.14	.08	.30					.01	.35	.01		15
16			.01	.20	.27	.76	.55		.21	.44			16
17					.24	.07	.03	.03	.14	.01			17
18	.14			.01	.38	.06	.08	.06	.08	.01			18
19	.02	1.52		.15	.02	.08		.78	.02		.01		19
20	.07	.01		.61			.09	.01	.01			.12	20
21	.01			.03			.52	.04				.27	21
22	.04			.15			.18	.07				.08	22
23	.02	.01	.10	.02			.19	.01				.45	23
24	.03		.58	.01			.08	.01		.01	.01	.18	24
25	.06	.03	.20	.18	.27		1.00					.10	25
26	.18	.02	.50		.16	.03	.32			.01	.06	.04	26
27	.54	.09	.54	.31	.75	.26	.03				.09	.30	27
28	.46		.37	.20	.06	.02	.01					.10	28
29	.24		.28	.06	1.58	.01	.37				.14	.75	29
30	.09	~~X~~	.21	.26	.04	.09			.41		.07	.13	30
31	.06	~~X~~	.02	~~X~~	.02	~~X~~	.08	.07	~~X~~	.31	~~X~~	.01	31
TOTAL	3.91	2.51	4.89	5.90	4.76	3.77	6.07	1.81	2.64	3.64	.90	3.61	YEAR'S TOTAL 44.41
Days with .01 in. or more	23	16	19	26	18	15	27	16	15	14	12	20	221 ✓
Days with .04 in. or more	.56" on 11 th	1.52 on 19 th	.67 on 14 th	.64 on 3 rd	1.58 on 29 th	1.36 on 12 th	1.00 on 25 th	.78 on 19 th	.79 on 14 th	.79 on 6 th	.23 on 14 th	.75 on 29 th	